

പ്രേക്ഷിതൻ

സ്വീകർത്താവ്

കമ്പനി സെക്രട്ടറി
കൊച്ചിൻ ഷിപ്പ്യാർഡ് ലിമിറ്റഡ്
അഡ്മിനിസ്ട്രേറ്റീവ് ബ്ലോക്ക്
പെരുമണ്ണൂർ
എറണാകുളം 68 20 15

സർ,

വിവരാവകാശനിയമം-2005 അനുസരിച്ച് താഴെ പറയുന്ന വിവരങ്ങൾ /രേഖകളുടെ സാക്ഷ്യപ്പെടുത്തിയ പകർപ്പ് ലഭ്യമാക്കണമെന്ന് അപേക്ഷിക്കുന്നു


- 1) കേരള സ്റ്റേറ്റ് ഇലക്ട്രിസിറ്റി ബോർഡ് നടപ്പാക്കുന്ന ഇടുകി ജില്ലയിലെ തൊട്ടിയാർ ഹൈഡ്രോ ഇലക്ട്രിക് പ്രോജക്റ്റ് പെൻസ്റ്റോക്ക് നിർമ്മാണത്തിന് ഉപയോഗിക്കുന്ന ASTM പ്ലേറ്റുകൾ 2009 മുതൽ 2018 ആഗസ്റ്റ് മാസം വരെയുള്ള കാലയളവിൽ കൊച്ചിൻ ഷിപ്പിയാർഡ് ക്വാളിറ്റി കൺട്രോൾ ലബോറട്ടറിയിൽ കെമിക്കൽ ടെസ്റ്റ് ഉൾപ്പെടെയുള്ള പരിശോധനകൾ നടത്തുന്നതിനായി സാമ്പിളുകൾ സമർപ്പിച്ചിട്ടുണ്ടോ?
- 2) ഇപ്രകാരം പരിശോധനകൾക്ക് വിധേയമാക്കിയിട്ടുണ്ട് എങ്കിൽ എത്ര തവണ ഏതെല്ലാം തീയതികളിൽ എന്ന വിവരം
- 3) ഇപ്രകാരം പരിശോധനകൾക്ക് വിധേയമാക്കിയിട്ടുണ്ട് എങ്കിൽ ഏതെല്ലാം പരിശോധനകൾ നടത്തി എന്ന വിവരം
- 4) ഇപ്രകാരം പരിശോധനകൾക്ക് വിധേയമാക്കിയിട്ടുണ്ട് എങ്കിൽ ഓരോ തവണയും നടത്തിയ പരിശോധനാ റിപ്പോർട്ട് (ടെസ്റ്റ് റിപ്പോർട്ട്) സാക്ഷ്യപ്പെടുത്തിയ പകർപ്പ്

5) ഇപ്രകാരം പരിശോധനകൾ നടത്തിയിട്ടുണ്ടെങ്കിൽ ട്രസ്റ്റ് റിപ്പോർട്ട് പ്രകാരം ഓരോ സാമ്പിളുകളിലും എന്തെങ്കിലും അപാകതകൾ /നിലവാരത്തിന് പോരായ്മകൾ കണ്ടെത്തിയിട്ടുണ്ടെങ്കിൽ ഇതുസംബന്ധിച്ചുള്ള വിശദ വിവരം

മേൽപ്പറഞ്ഞവിവരങ്ങളും പകർപ്പുകളും ലഭ്യമാക്കുന്നതിനായി അങ്ങയുടെ ഓഫീസിൽ അടയ്ക്കേണ്ട തുക അറിയിപ്പ് ലഭിക്കുന്ന മുറയ്ക്കുന്നതാണ്

വിശ്വസ്തതയോടെ

19-10-2018



SEC/50/2018-II

November 26, 2018

Sub: Information Under Right to Information Act

Dear Sir,

Please refer your RTI application dated October 19, 2018 received by us on October 30, 2018. The information sought under the said application relating to the testing of samples by Kerala State Electricity Board (KSEB) in Cochin Shipyard Laboratory, is given below:

Answer:

As per Cochin Shipyard Laboratory manual, the retention period of documents is 3 years. Hence the information prior to 01.01.2015 is not available.

On verification of the documents from 01.01.2015 to 31.08.2018, no record is found of Kerala State Electricity Board having submitted ASTM plates of penstock of Thottiyar Hydro Electric Project for testing with Cochin Shipyard Laboratory.

2. If you are not satisfied with the above reply, you may prefer an appeal within 30 days from the date of receipt of this letter to Shri Suresh Babu N V, Director (Operations) & Appellate Authority, Cochin Shipyard Limited, Administrative Building, Cochin Shipyard Premises, Perumanoor, Kochi – 682 015.

Thanking you,

Yours faithfully,

V Kala

Company Secretary & CPIO

