

## कोचीन शिपयार्ड लिमिटेड / COCHIN SHIPYARD LIMITED कोच्ची / COCHIN - 682 015

# पोत निर्माण प्रभाग / SHIP BUILDING DIVISION आउटिसिर्सिंग विभाग OUTSOURCING DEPARTMENT



#### निविदा दस्तावेज़/ TENDER DOCUMENT

TENDER NO. SB-OSD/S&C/864/2025 Dtd: 21-03-2025

ERECTION & DISMANTLING OF SCAFFOLDINGS IN SHIP
BUILDING DIVISION OF CSL

**MARCH- 2025** 





### विषय - सूची / CONTENTS

क्र.सं.	विवरण	संदर्भ
SL No.	DESCRIPTION	REFERENCE
1	निविदा सूचना TENDER NOTICE	
2	जांच के नियम और शर्तें TERMS & CONDITIONS OF ENQUIRY	अनुलग्नक ANNEXURE I
3	सामान्य शर्तें GENERAL CONDITIONS	अनुलग्नक ANNEXURE II
4	कार्यों का विषय क्षेत्र/ तकनीकी विनिर्देश SCOPE OF WORKS / TECHNICAL SPECIFICATION	अनुलग्नक ANNEXURE III
5	वाणिज्यिक जांच सूची COMMERCIAL CHECK LIST	अनुलग्नक ANNEXURE IV
6	मूल्य बोली प्रारूप PRICE BID FORMAT	अनुलग्नक ANNEXURE V
7	पूर्व-संविदा सत्यनिष्ठा का समझौता PRE CONTRACT INTEGRITY PACT	अनुलग्नक ANNEXURE VI
8	बयान DECLARATION	अनुलग्नक ANNEXURE VII
9	अनुपालन के लिए मैट्रिक्स COMPLIANCE MATRIX	अनुबंध APPENDIX A
10	वित्तीय क्षमता के लिए प्रारूप FORMAT FOR FINANCIAL CAPABILITY	अनुबंध APPENDIX B
11	प्रदर्शन मूल्यांकन प्रपत्र PERFORMANCE EVALUATION FORM	अनुबंध APPENDIX C





# निविदा सूचना / TENDER NOTICE कोचीन शिपयार्ड लिमिटेड / COCHIN SHIPYARD LIMITED पोत निर्माण प्रभाग / SHIP BUILDING DIVISION आउटसिर्सिंग विभाग/ OUTSOURCING DEPARTMENT

SB-OSD/S&C/864/2025

21 March - 2025

#### निविदा सूचना / TENDER NOTICE

#### संक्षिप्त विवरण / BRIEF DETAILS:

निविदा जांच संख्या और तारीख Tender enquiry No. and date	SB-OSD/S&C/864/2025 Dtd 21-03-2025
कार्य का नाम Name of work	ERECTION & DISMANTLING OF SCAFFOLDINGS USING CSL SUPPLIED MATERIALS IN SHIP BUILDING DIVISION OF CSL, KOCHI.
निविदाएं प्राप्त करने की अंतिम तिथि और समय  Last date & time of receipt of Tenders (भाग/Part I – तकनीकी–वाणिज्यिक बोली और भाग – II मूल्य बोली/ Techno-Commercial Bid & Part II-Price Bid) भाग I (तकनीकी–वाणिज्यिक) बोली खोलने की तिथि और समय  Date & time of opening of Part I (Techno – Commercial) Bid	11 April - 2025 at 15.00 Hrs IST 11 April - 2025 at 15.30 Hrs IST
संपर्क व्यक्ति Contact Person	For Technical queries:  Mr. Hari Raja P C, DGM(S&C & NDD),  Mob. No: 8138027520  For Commercial queries:  Mr. Adarsh S, AM(Outsourcing),  Mob No: 87146 30926





<u>नोट</u>: इस निविदा के खिलाफ उद्धृत करने से पहले, संभावित बोलीदाता से अनुरोध है कि वे निविदा जांच दस्तावेज़ (और अनुलग्नक, यिद कोई हो) को पूरी तरह से और सावधानी से पढ़ लें। निविदा के नियमों और शर्तों में विचलन अत्यधिक हतोत्साहित किया जाता है। इसलिए, निर्धारित किसी भी नियम और शर्तों, योग्यता मानदंड, ईएमडी जमा करने से छूट के लिए पात्रता, दस्तावेज़ीकरण/प्रक्रियात्मक आवश्यकताओं आदि के संबंध में स्पष्टीकरण, यिद कोई हो, के संबंध में उत्पन्न होने वाले किसी भी संदेह को संभावित बोलीदाता द्वारा बोली जमा करने से पहले निरपवाद रूप से उपरोक्त सूचित व्यक्तियों के माध्यम से अनिवार्य रूप से स्पष्ट किया जाएगा।

**Note:** Before quoting against this Tender, the prospective bidder is requested to go through the Tender Enquiry document (& Annexes, if any) thoroughly & carefully. Deviations to the Terms & Conditions of the Tender are highly discouraged. Therefore, any doubts arising in respect of any of the Terms & Conditions stipulated, Qualification Criteria, Eligibility for exemption from submission of EMD, clarification if any w.r.t. Documentation / Procedural requirements, etc. shall get clarified by the prospective bidder through above noted contact persons invariably before the submission of the Bid.

- 1. कोचीन शिपयार्ड लिमिटेड, एक प्रमुख पोत निर्माण और पोत मरम्मत उद्योग और वैश्विक पोत निर्माण के मोर्चे पर विख्यात, इच्छुक, प्रतिष्ठित, संसाधन संपन्न और वित्तीय रूप से सक्षम कंपनियों/ठेकेदारों को एकल चरण दो भाग बोलियों को प्रस्तुत करने हेतु आमंत्रित करता है।
  - Cochin shipyard Limited, a leading Ship Building & ship repair industry and also well-known player on the global ship building front, invites interested, reputed, resourceful and financially solvent firms/contractors to submit single stage two part bids for this rate contract.
- निर्धारित प्रपत्र में मुहरबंद प्रतिस्पर्धी निविदाएं निविदा जांच के अनुलग्नक में उल्लिखित नियम और शर्तों के अनुसार होनी चाहिए।
  - The Sealed competitive tenders in the prescribed form should be as per the terms and conditions as mentioned in the annexure to tender enquiry.
  - 3. निविदाएं दो बोली प्रणाली में प्रस्तुत की जानी हैं; भाग I: तकनीकी वाणिज्यिक बोली और भाग II: सॉफ्ट कॉपी के रूप में मूल्य बोली और निर्धारित तिथि और समय पर या उससे पहले अधोहस्ताक्षरी के पास पहुंच जानी चाहिए:
    - The tenders are to be submitted in two bid system; **Part I : Techno Commercial Bid** and **Part II : Price Bid** as Soft copy and should reach the undersigned on or before the date and time as stipulated:

#### 4. MODE OF SUBMISSION OF BIDS





- a. निविदा केवल ई-मेल के माध्यम से सॉफ्ट कॉपी में प्रस्तुत की जानी चाहिए। सीएसएल किसी अन्य प्रकार की निविदा स्वीकार नहीं करेगा।
  - Tender should be submitted in soft copy via E-mail only. CSL will not accept any other mode of tender.
- b. ई-मेल के विषय में स्पष्ट रूप से निविदा पूछताछ संख्या और जमा करने की देय तिथि का उल्लेख होना चाहिए। मूल्य बोलियों को पासवर्ड से सुरक्षित किया जाना चाहिए और जब तक मांगा नहीं जाता तब तक पासवर्ड अग्रेषित नहीं किया जाना चाहिए।
  - The subject of the E mail should clearly state the tender enquiry number and due date of submission. Price Bid is to be password protected and password is not to be forwarded unless asked for.
- c. निविदा दस्तावेज़ पीडीएफ प्रारूप में प्रस्तुत किया जाना चाहिए और पीडीएफ प्रारूप से सीधे खोला जा सकता है। उपरोक्त का अनुपालन न करने वाले प्रस्तावों को बिना किसी सूचना के सरसरी तौर पर खारिज कर दिया जाएगा। Tender Documents should be submitted in PDF Format and Directly openable from the PDF format. Offers not complying with the above shall be summarily rejected without further intimation.
- d. निविदाएं, तकनीकी वाणिज्यिक बोली (भाग-I) और मूल्य बोली (भाग-II) अलग से ई-मेल के माध्यम से <u>"SB-OSD/S&C/864/2025" विषय के साथ</u> प्रस्तुत की जाएगी।
  Tenders, Techno- commercial bid (Part-I) and Price bid( Part -II) shall be submitted
  - separately via email, with subject as " SB-OSD/S&C/864/2025 " to:
- (i) ashtal.antony@cochinshipyard.in
- (ii) adarsh.s@cochinshipyard.in

प्रतिलिपि / Copy to:

- (iii) madhu.pk@cochinshipyard.in
- (iv) philip.thomas@cochinshipyard.in
- 5. बोलियां दिनांक 11 अप्रैल 2025 को अपराहन 15.00 बजे या उससे पहले कोचीन शिपयार्ड लिमिटेड में प्राप्त की जाएंगी और भाग I तकनीकी वाणिज्यिक बोली उसी दिन अपराहन 15.30 बजे खोली जाएगी।

  The Bids shall be received at Cochin Shipyard Ltd on or before 15.00 Hrs on 11 April 2025 and Part I Techno-Commercial Bid will be opened at 15.30 Hrs on the same day.
- 6. देर से आनेवाली निविदाएं/शर्तों वाली निविदाएं सरसरी तौर पर खारिज कर दी जाएंगी। Late tenders / tenders with conditions will be summarily rejected.
- 7. सीएसएल ई-मेल द्वारा भेजी गई निविदाओं के विलंब, खो जाने या प्राप्त न होने की कोई ज़िम्मेदारी नहीं लेगा। CSL takes no responsibility for delay, loss or non-receipt of tenders sent by e-mail.
- मूल्य बोली खोलने के लिए केवल तकनीकी रूप से योग्य बोलियों पर विचार किया जाएगा। तकनीकी पहलुओं और वाणिज्यिक शर्तों दोनों के लिए बोलियों का मूल्यांकन करने के बाद, तकनीकी-व्यावसायिक रूप से योग्य



बोलीदाताओं को भाग-11

Only technically qualified bids will be considered for price bid opening. After evaluating the bids for both technical aspects and commercial terms, the technocommercially qualified bidders will be intimated regarding the date and time of opening of Part II - Price Bid.

 केवल तकनीकी – वाणिज्यिक बोली खोलने को अनुबंध देने के लिए प्रस्ताव की स्वीकृति के रूप में नहीं माना जा सकता है।

Merely opening of Techno-Commercial Bid cannot be construed as acceptance of offer for awarding of contract.

10. भाग । (तकनीकी-वाणिज्यिक) बोली के साथ निम्नलिखित प्रस्तुत किया जाएगा:

The following shall be submitted along with Part I (Techno-commercial) Bid:-

i. अनुलग्नक I, II, III, IV, V,VI,VII और परिशिष्ट – A & B में रखे गए पूछताछ के नियम और शर्तें , समान्य शर्तें , तकनीकी विनिर्देश और आरेखण सहित सभी पृष्ठों पर विधिवत हस्ताक्षरित मूल निविदा दस्तावेज़।

**Original tender document duly signed on all pages** - including Terms & conditions of enquiry, general conditions, technical specification and drawings placed at Annexure I, II, III, IV, V,VI,VII & Appendix- A & B

ii. अनुलग्नक IV में तकनीकी वाणिज्यिक जांच सूची पूरी तरह से भरी हुई है और विधिवत हस्ताक्षरित है । विधिवत भरी हुई तकनीकी वाणिज्यिक जांच सूची प्रस्तुत न करने पर बोलियों को अस्वीकार कर दिया जाएगा।

The techno commercial Check List at Annexure IV filled up completely and duly signed. The non-submission of duly filled techno commercial checklist will lead to the rejection of the bids.

iii. गैर-मूल्य बोली प्रारूप की प्रतिलिपि (कीमत/अंकों के बिना मूल्य बोली)।

Copy of un-priced bid format (price bid WITHOUT prices/numerals)

iv. निविदा पूछताछ नियम और शर्तों से विचलन / बहिष्करण की सूची (यदि कोई हो)।

List of deviations/exclusions from the tender enquiry terms and conditions (if any).

#### 11. पूर्व अनुबंध अखंडता संधि / PRE CONTRACT INTEGRITY PACT

निविदा में भाग लेने वाले बोलीदाताओं को पूर्व अनुबंध अखंडता समझौते पर हस्ताक्षर करना होगा, यदि बोली 1 करोड़ रुपए से अधिक है।

The bidders who are participating in the tender shall sign the pre contract integrity pact, in case the bid is above Rs 1 crore.

#### 12. एमएसएमई - विशेषाधिकार / MSME-PRIVILEGES

सीएसएल वेबसाइट (<u>www.cochinshipyard.in</u>) के अनुसार एमएसएमई, स्टार्ट-अप आदि से संबंधित भारत सरकार की सार्वजनिक खरीद नीति पहल इस निविदा के लिए लागू होगी।



Public procurement policy initiatives of Govt. of India, pertaining to MSME's, Start-up etc. as per CSL website (<a href="www.cochinshipyard.in">www.cochinshipyard.in</a>) shall be applicable for this tender.

- 13. कोचीन शिपयार्ड लिमिटेड (सीएसएल) ने ट्रेड्स पोर्टल अर्थात आरएक्सआईएल, एम1 एक्सचेंज और इनवॉयस मार्ट में पंजीकरण कराया है। वे विक्रेता जिन्होंने ट्रेड्स पोर्टल में पंजीकरण कराया है, वे ट्रेड्स पोर्टल के ज़िरए भुगतान को संसाधित करने के लिए संबंधित निष्पादन अधिकारी को सूचना के तहत संबंधित पोर्टल में चालान अपलोड कर सकते हैं। आपूर्तिकर्ताओं से अनुरोध है कि ट्रेड्स पोर्टल में चालान अपलोड करने से पहले, जहां भी लागू हो, गुणवत्ता निरीक्षण स्थिति के संबंध में संबंधित निष्पादन अधिकारी से जांच करें।
  - Cochin Shipyard Limited (CSL) has registered in the TReDS Portal viz., RXIL, M1xchange and Invoice Mart. Those vendors who have registered in the TReDS portal may upload the invoice in the respective portal under an intimation to concerned executing officer for processing the payment through TReDS portal. Suppliers are requested to check with the concerned executing officer regarding the Quality inspection status, where ever applicable, before uploading the invoices in TReDS portal.
- 14. सीएसएल के पास पूरा ऑर्डर देने या ऑर्डर की मात्रा का कुछ हिस्सा देने या काम को दो या दो से अधिक फर्मों/उपठेकेदारों में विभाजित करने या किसी भी निविदा को स्वीकार या अस्वीकार करने, या निविदा खोलने की तारीख बढ़ाने, और या कुल निविदा प्रक्रिया को रद्द करने और सभी को अस्वीकार करने का अधिकार सुरक्षित है। अनुबंध प्रदान करने से पहले किसी भी समय निविदाएं। सीएसएल प्रभावित फर्म(फर्मों) के प्रति कोई दायित्व नहीं निभाएगा, सीएसएल की कार्रवाई के आधार के बारे में प्रभावित फर्म(फर्मों) को सूचित करने का कोई दायित्व नहीं होगा। बोलीदाताओं से अनुरोध है कि वे नोट करें और तदनुसार बोली लगाएं।
  - CSL reserves the right to place order whole or part of order quantity or split the work on two or more firms/subcontractors or to accept or reject any tender, or extend the tender opening date, and or to cancel the total tender process and reject all tenders at any time of the contract. CSL will not incur any liability to the affected firm(s), any obligation to inform the affected firm(s) of the grounds for CSL's action. Bidders are requested to note and quote accordingly.
- 15. मुख्य महाप्रबंधक, पोत निर्माण प्रभाग, कोचीन शिपयार्ड लिमिटेड, निविदा या उसके हिस्से को स्वीकार करने हेतु अधिकृत व्यक्ति है, जो न्यूनतम निविदा को स्वीकार करने हेतु स्वयं को बाध्य नहीं करता है और बिना कोई कारण बताए प्राप्त किसी या सभी निविदाओं को अस्वीकार करने का अधिकार सुरक्षित रखता है।
  - Chief General Manager, Ship Building Division, Cochin Shipyard Limited, is the authorized person to accept the tender or part thereof, who does not bind himself to accept the lowest tender and reserves the authority to reject any or all of the tenders



received without assigning any reason.

कृते उप महाप्रबंधक / For Deputy General Manager आउटसोर्सिंग विभाग / Outsourcing Department





**ANNEXURE I** 

#### जांच की नियम और शर्तें / TERMS & CONDITIONS OF ENQUIRY

### ERECTION & DISMANTLING OF SCAFFOLDINGS IN SHIP BUILDING DIVISION OF CSL, KOCHI.

#### 1. कार्य का विवरण / DESCRIPTION OF WORK

- 1.1. This tender enquiry pertains to the awarding of Two year Rate Contract for Erection & Dismantling of Scaffoldings in Ship Building Division of CSL premises, Kochi using CSL supplied materials as per the following documents:
- 1.1.1. Cochin Shipyard Ltd Terms and conditions (Annexure I)
- 1.1.2. Cochin Shipyard Ltd General conditions (Annexure II)
- 1.1.3. Enquiry specification (Annexure III)
- 1.2. The scope of work pertains to Two year rate contract for Erection & Dismantling of Scaffoldings in Ship Building Division of CSL (hereinafter referred to as premises of CSL, Kochi).
- 1.3. Bidders are requested to study the scope of work before submitting their offer. Clarification, if any, required may be obtained from **DGM** (S&C & NDD) before quoting.

#### 2. विक्रेताओं के लिए पात्रता मानदंड / QUALIFICATION CRITERIA FOR VENDORS

The Bidder should qualify the following PQ Criteria:

#### 2.1. GENERAL

- 2.1.1. Bidder shall be a single firm.
- 2.1.2. Bidder shall not be under a declaration of ineligibility issued by Govt. of India/ State government/Public Sector Undertakings etc. The bidder shall not have been debarred / black listed by CSL or by any of the Public Sector Undertaking or Government department etc. The declaration of eligibility at Annexure VII shall be submitted in this regard.
- 2.1.3. All the qualifying documents indicated in the tender shall be strictly in the name of bidding firm. Qualifying documents submitted in the name of any other than bidding firm will not be considered for bidding firm's qualification.





#### 2.2. <u>TECHNICAL EXPERIENCE</u>

- 2.2.1. The bidder should have prior experience in erection and dismantling of scaffolding works in ship building and ship repair industry during last 3 years ending 31<sup>st</sup> Dec 2024 and should be conversant with Ship Building /Ship repair/ Ship Construction procedures or paramilitary ships or submarines or offshore structure so that they could adhere to the CSL / Naval and Class requirements & specifications while carrying out scaffolding works. The firm should have undertaken work orders worth Rs. 125 Lakhs each year in last three 3 years ending 31st Dec 2024
- 2.2.2. Experience of having successfully completed similar works during last 7 years ending 31st Dec 2024 previous to the one in which applications are invited should be either of the following:

Three completed work orders, each costing not less than the amount equal to **Rs. 160** Lakhs

Or

Two completed work orders, each costing not less than the amount equal to Rs. 200 Lakhs

Or

One completed work order costing not less than the amount equal to Rs. 320 Lakhs

#### 2.3. FINANCIAL CAPABILITY

- 2.3.1. The bidder shall have an average annual financial turnover of **Rs. 125 Lakhs** during the last three years ending on 31<sup>st</sup> March 2024.
- 2.3.2. The Bidder shall enclose with its Proposal, certificate issued by Chartered Accountant with their seal and signature, turnover during the past three years. Certificate shall be as per the format placed at Appendix B.

#### 2.4. OTHER CONDITIONS

- 2.4.1. The bidding firm shall have key personnel having single point of contact with contract details. He/she shall have adequate and specialized experience capable of discharging their responsibilities.
- 2.4.2. Successful bidder shall be capable to position minimum 35 experienced persons every day in CSL to meet CSL requirement.
- 2.4.3. The bidding firm should have valid PAN and GSTIN and details of PAN



- Registration Number and current valid Tax Clearance Certificate shall be submitted along with the offer.
- 2.4.4. Bidder should submit duly signed compliance matrix placed at Appendix A for technical deviation/queries if any along with the offer.
- 2.4.5. If required, the documents / certificates submitted by bidder will be verified with source directly by CSL. Misleading or false representations in the forms, statements and attachments submitted in proof of eligibility requirements will result in summarily rejection / disqualification of the submitted offer at any point of time whatever may be the status of the process. Also, the firm will not be considered for further tendering for a period of three (3) years henceforth.
- 2.4.6. Any technical clarification required shall be sought before submission of the offer. The Contractor shall conduct a site inspection before submission of offer.
- 2.4.7. RIGHT TO VERIFICATION: CSL has the right to verify the authenticity of bidder/documents submitted by them and/or inspect the facilities if felt necessary. Based on this CSL reserves the right to accept and reject any and all bids, which in its opinion, appears to be most advantageous to CSL.

#### 3. प्रस्ताव की वैधता / VALIDITY OF OFFER

3.1. The offer shall be valid for acceptance for a period of 90 days from the date of opening of the Part-I Techno-Commercial Bid.

#### 4. अनुबंध प्रदान करने का तरीका / METHOD OF AWARDING CONTRACT

- 4.1. Contract will be concluded with the Bidder qualifying to Techno-Commercial conditions and emerging as L1 as per this tender conditions.
- 4.2. Once work order is placed successful bidder should be able to start the works immediately with sufficient experienced manpower as per the instruction of officer-in-charge of CSL.
- 4.3. CSL reserves right to reduce/ increase the percentage work or cancel the work order based on the performance of work undertaking firm at site.
- 4.4. CSL reserves the right to cancel the tender at any stage without assigning any reasons whatsoever based on CSL requirement? The decision of CSL regarding the same shall be final and conclusive.
- 5. <u>कार्य की प्रगति तथा समापन की समय सारणी / WORK PROGRESS AND</u>



#### **SCHEDULE OF COMPLETION**

5.1. The Bidder should be ready to work in tight schedule as per CSL's requirement/instruction of officer-in-charge of CSL.

#### 6. कार्य प्रक्रिया / WORK PROCEDURE

- 6.1. The scope of work and operating procedure are briefly described in detail for each category of works in the Annexure III.
- 6.2. Necessary job instructions etc. for the work will be issued by CSL.
- 6.3. Contractor is to carry out the work as per the direction/ materials supplied, and to the satisfaction of CSL.
- 6.4. Contractor should maintain the quality, HSE practices as per CSL Quality Standards, yard quality procedures. Inspection will be carried out during the work by CSL.

#### 7. अनुबंध की वैधता / VALIDITY OF CONTRACT

7.1. The contract shall be valid for a period of two years from the date of issue of work order. However, CSL reserves the right to extend the contract for one more year with the same terms and conditions on mutual agreement.

#### 8. निरीक्षण / INSPECTION

8.1. All works under the contract shall be performed within CSL Kochi premises as per the instructions of the officer in-charge and under the inspection/supervision of CSL representatives.

#### 9. <u>बोलियां जमा करने के लिए दिशानिर्देश / GUIDELINES FOR SUBMISSION OF BIDS</u>

#### 9.1. Technical Bid (Part –I)

- 9.1.1. The technical bid as specified in the scope of work (Annexure III) shall be submitted in E-mail.
- 9.1.2. The following shall be submitted along with technical Bid, failing which the bid may be summarily rejected:-
- 9.1.3. Original tender document general Terms & conditions and technical specifications placed at Annexure I, II & III duly signed on all pages.
- 9.1.4. The commercial Check List at Annexure IV filled up completely and duly signed
- 9.1.5. Copy of un-priced bid format of each category of works at Annexure V.





9.1.6. The non-submission of duly filled commercial checklist will lead to the rejection of the bids.

#### 9.2. Price Bid (Part-II)

- 9.2.1. The bid shall be comprehensive of the nature of Erection & Dismantling of Scaffoldings in Ship Building Division of CSL shall be inclusive for all the applicable charges envisaged under the scope of the contractor as specified in the technical specification Annexure III.
- 9.2.2. Bidders shall quote total amount in figures and in words. Corrections and additions if any must be attested/ duly signed by the bidder. In the case of error in multiplication/addition in amount calculated, the rate quoted will be considered as correct and the amount will be calculated accordingly. Conditional rebates & discounts, incomplete/ ambiguous offer will be rejected.
- 9.2.3. The price bid shall be all inclusive of scope of contractor on unit rate basis and any rates on variable basis will not be accepted within the price bid and thereafter throughout the period of the contract. Any variable rates if deemed inevitable and applicable only in special cases/situations (not in the normal course of execution of contract) will only be considered for mutual agreement.
- 9.2.4. Price Bid Format: The price bids shall be prepared as per the format given in Annexure V to the enquiry. The bidder must quote all line items as per price bid format any failure in this regard will lead to the rejection of bid.
- 9.2.5. Rates of individual line items for the overall L1 is considered as L1 rate irrespective of lower rates in case of the line items of other bidders.
- 9.2.6. Currency: The price bids shall be prepared in Indian National Rupees for all bidders.
- 9.2.7. As per tender condition, the price bid which were not opened will not be returned back at any reason.
- 9.2.8. The bids which are not conforming above requirements shall be summarily rejected without any further notice.

#### 10. असामान्य रूप से कम उद्धृत दरें /ABNORMALLY LOW QUOTED RATES:

10.1.1. In case the price of L-1 Bidder is found to be unreasonably low and/ or bidder expresses desire to withdraw from the tender after opening of price bid, then tender will be cancelled and suitable penal action as per CSL procedure shall be taken against the firm.



Division of CSL

#### 11. **कर / TAXES**

- 11.1. GST shall be applicable extra on the prescribed work. Bidders should indicate the applicable GST percentage and HSN code of the category in the offer. Bidders are also requested to furnish the following details in the invoice/Bill.
- 11.1.1. Applicable rate of GST/SAC Code
- 11.1.2. Firms GST Reg. No.
- 11.1.3. Service accounting code (SAC) as prescribed by statutory authorities.
- 11.1.4. GST Reg. No. of Cochin Shipyard Ltd (32AAACC6905B1ZD).
- 11.2. Any new tax/duty that may be made effective by the government for this work and paid by the contractor shall be reimbursed on production of documentary evidence.

#### 12. भुगतान की शर्तें / PAYMENT TERMS

- 12.1. Payment will be made on pro rata basis (calendar month) according to the actual quantity of work done on certification by the officer-in-charge
- 12.2. All claims for payment for the work/additional work shall be submitted by the subcontractor within one month of completion of work.
- 12.3. An invoice upload facility by vendor is established through the Vendor Invoice Management (VIM) Portal is currently available for supply as well as service vendors including subcontractors so as to facilitate transparency and timely payment. The portal can be accessed at: <a href="https://apps.cochinshipyard.in:446/vim/Home.jsp">https://apps.cochinshipyard.in:446/vim/Home.jsp</a>
- 12.4. The same can also be accessed via Cochin Shipyard Website (<a href="https://cochinshipyard.in">https://cochinshipyard.in</a> ) as below;
  - Path: Cochin Shipyard Website --> Related Links --> Vendor Payment Info
- 12.5. All invoices above 10 Lakhs (including GST) are required to be digitally signed by the vendors and uploaded in VIM portal. The direct submission of invoices value above 10 Lakhs will not be accepted. Once the invoices are digitally signed and uploaded, there is no need to submit the hard copy for processing the payment.
- 12.6. Service Acknowledge Number (SAN) to be obtained from the Executing Officer at the time of certification of Work Completion Certificate (WCC) for the above process.
- 12.7. The invoice can be tracked using the generated Invoice Tracking Number till the payment.
- 12.8. Payment will be made by RTGS/NEFT to the account of contractor. The name of the bank, branch, A/C No., IFSC code & other particulars shall be furnished by the contractor in the proforma of CSL.



#### 13. EARNEST MONEY DEPOSIT (EMD)

13.1. Bidders shall furnish Earnest Money Deposit (EMD) equivalent to **Rs. 6.25 Lakhs** by way of RTGS/NEFT to the following account of Cochin Shipyard Ltd, Kochi.

Bank	State Bank of India
IFSC	SBIN0004062
Account No.	10319928321 of Cochin Shipyard Ltd.

- 13.2. The bidder shall submit the proof of such transfer along with the submission of technical bid.
- 13.3. This shall be returned after finalization of contract and upon receipt of Security deposit in accordance with clause 14 below, with respect to successful bidders; With respect to unsuccessful bidders, the same shall be returned within 15 days of issuance of PO/Contract.
- 13.4. Bidders belonging to Micro and Small Enterprises (MSE's) category are exempt from furnishing EMD subject to the bidders producing valid UDYAM Certificate and shall be duly verified by CSL. Bidders who fail to submit UDYAM Certificate along with the Techno-Commercial Offer shall not be considered eligible for EMD exemption.
- 13.5. In case the offer validity is extended on mutual consensus, the validity of EMD shall be mutually extended EMD may be forfeited in the following cases:
  - a) Bidder withdraws, amends, impairs or derogates from the tender, agreed conditions in any respect within the period of validity of his offer.
  - b) Non-acceptance of order

#### 14. प्रतिभूति जमा / SECURITY DEPOSIT

14.1. The successful tenderer shall remit **Rs. 11 Lakhs** as security deposit within 15 days of receipt of the work order. This amount has to be remitted by way of demand draft or bank guarantee (in approved proforma of CSL) from any of the nationalized banks/ Scheduled Indian Bank, valid till the satisfactory completion of the entire work. The Security Deposit will be released after satisfactory completion of the contract. The Security Deposit will not bear any interest.



#### 15. परिसमापन क्षतिपूर्ति / LIQUIDATED DAMAGES

- 15.1. The progress of work will be monitored against the mutually agreed detailed schedule referred in clause. Liquidated damages for delays in execution of the work envisaged as per this order on account of the contractor, for any reason other than force majeure conditions, will be recovered at the rate of ½% (half percent) per week or part of the week of the total basic price of delayed work thereof, subject to a maximum of ten (10%) percent of the basic value of the delayed work.
- 15.2. In the event, the contractor fails to complete the work promptly and satisfactorily beyond maximum LD recoverable days, CSL, without prejudice, reserves the right to cancel the order and get the work done at contractor's cost, risk and expenditure.

### 16. <u>आदेश रद्द करना और जोखिम अनुबंध / CANCELLATION OF ORDER AND RISK</u> <u>CONTRACTING</u>

- 16.1. In the event the contractor fails to complete the work promptly and satisfactorily as per the terms of the order, and if the work is delayed beyond the agreed schedule, CSL, without prejudice, reserves the right to cancel the order and get the work done at contractor's cost and the expenditure so incurred including any damage or loss will be recovered from him and the Security Deposit furnished by him is liable to be forfeited either in whole or in part.
- 16.2. In addition to above tender holiday will be imposed against the firm as per discretion of CSL.

### 17. कार्मिकों की सुरक्षा और प्राथमिक चिकित्सा / SAFETY OF PERSONNEL AND FIRST AID

- 17.1. The contractor shall be entirely responsible for the safety of all the personnel employed by him on the work. In this regard, he may adopt all the required safety measures and strictly comply with the safety regulations in force. A copy of CSL's "Safety Rules for Contractors (Revised)" is available with SB-Outsourcing department for reference.
- 17.2. The Contractor may arrange to suitably insure all his workmen/ other personnel in this regard. CSL will not be responsible for any injury or illness to the Contractor's workmen/other personnel during execution of the works due to whatsoever reasons.
- 17.3. In this regard, the Contractor will have to fully indemnify CSL against any claims



made by his workmen/other personnel.

17.4. The Contractor shall provide and maintain so as to be readily accessible during all working hours, a first aid box with prescribed contents at every place where he employs contract labour for executing the works.

#### 18. <mark>अप्रत्याशित घटना / FORCE MAJEURE</mark>

- 18.1. Should failure in performance of any part of this contract arise from war, insurrection, restraint imposed by Government act or legislation of other statutory authority, from explosion, riot, legal lock-out, flood, fire, act of Govt. or any inevitable or unforeseen event beyond human control which will be construed as a reasonable ground for extension of time, CSL may allow such additional time as is mutually agreed to be justified by the circumstances of the case.
- 18.2. The occurrence / cessation of force majeure situation have to be informed with documentary evidence within 15 days from the date of occurrence / cessation.

#### 19. मध्यस्थता / ARBITRATION

- 19.1. Any disputes arising during the currency of the contract shall, in the first instance be settled by mutual discussions and negotiations. The results of such resolution of dispute shall be incorporated as an amendment to the contract, failing which the parties can resort to arbitration.
- 19.2. If any dispute, disagreement or question arising out of or relating to or in consequence of the contract, or to its fulfillment, or the validity of enforcement thereof, cannot be settled mutually or the settlement of which is not herein Specifically provided for, then the dispute shall within thirty days from the date either party informs the other in writing that such disputes, disagreement exists, be referred to arbitration. The arbitrators shall be appointed and the arbitration proceedings shall be conducted in accordance with and subject to the Arbitration and Conciliation Act, 1996 (No. 26 of 1996) as amended form time to time and the decision of the Arbitrators shall be final and binding on the parties hereto. The arbitration will be done by a Board comprising one officer nominated by each party, and a mutually agreed Umpire. Each party shall bear its own cost of preparing and presenting its case. The cost of arbitration shall be shared equally by the parties unless the award provides otherwise. The enforcement of the award shall be governed by the rules and procedures in force in the State in which it is tombe



executed. Performance under this Contract shall however, continue during arbitration proceedings and no payment due or payable by the parties hereto shall be withheld unless any such payment is or forms a part of the subject matter of arbitration proceedings.

19.3. In case of disputes, the same will be subjected to the jurisdiction of courts at Ernakulam, Kerala, India only.

#### 20. क्षेत्राधिकार / JURISDICTION

20.1. All questions, disputes or differences arising under/out of or in connection with this contract shall be subject to the jurisdiction of the Courts in Cochin.

#### 21. आईएमएस दिशानिर्देश / IMS GUIDELINES

- 21.1. CSL has implemented an Integrated Management System (IMS) consisting of Environmental Management system (EMS), Occupational Health and Safety Management System (OHSMS) and the Quality Management System (QMS) within the yard. As part of IMS, subcontractors shall comply with the following measures related to the Quality, Health, and Safety & Environment (QHSE) policy of CSL.
- 21.1.1. Meeting or exceeding customer requirements.
- 21.1.2. Assuring quality of the products and service.
- 21.1.3. Preventing occupational ill health & injuries.
- 21.1.4. Ensuring safe work sites.
- 21.1.5. Conserving natural resources.
- 21.1.6. Preventing / minimizing air, water & land pollution.
- 21.1.7. Handling and disposal of Hazardous wastes safely.
- 21.1.8. Complying with statutory & regulatory and other requirements.
- 21.1.9. Developing skills and motivating employees.
- 21.2. Occupational Health, safety & Environmental requirements of CSL shall also include the following.
- 21.2. The contractor (or a sub-contractor performing work on behalf of the contractor) is deemed to comply with the Occupational health, safety and environmental policy of the company and also to all operational controls/standard operating procedures and shall undertake the work in total compliance with the requirements of the established Integrated Management System (IMS) of the company.
- 21.3. The Contractor shall undertake the work in total compliance with all applicable



- legal/statutory requirements related to occupational health, safety and environment effective in the state of Kerala.
- 21.4. It is the sole responsibility of the contractor to assure that any sub-contractor/s who shall perform works in company lands/facilities/worksites on behalf of the contractor, is also following all requirements related to the Integrated Management System of the company and the health/safety/environmental Rules effective in the state.
- 21.5. The contractor shall provide/implement and operate/practice all occupational health, safety and environmental management measures/facilities, for their period of contract, in their activities/at their work sites, which shall be required according to the IMS of the company or that required by the health/safety/environmental Rules established and effective in the state, at their own cost.
- 21.6. If any contractor failed to comply with or violated any clauses/requirements of occupational health, safety and environmental Rules effective in the state, in their activities or at work sites and the same shall be exposed to the government or any competent authorities upon inspections, the contractor shall be solely responsible for all liabilities caused by his/her action and shall be responsible for paying the penalty and taking stipulated corrective actions insisted by the authorities within the specified time, at their own cost. Any liability to the company in this regard needs to be compensated by the contractor.
- 21.7. Upon completion of the work, contractor shall clear the area and shall not leave any Occupational health/safety/environmental liabilities to the company, from their activities at the worksites.
- 21.8. Any clarification related to IMS requirements of the yard, may be obtained by the contractor from the DGM (S&C) or the authorized representative of the contract, prior to the commencement of work.

#### 22. श्रम कानून और विनियम /LABOUR LAWS AND REGULATIONS

- 22.1. The Contractor shall undertake and execute the work with contract Labour only after taking license from the appropriate authority under the Contract Labour (Regulation & Abolition) Act 1970.
- 22.2. The Contractor shall observe and comply with the provisions of all labour and industrial laws and enactments and shall comply with and implement the provisions of the Factories Act, 1948, 'Employees Provident Funds & Miscellaneous Provisions



Act, 1952, Employees State Insurance Act, Payment of Gratuity Act, minimum Wages Act, Payment of Bonus Act, Contract Labour (Regulation and Abolition) Act and all other enactments as are applicable to him and his workmen employed by him. The Contractor shall inform CSL his license number from the Central Labour Commissioner.

- 22.3. All contract workmen, except those exempted under the respective Acts, shall necessarily be insured under the ESI scheme and be made members of the EPF Scheme from the day of their engagement as contract workmen in the Company. All such insured contract workmen should carry with them their ESI Identity Card for verification by the authorities. No contract workmen without a valid ESI Identity Card for verification by the authorities will be permitted to work in the company.
- 22.4. The Contractor shall submit the Compliance Certificate by means of uploading relevant documents such as Electronic Challan cum Receipt, Challans etc. as having remitted the contributions towards EPF/ESI in respect of their workers, in the goggle form provided for the purpose, every month so as to reach Welfare Section on or before 22nd of every month. Google form link: https://forms.gle/3GidCgsP4jHhXDJt9
- 22.5. The Contractor shall submit the Labour Reports/Returns as required by the Company from time to time in respect of their workmen in standard format to the concerned contracting officer so as to enable the same to reach Personnel Department by the 5th of every month. Delayed submission of the same shall attract penal interest /damages at the rate as levied by the respective authorities under the relevant Acts.
- 22.6. The Contractor shall maintain the records viz. Muster Roll, Acquaintance Roll with full details, Account books etc., in original. These are required for inspection by the concerned authorities under each scheme.
- 22.7. If the Contractor fails to pay any contributions, charges or other amounts payable under any of the aforementioned provisions of law, CSL shall deduct or adjust amounts equivalent to such contribution, charges or amounts from amount payable to him by CSL, including any deposit or amounts payable against bills and make payments on his account to the appropriate authority. He shall not be entitled to question or challenge such deductions, adjustments or payment made by CSL.
- 22.8. Any other amount payable under any law or in respect of any person employed by the Contractor, if not paid by him, shall be deducted or adjusted by CSL out of any



- amount payable to the Contractor including any Security Receipt and paid ever or withheld for payment by CSL.
- 22.9. The Contractor shall be fully responsible for the conduct and discipline of the workmen employed by him in the Company premises. If such workmen commit any misconduct or criminal act inside the Company, the Contractor shall take appropriate action against such workmen. The contractor shall abide by the instructions/ guidelines issued by the Company for maintenance of discipline and good conduct among the workmen employed by him.
- 22.10. All person who are engaged for various works in CSL either directly or through contractors, should produce the following documents prior to issuing their entry passes:
- 22.11. Passport/attested copy of passport with photo and address particulars. OR
- 22.12. Police clearance certificate with photo and address particulars. (Police clearance certificate to the effect that the concerned person is staying in the area of jurisdiction of the certificate issuing Police Station and that the person is not involved in any criminal offences as per the records available therein.)
- 22.13. Application and Declaration for enrolling under Employees Provident Fund and ESI Scheme 3 individual passport size photographs and two copies of family photographs of the members.
- 22.14. Contractors are requested to familiarize themselves with the labour rules & regulations prevailing in CSL including the labour wage pattern of contract labour as per the settlement between the trade unions & contractors.

# 23. HEALTH, SAFETY & ENVIRONMENT CONTRACT GUIDELINES FOR OEMS /TURNKEY JOBS / SUB CONTRACT WORKS INSIDE CSL INTRODUCTION

- 23.1. CSL is the largest public sector shipyard in India in terms of dock capacity, and caters to clients engaged in the defence sector in India and clients engaged in the commercial sector worldwide.
- 23.2. CSL is committed to provide safe and healthy work environment for the prevention of work- related injury and ill health by following the best practices in safety. CSL is certified Occupational Health and Safety management System and Environmental Management system under ISO standards/international standard.
- 23.3. Many of the works of CSL at various sites are executed by the sub-contractors.



During these works, sub-contractors personnel are likely to be exposed to different types of hazards. Similarly unsafe acts of contractor's personnel may create hazards for CSL staff or workmen of other contractors working at the site. Such unsafe acts may also pose danger to the existing installations and even to members of public.

23.4. CSL ensures that the requirements of its HSE Management System are convened by contractors and their workers. This guide is prepared to facilitate safe working during execution of contract works. The General guide lines and HSE requirements are given below for compliance in CSL.

#### **GENERAL GUIDELINES**

- 23.5. OEMs/Turnkey jobs /Contractors are selected to work inside the CSL based on their track record.
- 23.6. Along with the contract order/Registration, a copy of the HSE Safety Handbook (CSL/QMS/S&F/SOP 02 Refer CSL Website) of CSL is given to all contractors. The details of all HSE requirements to be followed in CSL for the various types of work are detailed in the hand book. The OEMs/Turnkey jobs /Contractors shall go through all the details and strictly follow the relevant HSE guidelines for their work. In case of any doubt the same shall be clarified from Chief Safety Officer (CSO). Being ignorant of these HSE requirements will not be treated as an excuse for any HSE violations during course of work.
- 23.7. OEMs/Turnkey jobs /Contractors workmen are given a multilingual HSE induction and Emergency Response training. The individual passes for contractors and their workers are issued only after successful completion of this training. The passes are revalidated every year after successful completion of refresher training. Training requirements of other roles of the subcontractor's staff shall be complied as per the CSL requirements time to time.
- 23.8. Before start of any work, the CSL officer in charge explains the scope of work and the safety precautions, hazards, PPE usage as per PPE matrix of CSL, Work Instructions, SOPs, Emergency responses to the contractor and his workers. Only trained worker with necessary skills are allowed to work as per the requirement. Necessary PPEs for the work are to be arranged by the contractor.
- 23.9. Workmen shall have Cotton coverall with identifiable logo on the dress. Supervisors, fire watch man if required, safety staff and other workforce shall be deployed as per CSL guide lines.



- 23.10. The site work supervisor of the OEMs/Turnkey jobs /Contractors shall be ensured that works are being carried out by CSL HSE requirements on daily basis and till the completion of works. The safe start and safe end requirements shall be verified by the site work supervisor on daily basis.
- 23.11. OEMs/Turnkey jobs /Contractors HSE performance will be evaluated on HSE matters as per the CSL policies time to time.
- 23.12. During the course of work if any HSE violation is noticed the same is dealt as per the Rewards and Reprimand (R&R) Policy of CSL.
- 23.13. HSE Plan to be submitted to S&F Department while commencing the work in CSL and shall be resubmitted in every year.

#### **HSE REQUIREMENTS**

- 23.14. The OEMs/Turnkey jobs /Contractors shall take all safety precautions during the execution of awarded work and shall maintain and leave the site safe at all times. At the end of each working day and at all times when the work is temporarily suspended, he shall ensure that all materials, equipment and facilities will not, cause damage to existing property, personal injury or interfere with the other works of the project or Station.
- 23.15. The OEMs/Turnkey jobs /Contractors shall provide and maintain all type of lights, guards, fencing, warning signs, caution boards and other safety measures for vigilance as and where necessary or as required by the CSL officer-in-charge or Safety staff. The caution boards shall also have appropriate symbols.
- 23.16. Where Permit to work (PTW) is required, the work has not started without obtaining the necessary permit and the PTW requirements are followed strictly throughout the work.
- 23.17. For Project specific or non-routine work on the existing installations, separate Job Safety Assessment (JSA) is to be prepared by the contractor, cleared by the Dept in charge and approval obtained from CSO before start of work. The work shall be executed through Notification Control Procedure (NCS).
- 23.18. A separate HSE plan will be required for the new projects in the yard or any turnkey projects. It shall be in line with CSL HSE requirements and same shall be routed through respective S&F dept and approved by respective HOD.
- 23.19. OEMs/Turnkey jobs /Contractors shall hold toolbox talks with his workers on daily basis to convey matters regarding the Safety aspects of the work.



- 23.20. The OEMs/Turnkey jobs /Contractors shall plan his operations so as to avoid interference with other Departmental works and other Sub-Contractors at the site. In case of any interference, requires, coordination shall be sought by the contractor from the Department for safe and smooth execution of work. This shall be done through CSL executing officer.
- 23.21. The OEMs/Turnkey jobs /Contractors shall at all times keep their work spot, site office and surroundings clean and tidy from rubbish, scrap, surplus materials and unwanted tools and equipment. Welding cables, hoses and electrical cables shall be so routed as to allow safe way to all concerned.
- 23.22. All waste generated in course of the work shall be segregated as per the yard requirements and shall be disposed at the respective collection pallets / points of the work areas as the case may be. Any kind of pollution made by the subcontractor shall attract the reprimand proceedings.
- 23.23. All necessary precautions shall be taken to prevent outbreak of fires at the work site. Adequate provisions shall be made to prevent the possibility of fires and ensure the availability of fire extinguishers at site.
- 23.24. The OEMs/Turnkey jobs /Contractors shall be held responsible for non-compliance of any of the safety measures and delays, implications, injuries, fatalities and compensation arising out of such situations of incidents including statutory obligations.

#### 24. बिजली नियम और विनियमन / ELECTRICITY RULES AND REGULATION

24.1. The contractor shall adhere to the various rules in respect of electrical installation as per the Indian Electricity Rules and Regulations and Electrical Inspectorate Standards in order to make sure that men and materials are safe from hazards.

#### 25. गोपनीयता खंड / SECRECY CLAUSE

25.1. The CONTRACTOR shall be responsible to ensure that all persons employed by them in the execution of any work in connection with this contract are aware of the provisions of the official secrets act 1923 and to comply with the same. The CONTRACTOR shall also ensure secrecy of design, construction, equipment and completion of the vessel. Any information provided to you under this contract is to be treated as strictly confidential and is not to be disclosed to any person or persons not concerned therewith.



- 25.2. All documents under this Contract transferred between the parties shall be treated as UNCLASSIFIED unless explicitly marked.
- 25.3. The CONTRACTOR shall ensure that their organization, suppliers/ installation agency/test and trials teams etc shall not communicate for use in advertising, publicity, sales release or in any other medium, system details, photographs and reproduction of equipment and their fitment on board.
- 25.4. SECRECY, Titles: Maps, layouts and photographs of the unit/plant including its surrounding regions showing vital installation for national security of CSL country shall not be published or disclosed to the third parties or taken out of the country without prior written approval of the CSL and upon execution of confidentiality agreements satisfactory to the CSL with such third parties prior to disclosure.

#### 26. सामान्य शर्ते / GENERAL CONDITIONS

- 26.1. Quality of workmanship shall conform to the specification/ standards laid down by CSL.
- 26.2. CSL reserves the right to award the work to more than one contractor or to take over partially or fully the work depending upon the scheduled requirements.
- 26.3. Compliance of all statutory safety requirements and other safety rules stipulated by CSL and other applicable statutory bodies shall be the responsibility of the Contractor while working at CSL premises. The Contractor should ensure that their workmen and staff are adequately covered under Insurance.
- 26.4. Damages caused to the Shipyard properties/tools/accessories should be rectified by the Contractor at his cost or proportional recoveries will be made from the contractor while passing their bills for payment.
- 26.5. Cochin Shipyard Limited reserves the right to terminate the Contract at short notice in case the Contractor's performance is found not satisfactory with regard to progress of work, quality, time factor, labour dispute with their workers, poor safety records etc., and other contractual obligations. No claim whatsoever will be entertained by Cochin Shipyard Limited on this account.
- 26.6. The Contractor shall have to engage men on round the clock basis and also on Sundays and holidays, if required. Work has to be completed to the satisfaction of Cochin Shipyard representative deputed for the job. The job should be completed at the time specified by the representative deputed for the job for each stage of work.
- 26.7. The Contractor shall indemnify CSL and CSL's personnel against any claims arising out of accidents or injuries to workmen or other persons or damage to other property.



- which may arise during the execution of the contract or from breach of any Law or Regulation prior to delivery and acceptance of the items at CSL.
- 26.8. It is also to be understood by the Contractor that Cochin Shipyard Limited does not bind itself to give the Contractor any regular or specific quantity or area of work and it shall be done at the sole discretion of CSL depending on the prevailing site conditions and other limiting factors and no claim on this account from the contractor shall be entertained.
- 26.9. The Contractor shall also be governed by the General Conditions of Contract of CSL, General Safety Rules and other relevant labour laws.
- 26.10. The contractor shall arrange to collect and clean up every day all waste, scraps; debris, etc. generated by the work men while working onboard the vessel and other locations and dispose the same suitably at his cost to the full satisfaction of CSL. In case any failure on his part to comply with this requirement, CSL will arrange the required cleaning entirely at the contractors cost.
- 26.11. The upper age limit of all workers and supervisors employed by the contractor and those contractors who do or supervise the job themselves shall be as per the prevailing rules of CSL.
- 26.12. Chief General Manager (SB) or his authorized representative will be the Officer-incharge of this Contract.
- 26.13. Withdrawal of the quotation after it is accepted or failure to make contract execution within the stipulated completion period will entail cancellation of the order and forfeiture of EMD/ Security Deposit, if any/ and or risk purchase.
- 26.14. Subcontracting to other vendors shall be only after written intimation and approval of competent CSL authorities. Vendor shall not delegate or subcontract any of its obligations under the agreement without CSL's written consent.
- 26.15. Vendor will remain liable for all subcontracted obligations and all acts or omissions of its subcontractors.
- 26.16. The procedures of work, standard operating procedures of work including documents like welding procedure specifications developed by CSL are intellectual property of CSL. Vendors shall not use or copy the procedure in any format without the written consent of competent authorities of CSL.
- 26.17. Vendor shall return the CSL resources to CSL immediately after provision of all deliverables and services or any termination of the agreement.
- 26.18. Conditional discounts, if any, will not be reckoned for tender evaluation/comparison



purposes. However the same will be considered at the time of placement of purchase order if the firm turns out to be lowest bidder.

#### 27. कर्मियों की सुरक्षा और प्राथमिक चिकित्सा /SAFETY OF PERSONNEL AND FIRST AID

- 27.1. The contractor shall be entirely responsible for the safety of all the personnel employed by him on the work. In this regard, he may adopt all the required safety measures and strictly comply with the safety regulations in force. A copy of CSL's "Safety Rules for Contractors (Revised)" is available with SBOC department for reference.
- 27.2. The Contractor may arrange to suitably insure all his workmen/ other personnel in this regard. CSL will not be responsible for any injury or illness to the Contractor's workmen/other personnel during execution of the works due to whatsoever reasons.
- 27.3. In this regard, the Contractor will have to fully indemnify CSL against any claims made by his workmen/other personnel.
- 27.4. The Contractor shall provide and maintain so as to be readily accessible during all working hours, a first aid box with prescribed contents at every place where he employs contract labour for executing the works.

#### 28. सामग्री और उपकरण का भंडारण / STORAGE OF MATERIAL AND EQUIPMENT

- 28.1. The contractor shall make his own arrangements for storage of materials, equipment etc. required for the work at his cost.
- 28.2. CSL shall not be responsible for any damage, pilferage, accident that may take place during the course of execution of work. It will be entirely his responsibility to keep all the materials, equipment, etc., in safe custody and also to hold them duly insured at his expense.

#### 29. अधिलेखन और सुधार / OVERWRITING & CORRECTIONS

- 29.1. Tenders shall be free from overwriting or erasures. Corrections and additions, if any, shall be duly attested and a separate list of such corrections shall be attached with the offer).
- 29.2. All terms and conditions, other than those mentioned above, contained in the Enquiry specification and drawings (Annexure I), Cochin Shipyard Ltd General Terms and conditions (Annexure II) and other annexure pertaining to this tender shall also be attested by the bidder as a token of acceptance.
- 29.3. CSL reserves the right to reject any or all bids without assigning any reasons whatsoever and or based on the past unsatisfactory performance by the bidders at CSL/other PSE's/Government Departments. After issuing the work order, CSL

#### **Cochin Shipyard Ltd**



**TENDER ENQUIRY NOTICE -** Erection & Dismantling of Scaffoldings in Ship Building

Division of CSL

reserves the right to terminate the contractor if the performance of the contractor is not found satisfactory. The decision of CSL regarding the same shall be final and conclusive.

कृते उप महाप्रबंधक / For Deputy General Manager आउटसोर्सिंग विभाग / Outsourcing Department





ANNEXURE-II

#### कोचीन शिपयार्ड लिमिटेड / COCHIN SHIPYARD LIMITED कोच्ची / KOCHI-682015

#### आउटसोर्सिंग विभाग / OUTSOURCING DEPARTMENT सामान्य शर्तें / GENERAL CONDITIONS

- 1. The complete work to be carried out with the highest degree of workmanship under the inspection of CSL, Classification Society (when specifically indicated in the technical specifications), Ship owner, or any other agency nominated by the Shipyard.
- 2. Contractor shall execute, during or after completion of the work, any minor job connected with the work, should it be considered necessary by Shipyard and/or Classification Society
- 3. The contractor shall be responsible for any damage caused to the material supplied by CSL. Compensation with penalty for damage or loss of the item will be recovered from the Contractor, in the event of loss or damage.
- 4. Contractors are required to work round the clock / Sundays/ holidays as per the requirement of concerned department in order to complete the work in time.
- 5. Any particulars/literature/information/certificates required by the Shipyard in connection with the work is to be forwarded free of cost.
- 6. All correspondence with the Shipyard to be in English language. All documents and plans to be in English language and in metric units.

कृते उप महाप्रबंधक / For Deputy General Manager आउटसोर्सिंग विभाग / Outsourcing Department





ANNEXURE III

#### कार्य क्षेत्र / SCOPE OF WORK

## OUTSOURCING OF ERECTION & DISMANTLING OF SCAFFOLDINGS IN SHIP BUILDING DIVISION OF CSL

#### 1. <u>INTRODUCTION</u>

a) This work pertains to Erection & Dismantling of Scaffoldings in Ship Building Division of Cochin Shipyard Limited (hereinafter referred to as CSL premises, Kochi) using CSL supplied scaffolding steel materials.

#### 2. SCOPE OF WORK

- a) Collecting scaffolding materials, Erection of scaffolding in specified area/vessel complying with CSL safety regulations for vessels constructed in Ship Building including transporting the material from stores/ storage area.
- b) Working area means providing and dismantling of scaffolding at (i) Hull Exterior, Decks, Dock floor & Docking Pontoon (ii) Cargo Holds (iii) Tanks and (iv) Engine Room & Pump room etc. as per the direction of officer-in-charge of CSL.
- c) Dismantling of scaffolding erected for vessels constructed in Ship Building Division including transporting the material to the areas allocated for storage/ stores..
- d) The contractor should strictly comply with the following guide lines as follows:
  - i. Provide ladder giving direct access to scaffold on both ends
  - ii. Working platforms should be complete and there should not be any gap between planks
  - iii. Working platforms should be provided with hand rails to a height at least one (01) meter with lower and upper railing
  - iv. Support scaffolding to be provided wherever necessary and properly secured to main scaffolding.
  - v. Tow board also must be provided in all working platforms.





#### 3. SCOPE OF THE CONTRACTOR

- a) Necessary labour required for the work to be arranged every day during the entire period.
- b) Local material handling facility is to be organized by the Contractor.
- c) All personnel protective items like safety helmets, safety shoes, etc., are to be arranged by the Contractor.
- d) The contractor shall comply with all the safety regulations of CSL. In particular, the contractor shall ensure that the personnel engaged by him wear safety belts, as the work involves removal of scaffolding erected in tanks.
- e) The contractor has to arrange for all transportation of scaffolding materials from CSL stores/storage area and for returning the same to CSL stores/storage area in good condition on completion of the work. Necessary cranes, fork lift will be made available by CSL free of cost subject to availability.
- f) The contractor has to comply with the procedure for safety certification of scaffolding & scaffold tagging system of the safety department for doing the scaffolding work. The contractor shall keep the surrounding areas of his work spot in vessels clean and tidy.
- g) Welding of cleats for the erection of scaffoldings & dry survey work after dismantling of scaffoldings. Tow board also should be provided in all working platforms.
- h) Any other work/material not included in clause 2 above, but essential for the satisfactory completion of work, will be in contractor's scope.

#### 4. SCOPE OF CSL

- a) Supply of scaffolding materials.
- b) Tools & tackles and consumables like wire ropes, wire cutters, pulleys, welding consumables, grinding wheels, gloves etc. required for the work shall be supplied by CSL free of cost.
- c) Electric power, cutting gas, compressed air and water will be provided at pre determinant locations free cost. Connection from switch board/cock assembly of gas, air & water to be arranged by the contractor.
- d) Necessary lights and carnage will be provided as per the availability, both during day and night, free of cost.



#### 5. WORK PROCEDURE

- a) Contractor is to carry out the work as per instructions and to the satisfaction of the officer-in- charge of the executing department, Safety Department, IQC department and also the Owner's representative of the Vessel.
- b) The contractor must be in a position to work round the clock and on closed holidays if required. No extra amount shall be payable for the same.
- c) Contractor shall work in co-operation with all agencies in the work area for the timely completion of the works and shall not create hindrances to other agencies.

#### 6. SAFETY/STATUTORY RESPONSIBILITY

- a) The contractor shall be entirely responsible for the safety of all the personnel employed by him on the work. In this regard, he should adopt all the required safety measure and strictly comply with the safety regulations in force. A copy of CSL's "Safety Rules for Contractors (Revised)" is available with Outsourcing Department for reference.
- b) The Contractor should arrange to suitably insure all his workmen/other personnel in this regard. CSL will not be responsible for any injury or illness to the Contractor's workmen/other personnel during execution of the works due to whatsoever reasons.
- c) In this regard, the Contractor will have to fully indemnify CSL against any claims made by his workmen/other personnel.
- d) The Contractor shall provide and maintain so as to be readily accessible during all working hours, a first aid box with prescribed contents at every place where he employs contract labour for executing the works.





#### Division of Ca

#### 7. STANDARD OPERATING PROCEDURES

#### 7.1. DEFINITIONS

- **SCAFFOLD:** A temporary elevated platform (supported or under hung) and its supporting components (including ties) used for supporting, materials, or both.
- **VERTICAL:** The verticals are made of 40 NB Heavy Class continuous welded steel tubes conforming to IS: 1239 and have 5 mm thick sockets welded at 50 cm centre for fixing Transoms or Ledgers. Each vertical is having captive expanding joint (hollow wedges of 5 mm thickness) working on wedge principles for connecting the vertical together. In CSL we are having golden yellow colored verticals of 3,000mm long (6 sockets in a row) and olive green colored verticals of 2,000mm long (4 sockets in a row).
- LEDGER: Ledgers are fabricated with Welded Steel Tubes of 40 mm NB Light Class.

  The length of a ledger is 2,445 mm and either ends of the ledgers are having captive wedges of 8 mm thick to facilitate connection to the verticals.
- **TRANSOM:** Transoms are fabricated with 50 x 50 x 6 mm MS Angles. Either ends of the transoms are having captive wedges of 8 mm thick to facilitate connection to the verticals. The standard transoms available in CSL are 1, 195 mm long transom of golden yellow color and 705mm long transom of olive green color.
- **SCAFFOLDING BOARD:** Scaffolding Boards are made out of G.1/MS painted Sheets as per IS: 277:2003 of thickness 16 gauge, sectional size of 50 x 225 mm and length of 2,460 mm. The bottom edge of the boards is bent about 25 mm towards inside. Anti-skid chequered finish is provided on the top of the boards. Five (5) Nos. Stiffeners are provided under the boards at equal spacing and enclosing both ends. Each scaffolding board has a length of 2,460mm.
- **SCAFFOLDING LADDER:** A Scaffolding Ladder is 3,000 mm long (25 NB 'B' Class GI pipes) with 10 Nos. rungs (20 NB 'B' Class GI pipes) and hooks at one end.
- GI WIRE: Flexible G I Wire of 12 gauges are used for binding scaffolding materials.
- CLEATS: Cleats are 10-12mm thick plates with two of 22mm diameter at a spacing of 150mm centre to centre. Cleats are welded to the hull part of a ship and brackets are bolted to cleats.





- **BRACKET FOR CLEATS:** The brackets are made out of 6 mm thick steel plate mounted on MS ANGLE (65X65XS) with 5 mm thick end plate attached to one end to hold scaffolding boards (each 225mm width) coated with synthetic red oxide primer. In CSL we are having brackets which can hold 5nos scaffolding boards and 3nos scaffolding boards.
- HOP UP BRACKETS: The brackets for tubular scaffolds (hop up brackets) are made out of MS ANGLE (40X40X6) with 32 NB Heavy class steel tubes. Each of them has captive wedges of S mm thick to facilitate connection to the verticals. The brackets also have provision to connect it with angle tie so that the scaffolding boards supported by the angle of bracket are locked in position. In CSL we are having brackets which can hold 5nos scaffolding boards and 3nos scaffolding boards.
- STANCHION: Stanchions are fabricated with 25NB 'B' Class ERW MS Black Pipe confirming to IS 1239 of required length connected to MS ANGLE (50X50X5mm) with MS Pad (60x60x4mm) to facilitate connection to the brackets. The length of a stanchion is 1060mm.
- **ADJUSTABLE BASE:** An adjustable base contains M30X700mm ENS Spindle with round nut attached to a 150x150 MS base plate (Gr. B) confirming to IS 2062 coated with zinc rich primer.
- **ANGLE TIE:** An angle tie is made of MS angle 45X45X6mm (Gr. B) confirming to IS 2062 with ENS Locking Pin 12mm Dia X 35mm long at both ends.
- **FLAT BARS:** Flat bars are 10mm thick steel bars having holes of 22mm dia at 150mm centre to centre spacing.
- **BOLT & NUT:** GI full threaded M20X50 Bolt with Nut.
- WIRE CUTTER: Heavy duty wire cutter for cutting 12 gauge flexible GI wires.
- **INTENDING AGENCY:** The person/ department who initiate the permit (End User of scaffolding).
- **SAFETY CLEARING AGENCY/ PERSON:** The agency/ person that certifies the erected structure as safe for use. For scaffoldings covered under CSL scaffolding Permit, Safety Department of CSL will be the nodal agency for issuing safety certificates.

For scaffoldings in Project/ Civil sites, works under SSD, Offshore, outside CSL premises



special/ specific activities inside CSL, competent person appointed by the department/ contractor has to certify erected scaffoldings and the list of such certificates issued has to be intimated to Safety Department of CSL.

- SERVICES GROUP (S&C IN SHIP BUILDING AND D&P IN SHIP REPAIR ETC.):
   Those who perform/ coordinate in the erection of scaffolding in all respects upon receipt of request form the intending agency.
- **SCAFFOLD SUPERVISOR:** The person who coordinates the scaffolding works from the services group.
- SCAFFOLDING CONTRACTOR/ SCAFFOLDING GROUP: The group who will erect the scaffoldings at the request of performing agency.
- SCAFFOLD TAG (RED): Indicates that the scaffold has not been inspected or is not safe for use. The Red scaffold tag is also the holder for other tags. Only scaffold erection crews are allowed on a scaffold with Red scaffold tag.
- **GREEN TAG (STICKER):** Indicates the scaffold is complete, has been inspected and is safe for use at the time of inspection.

#### 7.2. TYPES OF SCAFFOLDS

#### a) WEDGE LOCK/KWIKSTAGE/TUBULAR

Wedge lock /KWIKSTAGE / Tubular scaffolds are one or more working platforms supported from below by verticals or adjustable base. The key elements of the scaffold are verticals, ledgers & transoms. Ledgers are horizontal tubes which connect between the verticals. Transoms are usually made from welded angle, and are attached to the verticals at right angles. They hold the verticals in place and provide support for boards, which form the working platform the verticals, ledgers and transoms form a framed or 'boxed' construction.

#### b) HANGING

<u>Using Hop up Brackets</u>: If an extension of working platform is required adjacent to a Wedge lock / KWIKSTAGE / Tubular scaffold, brackets for tubular scaffolds is wedged to the sockets of verticals. The brackets are connected together using angle tigand



scaffolding boards are laid. Guard rails are provided using ledgers and flexible GI wire.

<u>Using Flat Bars</u>: Four Flat bars are vertically bolted to cleats or brackets for cleats. Two Flat bars horizontally bolted to these vertical Flat bars where working platform required and scaffolding boards are laid which are tied firmly to the Flat bars using flexible GI wire. Guard rails are provided using ledgers and flexible GI wire.

<u>Bracket Bolted:</u> Cleats are welded to the hull part of a ship and brackets for cleats are bolted to cleats. Scaffolding boards are laid over brackets which are tied firmly to brackets using flexible GI wire. Guard rails are provided using stanchions bolted to brackets and ledgers tied to stanchions using flexible GI wire.

#### PROCEDURE OF ERECTION AND DISMANTLING OF STAGING

The staging will be done departmentally or through sub-contractor based on the request from (Outfit and Hull Erection Dept.), onboard vessel at Quays or in Building Dock.

The procedure for Staging, Erection and Dismantling is as follows.

- a. Request for staging intimated orally by required section.
- b. Site inspection by S&C Dept.
- c. Allocate work departmentally or through subcontract based on resources constraint.
- d. If subcontract, following steps are envisaged.
  - 1. Job requisition no. with date given to contractor to commence work.
  - 2. On completion of staging, safety certificate obtained from S&F Department
  - 3. After clearance by S&F, S&C Dept. clear the staging for use by concerned section
  - 4. De staging done after clearance by Users Dept.

#### 7.3. GUIDELINES FOR SAFE ERECTION/DISMANTLING OF SCAFFOLDS

The footing or anchorage for scaffolds shall be sound, rigid, and capable of carrying the



maximum intended load without settling or displacement.

- Unstable objects such as barrels, boxes, loose brick, or concrete blocks shall not be used to support scaffolds or planks.
- No scaffold shall be erected, moved, dismantled, or altered except under the supervision of competent persons or as requested for corrective reasons by Safety Department.
- Guardrails shall be installed on all open sides and ends of platforms more than 2m above the ground.
- Toe boards to be provided where ever necessary.
- Scaffolds and their components must be capable of supporting without failure at least 4 times the maximum intended load.
- All scaffolding materials including accessories such as cleats, angle tie, brackets, stanchions, adjustable base, ladders, nuts & bolts, etc., are to be inspected prior to use.
   Damaged or weakened from any cause must be repaired or replaced immediately, and shall not be used until repairs have been completed.
- Access ladders or equivalent safe access means must be provided for every scaffolding.
- Ladders shall not be used in a horizontal position as platforms, walkways, or scaffolds.
- Scaffolding ladders fixed for access shall extend up to upper handrails.
- For scaffoldings of height more than 6mts, ladders provided for access are to be inclined and not vertical.
- The area at the base of a ladder shall be kept clear.
- If a ladder is erected near a doorway, the door shall either be locked shut, or secured in the open position with a man on guard to prevent anyone from using the door.
- The verticals of scaffolds must be plumb and securely and rigidly braced to prevent swaying and displacement.
- Always connect transoms to lower sockets and ledgers to upper sockets of verticals This will prevent steel boards slipping over ledgers.
- Every one meter height of a vertical should be supported either by a transom and a ledger or two transoms or two ledgers.
- Slippery conditions on scaffolds shall be eliminated immediately after they occur.



- A safe distance from energized power lines shall be maintained.
- While erection/dismantling of scaffolds Tag lines shall be used to hoist materials near scaffolds to prevent contact with the scaffolding.
- Scaffolds shall not be erected/ dismantled during high wind and storms.
- Ladders and other devices shall not be used to increase working heights on scaffold platforms.
- Scaffolds shall not be moved while employees are on them.
- Loose materials, debris, and/or tools shall not be accumulated on the planks and around the scaffolding to cause a hazard.
- Anyone erecting/dismantling a hanging/bracket bolted scaffold shall employ a fall-arrest system.
- Scaffold components shall not be mixed or forced to fit which may reduce design strength.
- Scaffolds and components shall be inspected at the erection location.
- Scaffolds shall be inspected before each work shift, after changing weather conditions, or after prolonged work interruptions.
- Scaffolding boards are to be arranged without any gap in between.
- Scaffolds shall not be overloaded and materials shall not be kept upon them unless needed for work within a reasonable time.
- When any material is transferred on or to a scaffold it shall be moved or deposited without imposing any violent shock.
- Scaffolds with a height to the uppermost planked level that is over four times the minimum base dimension (over a 4:1 height-to-width ratio) shall be restrained from tipping by ties, guys, outrigger frames, or equivalent means. Upper section(s) of a scaffold shall not have a height over four times the width of the scaffold at the base of that section, unless ties or guys are properly installed to ensure stability
- Pallets / Web Slings used for transfer of scaffolding shall be in good condition and while transporting scaffolding materials, loose materials shall be secured/ tied up for preventing accidental falling.





#### While erecting/dismantling of scaffolding, scaffolders should;

- Wear Full Body Harness anchored to a firm point. This shall be in addition to the other mandatory PPE's that are to be used at respective work sites.
- Cordon off the area beneath.
- Place Red tag at the entry point
- Communicate to persons affected/ nearby to the work area.

#### 7.4. COMPETANCY OF PEOPLE ERECTING/DIMANTLING SCAFFOLDINGS

- a) Competent Person for inspection of Safety aspects: The following persons are
- b) CSL Employees: All persons having sufficient hands on experience on erection and dismantling of stage for more than six months are deemed competent for the job.
- c) For Contractors Workmen: All persons having hands on experience on erection and dismantling of stage for more than six months are deemed competent for the job.

Training: Yearly training shall be provided for those engaged in the job inside CSL for retaining competency.

deemed fit for safety inspection of scaffoldings;

- >Any personnel from Safety Dept.
- >CSL Staging section Supervisor/ Officer
- >Contractors personnel authorized by CSL

#### 7.5. PROCEDURE FOR SAFETY CERTIFICATION OF ERECTED SCAFFOLDING

The following steps are followed to erect scaffoldings at work site

1. Request for scaffolding to be initiated by the requesting agency in the prescribed form



available, **REQUISITION**, **WORK PERMIT & MEASUREMENT FOR STAGING (CSU QMSIS&F/Form 10)** and submit to services group to erect the same. In the permit requisition details, such as area of scaffolding to be erected, height of scaffolding, date and time of which it required, name and designation of performing authority etc. shall be furnished in the prescribed form.

- 2. Upon receipt of requisition, services group shall arrange to erect the scaffolding as mentioned in the request using quality scaffolding material and scaffolding contractor/scaffolding group at that area.
- 3. On completion of Scaffolding, scaffold supervisor shall ensure that the erected structure is satisfactory with reference to the work to be performed and safety requirements.
- 4. Services group will offer the erected scaffolding for safety certification and clearing of work permit.
- 5. Safety certifying agency shall verify the offered scaffoldings and provide scaffold certification sticker on the tag as per Scaffold tag procedure.
- 6. Issuing authority shall verify the offered scaffoldings in the following dimensions
  - Adjustable base is so maintained to achieve the same level of scaffolding.
  - Ledger and transom shall be arranged in every one meter of tubular scaffoldings for its rigidity.
  - Sufficient ladders in staggered manner have been provided giving direct access to staging.
  - Working platforms are fully planked and fenced to a height of at least 1 meter with lower and upper railings
  - Scaffoldings are properly locked and supported to fixed structures to improve its stability.
  - Scaffolding planks are arranged without any gap in between.
  - All scaffolding materials used are in good condition.
  - All ledgers ends are properly tightened in vertical sockets in case of socket type scaffoldings.
  - Sufficient lashing shall be ensured for its locking, subjected to site conditions.





- Overall stability shall be ensured on the structure
- Sufficient lashing shall be ensured for its locking, subjected to site conditions.
- Overall stability shall be ensured on the structure Ledger and transom shall be arranged in every one meter of tubular scaffoldings for its rigidity.
- Sufficient ladders in staggered manner have been provided giving direct access to
- Examine the scaffolding as per the request from service group when erection is completed.
- Issue of Safety Clearance on scaffolding, based on the satisfactory compliance of the guidelines (Referred under clause 5) on scaffolding safety at the time of inspection.
- Any lacuna if observed in inspection, the same shall be brought to the notice of scaffolding contractor/service group and permit to be issued after the rectifications
- Ledger and transom shall be arranged in every one meter of tubular scaffoldings for its rigidity.
- Sufficient ladders in staggered manner have been provided giving direct access to staging.
- Working platforms are fully planked and fenced to a height of at least 1 meter with lower and upper railings
- Scaffoldings are properly locked and supported to fixed structures to improve its stability.
- Scaffolding planks are arranged without any gap in between.
- All scaffolding materials used are in good condition. staging.
- Working platforms are fully planked and fenced to a height of at least 1 meter with lower and upper railings
- Scaffoldings are properly locked and supported to fixed structures to improve its stability.



- Scaffolding planks are arranged without any gap in between.
- All scaffolding materials used are in good condition.

#### Safety Certifying Agency

- Examine the scaffolding as per the request from service group when erection is completed.
- Issue of Safety Clearance on scaffolding, based on the satisfactory compliance of the guidelines (Referred under clause 5) on scaffolding safety at the time of inspection.
- Any lacuna if observed in inspection, the same shall be brought to the notice of scaffolding contractor/service group and permit to be issued after the rectifications are done.

#### Scaffolding Contractor/Group

- Contactor/group shall erect the scaffolding as per CSL scaffolding standards.
- Scaffolding contractor/group arrange for needful rectification as noticed by certifying authority

#### **Validity**

- The validity of Permit to Work (PTW) is 30 days or as per requirement from the indenting agency. Thereafter the same is to be revalidated. Further revalidation is required for every 15 days.
- Safety Clearance" will be invalid if any alterations / additions on the scaffoldings are made.

#### 7.6 PROCEDURE FOR SCAFFOLD TAGGING

- All scaffolds will have a "Scaffold Tag" affixed on or near any likely entry point.
- Red scaffold tag to be built into scaffold, near each point of access, by scaffold craftsmen as they erect scaffold.
- Upon completion of the scaffold a Competent Person for Safety Clearing will inspect it and if he deems it safe for use, will fill out and sign the "Green Safety Tag" card and affix it to the tag holder on the scaffold. Only then is the scaffold cleared for use.
- The tag possesses the following details, which have to be filled in by the "Qualified Person".



Location - The area and purpose for which the scaffold was erected" Safety Inspection - Name, Validity and erection/checking agency details.

- During all scaffolding erection and dismantling process, the green tag has to be removed and the Red "Caution Do Not Use Scaffold" sign to be displayed,
- It is the responsibility of the individual to check the tag status and follow instructions before using any scaffold.
- If the Green Tag is missing or removed for any reason, the scaffold is not to be used until re-inspected by a qualified person and a new tag is affixed

कृते उप महाप्रबंधक / For Deputy General Manager आउटसोर्सिंग विभाग / Outsourcing Department





### ANNEXURE- IV

### तकनीकी वाणिज्यिक जांच सूची / TECHNO COMMERCIAL CHECK LIST

### (To be submitted by the bidder)

### TENDER NO. SB-OSD/S&C/864/2025 Dtd 21-03-2025

(Bidders may confirm acceptance of the Tender Conditions/deviations if any to be specified)

SL No.	Tender Enquiry Requirements	Confirmation from bidder (strike off whichever is not applicable)	Specific comments /Remarks
1	Scope of work as per Technical Specification/Drawings/ General Terms & conditions (Annexure III)	Agreed as per tender /Do not agree	
2	Whether technical bid & two price bids are submitted in separate PDFs?	Yes / No	
3	Schedule of work as specified in technical specification/ price bid of this tender is acceptable	Yes/ No	
4	Submission of Information/Documents with offer	Submitted/Not submitted	
5	Submission of MSME and NSIC registration document with offer	Submitted/Not submitted	
a	Specify the current position of the firm	MSME/MSE/Startup	
6	Offer Validity (date)	90days - Agreed as per tender/Do not agree	
7	Completion period as mentioned in the tender enquiry is acceptable	e Yes/ No	
8	Taxes & Duties	Specified/included in Price	
9	Payment terms - confirm		
10	Price shall remain firm and fixed and No Escalation in prices after awarding of contract	Agreed as per tender/Do not agree	The state of the s



	Security Deposit & Performance Guarantee	Agreed as per
11	Clause	tender/Do not agree
	Termination of contract/risk purchase as per	
12	relevant clause in the terms & conditions of	Yes / No
	tender enquiry is acceptable	
10	F . M .	Agreed as per
13	Force Majeure	tender/Do not agree
1.4	Liquidated damages and cancellation of	Agreed as per
14	contract	tender/Do not agree
1.5	A 1 ', , , , , , , , , , , , , , , , , ,	Agreed as per
15	Arbitration & Jurisdiction clauses	tender/Do not agree
1.0	Confirm all other terms and conditions of our	Confirmed/Not
16	enquiry are acceptable.	confirmed
	Confirm, un-priced price bid (price bid	Confirmed/Not
17	without price) is submitted with Part – I bid	confirmed
	The second secon	
18	Mode of submission of tender	Direct / Email
	Fully aware about the safety, general rules,	
19	regulations, standards, validity of offers and	Yes / No
	price, entry pass eligibilities.	
20	Is your firm registered under TReDS	Yes/No
21	Is your firm registered as vendor in CSL	Yes/No
	Annual turnover requirement, during last 3	
22	years, ending 31st March 2025 of the previous	Agreed as per
	financial year	tender/Do not agree
	Do your firm have valid registration under	
23	statutory schemes such as ESI / EPF	Yes/No
		No Deviations
24	Deviations from Tender conditions	/Deviations are
		specified

हस्ताक्षर / Signature: ठेकेदार का पता / Address of the Contractor मुहर/Seal:





**ANNEXURE-V** 

### मूल्य बोली प्रारूप / PRICE BID FORMAT

### TENDER NO. SB-OSD/S&C/864/2025 Dtd 21-03-2025

# ERECTION & DISMANTLING OF SCAFFOLDINGS USING CSL SUPPLIED MATERIALS IN SHIP BUILDING DIVISION OF CSL

SL. No		Type/ Height of Planks in Mtrs.	Unit Rate for Erection	Unit rate for Dismantling	Total (INR)
			(A)	(B)	(C=A+B)
	A	TUBULAR SCAFFOLDING			
	A	( Rate per Running Meter for scaffold having width	1.25mtr in INR)		
	a	Hull Exterior, Decks, Dock floor & Docking Ponto	<u>oon</u>		
1	1	Up to 2.5			
2	2	Above 2.5 & up to 5			
3	3	Above 5 & up to 7.5			
4	4	Above 7.5 & up to 10			
5	5	Above 10 & up to 15			
6	6	Above 15 & up to 20			
7	7	Above 20 & up to 25			





### **TENDER ENQUIRY NOTICE -** Erection & Dismantling of Scaffoldings in Ship Building

Division of CSL

	b	Cargo Holds			
8	1	Up to 2.5			
9	2	Above 2.5 & up to 5			
10	3	Above 5 & up to 7.5			
11	4	Above 7.5 & up to 10			
12	5	Above 10 & up to 15			
13	6	Above 15 & up to 20			
14	7	Above 20 & up to 25			
	C	<u>Tanks</u>			
15	1	Up to 2.5			
16	2	Above 2.5 & up to 5			
17	3	Above 5 & up to 7.5			
18	4	Above 7.5 & up to 10			
19	5	Above 10 & up to 15			
20	6	Above 15 & up to 20			
21	7	Above 20 & up to 25			
	d	Engine Room & Pump Room			
22	1	Up to 2.5			
23	2	Above 2.5 & up to 5			
24	3	Above 5 & up to 7.5			
25	4	Above 7.5 & up to 10			





### **TENDER ENQUIRY NOTICE -** Erection & Dismantling of Scaffoldings in Ship Building

Division of CSL

26	5	Above 10 % up to 15				
		Above 10 & up to 15				
27	6	Above 15 & up to 20				
28	7	Above 20 & up to 25				
	В	BRACKET BOLTED SCAFFOLDING				
	(Rate per Running Meter Length in INR)					
	a	Hull Exterior, Decks, Dock floor & Docking Pontoon				
29	1	Up to 2.5				
30	2	Above 2.5 & up to 5				
31	3	Above 5 & up to 7.5				
32	4	Above 7.5 & up to 10				
33	5	Above 10 & up to 15				
34	6	Above 15 & up to 20				
35	7	Above 20 & up to 25				
	b	<u>Cargo Holds</u>				
36	1	Up to 2.5				
37	2	Above 2.5 & up to 5				
38	3	Above 5 & up to 7.5				
39	4	Above 7.5 & up to 10				
40	5	Above 10 & up to 15				
41	6	Above 15 & up to 20				





TENDER ENQUIRY NOTICE - Erection & Dismantling of Scaffoldings in Ship Building

Division of CSL

42	7	Above 20 & up to 25			
	С	<u>Tanks</u>			
43	1	Up to 2.5			
44	2	Above 2.5 & up to 5			
45	3	Above 5 & up to 7.5			
46	4	Above 7.5 & up to 10			
47	5	Above 10 & up to 15			
48	6	Above 15 & up to 20			
49	7	Above 20 & up to 25			
	d	Engine Room & Pump Room			
50	1	Up to 2.5			
51	2	Above 2.5 & up to 5			
52	3	Above 5 & up to 7.5			
53	4	Above 7.5 & up to 10			
54	5	Above 10 & up to 15			
55	6	Above 15 & up to 20			
56	7	Above 20 & up to 25			
	С	HANGING SCAFFOLDING			
		(Rate per Running Meter)			
	a	Hull Exterior, Decks, Dock floor & Docking Pontoon			





**50** 

### **TENDER ENQUIRY NOTICE -** Erection & Dismantling of Scaffoldings in Ship Building

57	1	Up to 2.5
58	2	Above 2.5 & up to 5
59	3	Above 5 & up to 7.5
60	4	Above 7.5 & up to 10
61	5	Above 10 & up to 15
62	6	Above 15 & up to 20
63	7	Above 20 & up to 25
	b	Cargo Holds
64	1	Up to 2.5
65	2	Above 2.5 & up to 5
66	3	Above 5 & up to 7.5
67	4	Above 7.5 & up to 10
68	5	Above 10 & up to 15
69	6	Above 15 & up to 20
70	7	Above 20 & up to 25
	c	<u>Tanks</u>
71	1	Up to 2.5
72	2	Above 2.5 & up to 5
73	3	Above 5 & up to 7.5
74	4	Above 7.5 & up to 10





**TENDER ENQUIRY NOTICE -** Erection & Dismantling of Scaffoldings in Ship Building

75	5	Above 10 & up to 15
76	6	Above 15 & up to 20
77	7	Above 20 & up to 25
	d	Engine Room & Pump Room
78	1	Up to 2.5
79	2	Above 2.5 & up to 5
80	3	Above 5 & up to 7.5
81	4	Above 7.5 & up to 10
82	5	Above 10 & up to 15
83	6	Above 15 & up to 20
84	7	Above 20 & up to 25
	D	TUBULAR / BUILT UP SCAFFOLDING - Built up/ Tubular Scaffolding having width of 1.25 m Up to corresponding levels including support scaffolding (Rate per Running Meter)
	a	Hull Exterior, Decks, Dock floor & Docking Pontoon
85	1	Up to 2.5
86	2	Above 2.5 & up to 5
87	3	Above 5 & up to 7.5
88	4	Above 7.5 & up to 10
89	5	Above 10 & up to 15





### **TENDER ENQUIRY NOTICE** - Erection & Dismantling of Scaffoldings in Ship Building

90	6	Above 15 & up to 20
91	7	Above 20 & up to 25
	b	Cargo Holds
92	1	Up to 2.5
93	2	Above 2.5 & up to 5
94	3	Above 5 & up to 7.5
95	4	Above 7.5 & up to 10
96	5	Above 10 & up to 15
97	6	Above 15 & up to 20
98	7	Above 20 & up to 25
		1
	c	<u>Tanks</u>
99	c 1	
		<u>Tanks</u>
99	1	Tanks Up to 2.5
99	1 2	Tanks           Up to 2.5           Above 2.5 & up to 5
99 100 101	1 2 3	Tanks Up to 2.5 Above 2.5 & up to 5 Above 5 & up to 7.5
99 100 101 102	1 2 3 4	Tanks Up to 2.5 Above 2.5 & up to 5 Above 5 & up to 7.5 Above 7.5 & up to 10
99 100 101 102 103	1 2 3 4 5	Tanks         Up to 2.5
99 100 101 102 103 104	1 2 3 4 5 6	Tanks         Up to 2.5       Image: Control of the control of





### **TENDER ENQUIRY NOTICE -** Erection & Dismantling of Scaffoldings in Ship Building

Division of CSL

107	2	Above 2.5 & up to 5
108	3	Above 5 & up to 7.5
109	4	Above 7.5 & up to 10
110	5	Above 10 & up to 15
111	6	Above 15 & up to 20
112	7	Above 20 & up to 25
113	8	For inside Water ballast tanks in Double hull Tanker (with stringer plates and access restricted through manholes) fixed rate for various height.
	E	<u>CLAMPING TYPE SCAFFOLDING -</u> Clamping scaffolding at Hull exterior/ Under deck (Rate per Running Meter)
	a	Hull Exterior, Under Decks, Dock floor & Docking on Pontoon
114	1	Up to 2.5
115	2	Above 2.5 & up to 5
116	3	Above 5 & up to 7.5
117	4	Above 7.5 & up to 10
118	5	Above 10 & up to 15
119	6	Above 15 & up to 20
120	7	Above 20 & up to 25





### **TENDER ENQUIRY NOTICE -** Erection & Dismantling of Scaffoldings in Ship Building

	b	Cargo Holds
121	1	Up to 2.5
122	2	Above 2.5 & up to 5
123	3	Above 5 & up to 7.5
124	4	Above 7.5 & up to 10
125	5	Above 10 & up to 15
126	6	Above 15 & up to 20
127	7	Above 20 & up to 25
	c	<u>Tanks</u>
128	1	Up to 2.5
129	2	Above 2.5 & up to 5
130	3	Above 5 & up to 7.5
131	4	Above 7.5 & up to 10
132	5	Above 10 & up to 15
132	6	Above 15 & up to 20
133	7	Above 20 & up to 25
	d	Engine Room &Pump Room
134	1	Up to 2.5
135	2	Above 2.5 & up to 5
136	3	Above 5 & up to 7.5





### **TENDER ENQUIRY NOTICE -** Erection & Dismantling of Scaffoldings in Ship Building

137	4	Above 7.5 & up to 10			
138	5	Above 10 & up to 15			
139	6	Above 15 & up to 20			
140	7	Above 20 & up to 25			
141	8	For inside Water ballast tanks in Double hull Tanker (with stringer plates and access restricted through manholes) fixed rate for various height.			
142		SUB TOTAL-I (SUM OF SL No.1 to SL. N	(o 141)		
		ESTIMATED APPROXIMATE CASH FLC	W FOR 2 YEAR	RATE CONTRAC	<u>CT</u>
		EXPECTED APPROX. RUNNING METER	R IN EACH		
143		SCAFFOLDING IS 10 METERS PER MONTH (SL NO.			
		142 X 10 )	·		
		EXPECTED APPROX. AMOUNT FOR PLANK			
144		HEIGHT ABOVE 25MTRS:			
144		(SUMOF(SL.NOS.7,14,21,28,35,42,49,56,63,70,77,84,91,98,			
		105,112,120,127,133 &140) X 0.32) )*10			





**TENDER ENQUIRY NOTICE -** Erection & Dismantling of Scaffoldings in Ship Building

145	EXPECTED APPROX. AMOUNT FOR ADDITIONAL PLANKS AT DIFFERENT LEVELS (SUM OF SL NO 1 TO SL NO 28 X 0.40)*10*10	
146	SUB TOTAL-II FOR ONE MONTH (SUM OF SL No.143 to SL. No 145)	
147	GST% HSN CODE	
148	GRAND TOTAL FOR 2 YEARS (SL No. 146 + SL No. 147) *24	

and Total amount (in words)
pees
f Section 1





Division of CSL

#### **NOTE:**

- A. L1 will be determined based on SUB TOTAL-II FOR ONE MONTH amount (SL. No. 146).
- B. GST as per the prevailing rate will be paid.
- C. Unit Rate for erection and dismantling of scaffolding must be quoted separately. (For L1 determination, assuming each category of work is done only once.)
- D. <u>Plank Height above 25mtrs:</u> For every additional 5m, over & above 25m Rate shall be 32% of the rate for the immediate preceding height will be paid.
- E. <u>Additional planks at different levels:</u> For additional planks positioning at different levels to reach required level, 40% of tubular scaffolding rate at corresponding levels will be paid.
- F. The above rates (SL No. D&E), above are applicable for Tubular scaffolding with or without supporting. There is no separate measurement for supporting scaffolding.
- G. Unit quoted shall be inclusive of labor costs, scaffolding materials shifting, handling, erection, Tow board fixing, and dismantling and any other cost included for the satisfactory completion of all works as specified in the scope of work.
- H. Quantity mentioned in the price format is only indicative. Downward or upward variation of quantity shall be anticipated. Payment will be made as per the actual quantity of work as per the payment terms specified..



Division of CSL

 $Signature\ of\ Contractor/authorized\ signature$ 

of firm or agency:

Name of contractor or authorized signatory of firm/agency:

Designation:

Address:

Contact No:





**ANNEXURE-VI** 

#### PRE CONTRACT INTEGRITY PACT

#### **COCHIN SHIPYARD LIMITED**

#### **OUTSOURCING DEPARTMENT**

#### General

This pre-bid pre-contract Agreement (hereinafter called the Integrity Pact) is made on
day of the month of between, on one hand, the President of India acting through
Deputy General Manager, Cochin Shipyard Ltd (CSL) having its registered office at Cochin,
Kerala India (hereinafter called the "PRINCIPAL", which expression shall mean and include,
unless the context otherwise requires, his successors in office and assigns) of the First part and
M/srepresented by
Shri
called the "BIDDER/Seller" which expression shall mean and include, unless the context
otherwise requires, his successors and permitted assigns) of the second part.
WHEREAS the PRINCIPAL proposes to procure and the BIDDER/Seller
is
Willing to offer/has offered the stores and

WHEREAS the BIDDER is a private company / public company / Government undertaking / Partnership / registered export agency, constituted in accordance with the relevant law in the matter And the PRINCIPAL is a Government of India PSU performing its functions on behalf of the President of India.

#### NOW, THEREFORE,

To avoid all forms of corruption by following a system that is fair, transparent and free from any Influence/prejudiced dealings prior to, during and subsequent to the currency of the contract to be

Entered into with a view to:-





Division of CSL

Enabling the PRINCIPAL to obtain the desired said stores/equipment/item at a competition price in Conformity with the defined specifications by avoiding the high cost and the distortionary impact of

Corruption on public procurement, and Enabling BIDDERs to abstain from bribing or indulging in any corrupt practice in order to secure the Contract by providing assurance to them that their competitors will also abstain from bribing and Other corrupt practices and the PRINCIPAL will commit to prevent corruption, in any form, by its Officials by following transparent procedures.

The parties hereto hereby agree to enter into this Integrity Pact and agree as follows:-

#### 1. <u>COMMITMENTS OF THE PRINCIPAL</u>

- 1.1. The PRINCIPAL undertakes that no official of the PRINCIPAL, connected directly or indirectly with the contract, will demand, take a promise for or accept, directly or through intermediaries, any bribe, consideration, gift, reward, favour or any material or immaterial benefit or any other advantage from the BIDDER, either for themselves or for any person, organization or third party related to the contract in exchange for an advantage in the bidding process, bid evaluation, contracting on implementation process related to the contract.
- 1.2. The PRINCIPAL will, during the pre-contract stage, treat all BIDDERs alike and will provide to all BIDDERs the same information and will not provide any such information to any particular BIDDER which could afford an advantage to that particular BIDDER in comparison to other BIDDERs.
- 1.3. The officials of the PRINCIPAL will report to the appropriate Government office any attempted or completed breaches of the above commitments as well as any substantial suspicion of such a breach.

In case any such preceding misconduct on the part of such official(s) is reported by the BIDDER to the PRINCIPAL with full and verifiable facts and the same is prima facie found to be correct by the PRINCIPAL, necessary disciplinary proceedings, or any other action as deemed fit, including criminal proceedings may be initiated by the PRINCIPAL and such a person shall be debarred from further dealings related to the contract process. In such a case while an enquiry is being conducted by the PRINCIPAL the proceedings under the contract would not be stalled.





### 2. <u>COMMITMENTS OF BIDDERS</u>

The BIDDER commits itself to take all measures necessary to prevent corrupt practices, unfair means and illegal activities during any stage of its bid or during any pre-contract or post-contract stage in order to secure the contract or in furtherance to secure it and in particular commit itself to the following:-

- 2.1. The BIDDER will not offer, directly or through intermediaries, any bribe, gift, consideration, reward, favour, any material or immaterial benefit or other advantage, commission, fees, brokerage or inducement to any official of the PRINCIPAL, connected directly or indirectly with the bidding process, or to any person, organization or third party related to the contract in exchange for any advantage in the bidding, evaluation, contracting and implementation of the contract.
- 2.2. The BIDDER further undertakes that it has not given, offered or promised to give, directly or indirectly any bribe, gift, consideration, reward, favour, any material or immaterial benefit or other advantage, commission, fees, brokerage or inducement to any official of the PRINCIPAL or otherwise in procuring the Contract or forbearing to do or having done any act in relation to the obtaining or execution of the contract of any other contract with the government for showing or forbearing to show favour or disfavor to any person in relation to the contract of any other contract with the Government.
- 2.3. BIDDERs of foreign origin shall disclose the name and address of their Indian agents and representatives, if any and Indian BIDDERs shall disclose their foreign principals or associates, if any.
- 2.4. BIDDERs shall disclose the payments to be made by them to their Indian agents/brokers or any other intermediary, in connection with this bid/contract and the payments have to be in Indian Rupees only.
- 2.5. The BIDDER further confirms and declares to the PRINCIPAL that the BIDDER is the original manufacturer/ integrator/authorized agent of the stores/equipment/items and has not engaged any individual or firm or company whether Indian or foreign to intercede, facilitate or in any way to recommend to the PRINCIPAL or any of its functionaries, whether officially or unofficially to the award of the contract to the BIDDER, nor has any amount been paid, promised or intended to be paid to any such individual, firm or company in respect of any such intercession, facilitation or recommendation.
- 2.6. The BIDDER, either while presenting the bid or during pre-contract negotiations or before signing the contract, shall disclose any payments he has made, is committed to



intends to make to officials of the PRINCIPAL or their family members, agents, brokers or any other intermediaries in connection with the contract and the details of services agreed upon for such payments.

- 2.7. The BIDDER will not collude with other parties interested in the contract to impair the transparency, fairness and progress of the bidding process, bid evaluation, contracting and implementation of the contract.
- 2.8. The BIDDER will not accept any advantage in exchange for any corrupt practice, unfair means and illegal activities.
- 2.9. The BIDDER shall not use improperly, for purposes of competition or personal gain, pass on to others, any information provided by the PRINCIPAL as part of the business relationship, regarding plans, technical proposals and business details, including information contained in any electronic data carrier. The BIDDER also undertakes to exercise due and adequate care lest any such information is divulged.
- 2.10. The BIDDER commits to refrain from giving any complaint directly or through any other manner without supporting it with full and verifiable facts.
- 2.11. The BIDDER shall not instigate or cause to instigate any third person to commit any of the actions mentioned above.
- 2.12. If the BIDDER or any employee of the BIDDER or any person acting on behalf of the BIDDER, either directly or indirectly, is a relative of any of the officers of the PRINCIPAL, or alternatively, if any relative of an officer of the PRINCIPAL has financial interest/stake in the BIDDER's firm, the same shall be disclosed by the BIDDER at the time of filing of tender. The term 'relative' for this purpose would be as defined in section 6 of the Companies Act 1956.
- 2.13. The BIDDER shall not lend to or borrow any money from or enter into any monetary dealings or transactions, directly or indirectly, with any employee or the PRINCIPAL.

#### 3. PREVIOUS TRANSGRESSION

- 3.1. The BIDDER declares that no previous transgression occurred in the last three years immediately before signing of this Integrity Pact, with any other company in any country in respect of any corrupt practices envisaged hereunder or with any Public Sector Enterprise in India or any Government Department in India that could justify; BIDDER's exclusion from the tender process.
- 3.2. The BIDDER agrees that if it makes incorrect statement on this subject, BIDDER can be disqualified from the tender process or the contract, if already awarded, can be terminated for



**Division of CSL** 

such reason.

#### 4. EARNEST MONEY (SECURITY DEPOSIT)

- 4.1. While submitting commercial bid, the BIDDER shall deposit an amount NIL (to be specified in RFP) as Earnest Money as applicable/Security Deposit, with the PRINCIPAL through any of the following instruments:
- (i) Bank Draft of Pay Order in favor of CSL.
- (ii) A confirmed guarantee by an Indian Nationalized Bank, promising payment of the guaranteed sum to the PRINCIPAL on demand within three working days without any demur whatsoever and without seeking any reasons whatsoever. The demand for payment by the PRINCIPAL shall be treated as conclusive proof of payment.
- (iii) Any other mode or through any other instrument (to be specified in the RFP).
- 4.2. The Earnest Money if applicable/Security Deposit shall be valid upto the complete conclusion of the contractual obligations to the complete satisfaction of both the BIDDER and the PRINCIPAL, including warranty period.
- 4.3. In case of the successful BIDDER a clause would also be incorporated in the Article pertaining to Performance Bond in the Purchase Contract that the provisions of sanctions for Violation shall be applicable for forfeiture of Performance Bond in case of a decision by the PRINCIPAL to forfeit the same without assigning any reason for imposing sanction for violation of this Pact.
- 4.4. No interest shall be payable by the PRINCIPAL to the BIDDER on Earnest Money/Security Deposit for the period of its currency.

### 5. SANCTIONS FOR VIOLATIONS

- 5.1. Any breach of the aforesaid provisions by the BIDDER or any one employed by it or acting on its behalf (whether with or without the knowledge of the BIDDER) shall entitle the PRINCIPAL to take all or any one of the following actions, wherever required: -
- (i) To immediately call off the pre contract negotiations without assigning any reason or giving any; compensation to the BIDDER. However, the proceedings with the other BIDDER(s) would continue.
- (ii) The Earnest Money Deposit (in pre-contract stage) and/or Security Deposit/ Performance Bond (after the contract is signed) shall stand forfeited either fully or partially, as decided by the PRINCIPAL and the PRINCIPAL shall not be required to assign any reason therefore.
- (iii) To immediately cancel the contract, if already signed, without giving any compensation to





the BIDDER.

- (iv) To recover all sums already paid by the PRINCIPAL, and in the case of an Indian BIDDER with interest thereon at 2% above the prevailing Prime Lending Rate of State Bank of India, while in case of a BIDDER from a country other than India with interest thereon at 2% above the LIBOR (London Inter Bank Offer Rate). If any outstanding payment is due to the BIDDER from the PRINCIPAL in connection with any other contract for any other stores, such outstanding payment could also be utilized to recover the aforesaid sum and interest.
- (v) To en cash the advance bank guarantee and performance bond/warranty bond, if furnished by the BIDDER, in order to recover the payments, already made by the PRINCIPAL, along with interest.
- (vi) To cancel all or any other contracts with the BIDDER. The BIDDER shall be liable to pay compensation for any loss or damage to the PRINCIPAL resulting from such cancellation/recession and the PRINCIPAL shall be entitled to deduct the amount so payable from the money(s) due to the BIDDER.
- (vii) To debar the BIDDER from participating in the future bidding processes of CSL for a minimum period as deemed appropriate, which any be further extended at the discretion of the PRINCIPAL.
- (viii) To recover all sums paid in violation of this Pact by BIDDER(s) to any middle man or agent or broker with a view to securing the contract.
- (ix) In cases where irrevocable Letters of Credit have been received in respect of any contract signed by the PRINCIPAL with the BIDDER, the same shall not be opened.
- (x) Forfeiture of Performance Bond in case of a decision by the PRINCIPAL to forfeit the same without assigning any reason for imposing sanction for violation of this pact.
- 5.2. The PRINCIPAL will be entitled to take all or any of the actions mentioned at para 6.1(i) to (x) of this pact also on the Commission by the BIDDER or any one employed by it or acting on its behalf (whether with or without the knowledge of the BIDDER), of an offence as defined in chapter IX of the Indian Penal code, 1860 or Prevention of Corruption Act, 1988 or any other statute enacted for prevention of corruption.
- 5.3. The decision of the PRINCIPAL to the effect that a breach of the provisions of this pact has been committed by the BIDDER shall be binding on the BIDDER. However, the BIDDER can approach the Independent Monitor(s) appointed for the purposes this Pact.

#### 6. FALL CLAUSE

6.1. The BIDDER undertakes that it has not supplied/is not supplying similar product/systems/items or subsystems at a price lower than that offered in the present bid in



respect of any other Ministry/Department of the Government of India or PSU and if it is found at any stage that similar product/systems or sub systems/items was supplied by the BIDDER to any other Ministry/Department of the Government of India or PSU at a lower price, then that very price, with due allowance for elapsed time, will be applicable to the present case and the difference in the cost would be refunded by the BIDDER to the PRINCIPAL, if the contract has already been concluded.

#### 7. <u>INDEPENDENT MONITORS</u>

- 7.1. The PRINCIPAL has appointed Independent Monitors (hereinafter referred to as Monitors) for this Pact in consultation with the Central Vigilance Commission.
  - (1) Dr. Rajan S Katoch, IAS (Retd) A-91,

Alkapuri, Bhopal (MP) - 462022.

Mobile: 8800919222 Email: rkatoch@nic.in

(2) Dr. Vinod Bihari Mathur, IFoS (Retd.) D302, Arborea Luxury Homes, Tarla Nagal, Near Doon Helidrome, Dehradun, Uttarakhand - 248001

Mobile: 9412054648

Email: vbm.ddn@gmail.com

- 7.2. The task of the Monitors shall be to review independently and objectively, whether and to what extend the parties comply with the obligations under this Pact.
- 7.3. The Monitors shall not be subject to instructions by the representatives of the parties and perform their functions neutrally and independently.
- 7.4. Both the parties accept that the Monitors have the right to access all the documents relating to the project/procurement, including minutes of meetings.
- 7.5. As soon as the Monitor notices, or has reason to believe, a violation of this pact, he will so inform the Authority designated by the PRINCIPAL.
- 7.6. The PRINCIPAL accepts that the Monitor has the right to access without restriction to all Project documentation of the BUYER including that provided by the BIDDER. The BIDDER will also grant the Monitor, upon his request and demonstration of a valid interest, unlimited access to his project documentation. The same is applicable to Subcontractors. The Monitor



shall be under contractual obligation to treat the information and documents of the BIDDER/Subcontractor(s) with confidentiality.

- 7.7. The PRINCIPAL will provide to the Monitor sufficient information about all meetings among the parties related to the Project provided such meetings could have an impact on the contractual relations between the parties. The parties will offer to the Monitor the option to participate in such meetings.
- 7.8. The Monitor will submit a written report to the designated Authority of PRINCIPAL/Secretary in the Department/ within 8 to 10 weeks from the date of reference or intimation to him by the PRINCIPAL /BIDDER and, should the occasion arise, submit proposals for correcting problematic situations.

#### 8. <u>FACILITATION OF INVESTIGATION</u>

In case of any allegation of violation of any provisions of this pact or payment of commission, the PRINCIPAL or its agencies shall be entitled to examine all the documents including the Books of Accounts of the BIDDER. The BIDDER shall provide necessary information and documents in English and shall extend all possible help of the purpose of such examination/inspection.

#### 9. LAW AND PLACE OF JURISDICTION

This Pact is subject to Indian Law. The place of performance and jurisdiction is the seat of the PRINCIPAL.

#### 10. OTHER LEGAL ACTIONS

The actions stipulated in this Integrity Pact are without prejudice to any other legal action that may follow in accordance with the provisions of the extent law in force relating to any civil or criminal proceedings.

#### 11. <u>VALIDITY</u>

11.1. The validity of this Integrity Pact shall be from date of its signing and extend upto 5 years

or the complete execution of the contract to the satisfaction of both the PRINCIPAL and the BIDDER/Seller, including warranty period, whichever is later. In case BIDDER is unsuccessful, this Integrity Pact shall expire after six months from the date of the signing of the contract.



11.2. Should one or several provisions of this Pact turn out to be invalid; the remainder of this pact shall remain valid. In this case, the parties will strive to come to an agreement to their original intentions.

The parties hereby sign this Integrity Pact at	on
For & on behalf of PRINCIPAL  Cochin Shipyard Limited  (Office Seal)	For & on behalf of BIDDER (Office Seal)
Witness 1	Witness 1
2	2



<sup>\*</sup> Provisions of these clauses would need to be amended/deleted in line with the policy of the BUYER in regard to involvement of Indian agents of foreign suppliers.



**ANNEXURE-VII** 

### **DECLARATION**

I hereby declare that the details furnished in this tender proposal are true and correct to the best of my knowledge and belief. In case any of the information is found to be false or untrue or misleading or misrepresenting, I am aware that I will be held liable for it and CSL is free to take any legal / commercial action not limited to barring / blacklisting.

We hereby declare that we are not under a declaration of ineligibility / blacklisting /debarring/ tender holiday from doing business issued by Govt. of India / State govt. / Public Sector Undertakings etc.

Yours faithfully,

(Signature & Seal of Authorised Signatory)





**TENDER ENQUIRY NOTICE -** Erection & Dismantling of Scaffoldings in Ship Building

Division of CSL

APPENDIX- A

### **COMPLIANCE MATRIX**

Clause No.	Compliance/ Deviation		

TA T			
N	$\mathbf{a}$	to	
ΤA	w	LC	

1.	If offer is not fully conforming to the requirements given in any clause of this specification
	the deviation shall be stated in detail against the particular clause in the Compliance matrix.





**APPENDIX - B** 

### **FORMAT FOR FINANCIAL CAPABILITY**

Sl. No.	Last three Financial Year	Annual Turnover
1	Year 2021-22	
2	Year 2022-23	
3	Year 2023-24	

To be signed by the Authorized Signatory of the Applicant with Name, Designation, seal and date.

### **Certificate from Chartered Accountant:**

This is to certify that	(name of the Firm) has received the payments
shown above against the respective years.	
Name of the Authorized Ciarateur norman	ation a Arradition a Circums
Name of the Authorized Signatory represer	nting Auditing firm:
Designation:	
Name of firm (Chartered Accountant):	

Signature of the Authorized Signatory: Seal of Audit firm





### **APPENDIX-C**

### **PERFORMANCE EVALUATION FORM**

	Evaluatio	on Grade Po V	ints Aw Veightag	,	de Poir	nts X
Parameters	Grade	Excellent	Good	Average	Bad	Very Poor
	Weightage	5	4	3	2	1
Timely Completion as per Project schedule	10					
Work Planning & Coordination	2					
House Keeping and HSE	2					
Responsiveness to critical and complex works	2					
Overall Quality Management	2					
Integrity and Professionalism	2					
<b>Total Grade Points</b> (sum of points in each grade)	20					

Grand total of grade points awarded	
(Max 100)	

## Points to be considered during evaluation

Timely Completion as	Completion of work within stipulated time, including class surveys &
per Project schedule	till submission of proper quotation. (No Reworks/Survey failures)
	Planning of (material, labour & machinery) for smooth execution of
Work Planning & Co-	work, coordination with multiple agencies/stakeholders, Pro-active
ordination	approach in avoiding hindrance of work, Supervisory skills,
	communication etc.





## **TENDER ENQUIRY NOTICE** - Erection & Dismantling of Scaffoldings in Ship Building Division of CSL

Responsiveness to critical and complex works	Willingness to execute complex works understanding the importance of the work for CSL, deployment of adequate workers in time & round the clock in critical tasks.
Overall Quality Management	Quality of Work, No of QC/Class survey points, Re-works, RT/Survey Failures, quality of manpower, supervisors etc. to be considered
House Keeping and HSE	Adherence to CSL HSE policies and instructions, use of PPEs, commitment & continuing practises for good housekeeping at site, daily tool box meetings at site.
Integrity and Professionalism	Responsiveness & commitment to work, uniforms to workers, appropriate & polite behaviour at site, ethics in preparation of quotations, corrections in quotation, proper documentation.
Signature (CSL Officer in-Charge)	
Name & Design	

Note: The executing officer shall evaluate the performance of the successful bidder(s) as per the above format in every six months after issuing of work order.

