

UCSL/CC/SB/T/191-192/219/2026 DT:14.08.2026

**TENDER FOR LOAD BANK FOR TRIALS OF DIESEL
GENERATOR OF 70T BOLLARD PULL TUG UY191 &
UY192 FOR UCSL KOCHI UNIT**



UDUPI COCHIN SHIPYARD LIMITED

UDUPI COCHIN SHIPYARD LIMITED
MALPE, UDUPI 576108





UDUPI COCHIN SHIPYARD LIMITED
TENDER FOR LOAD BANK FOR TRIALS OF DIESEL GENERATOR OF 70 TON TUG UY.191-192
UCSL/CC/SB/T/191-192/219/2026 DT:14.08.2026

TENDER NOTICE

Tender No. & date	UCSL/CC/SB/T/191-192/219/2026 DT: 14.08.2026
Name of work	HIRING OF LOAD BANK FOR TRIALS OF DIESEL GENERATOR OF 70T BOLLARD PULL TUG UY191 & UY192 FOR UCSL KOCHI UNIT
Last date & time of receipt of tender	27th August 2026 (Thursday) 15:30Hrs.
Date & time of opening of Technical Bid (Part-I)	27th August 2026 (Thursday) 15:30Hrs.

1. Password-protected quotations in the prescribed form are invited from bidders for the work specified above, subject to the terms and conditions as mentioned in the annexure to the tender enquiry so as to reach the undersigned by the stipulated date and time email mentioned on or before the date and time as stipulated.
2. This tender is being invited by Udupi Cochin Shipyard Limited (UCSL), Malpe, Udupi. However, the entire scope of work under this tender shall be executed at the UCSL Kochi Unit, Kerala. The successful bidder shall mobilize all required load banks, transformers, associated cables, accessories, testing equipment, tools & tackles, consumables, qualified manpower, and all other necessary resources to the UCSL Kochi Unit for successful execution of the work.
3. **The following shall be submitted along with the quote: -**

PART- I: TECHNICAL BID

- a. **Tender document duly signed on all pages** - Including Terms & conditions and Scope of work of work placed at Annexure I and Annexure II respectively.
- b. **The Techno commercial Check List** at Annexure V to be filled up completely and duly signed.
- c. Duly filled form at Annexure – III & VI
- d. **Unpriced Price bid** (Price bid without price and marked as "QUOTED") to be submitted along with Part-I.

PART-II: PRICE BID

- a. The price bids shall be prepared based on the price bid format at Annexure IV.

4. Mode of Submission of Quote:

- i. Bid shall be submitted as **Password Protected Zip File** in two parts.
Part I: Technical Bid – with all enclosures and annexures as mentioned in Para 2 above
Part II: Price Bid.





UDUPI COCHIN SHIPYARD LIMITED
TENDER FOR LOAD BANK FOR TRIALS OF DIESEL GENERATOR OF 70 TON TUG UY.191-192
UCSL/CC/SB/T/191-192/219/2026 DT:14.08.2026

- ii. The files are to be forwarded as **Two (2) separate password protected Zip files** to contractcell@udupicsl.com
- iii. **Part I and Part II are to be protected with separate and distinctly different passwords.**
- iv. The Bids will be opened through online mode during which the bidder will be advised to share the password through SMS with which the technical bid will be opened.
- v. The price bids will be opened after technical evaluation and **only the technically qualified bidders will be invited for opening of price bids** which shall also be conducted on online mode as above.
- vi. However, subject to prevailing travel restrictions, the bidders can also attend the bid opening physically at Udupi Cochin Shipyard Limited, Baputhotta Ware house complex Office.
- vii. The contractors can also submit the quotations in sealed covers (Two-Bid) – as separate sealed covers for Technical Bid and Price bid, both enclosed in a common sealed cover to reach the below mentioned address before the stipulated time.
5. The bidders shall ensure the receipt of bids at contractcell@udupicsl.com An acknowledgement mail shall be sent to the bidders on receipt of bids. UCSL takes no responsibility for delay, loss or non-receipt of tenders by mail by the stipulated time.
6. The tender should be addressed to the **Assistant General Manager (Contract Cell), Udupi Cochin Shipyard Limited, Malpe Harbor Complex, Malpe, Udupi 576 108, Karnataka, India.**
7. All contractual correspondence shall be addressed to UCSL, Malpe, Udupi. However, all site execution activities shall be carried out at the UCSL Kochi Project.
8. All contractual correspondence shall be addressed to Udupi Cochin Shipyard Limited, Malpe, Udupi. However, the entire scope of hiring, installation, operation, testing, supervision, decommissioning and demobilization of the load bank shall be carried out at the UCSL Kochi Unit, Kerala, for conducting the Diesel Generator Load Trials of 70T Bollard Pull Tugs UY191 & UY192.
9. No deviations on the tender conditions will be accepted, and bids with deviations will be considered technically disqualified. The acceptance of a tender or part thereof will rest with the Assistant General Manager (Contract Cell), Udupi Cochin Shipyard Limited, tender and reserves the authority to reject the tender received without assigning any reason.
10. Contact Person: Mr. Akhil R P, Manager (Contract Cell) Ph No: +91 8129624129.



Assistant General Manager (Contract Cell)

f

अखिल आर पी
AKHIL R P
प्रबंधक MANAGER
उडुपि कोचीन शिपयार्ड लिमिटेड
UDUPI COCHIN SHIPYARD LIMITED
मालपे, कर्नाटक/MALPE, KARNATAKA-576 108

अखिल आर पी
AKHIL R P
इंडिया कोचिन शिपिंग लिमिटेड
INDIA COCHIN SHIPING LIMITED
808, कोचिन मार्केट, कोचिन-682 008



UDUPI COCHIN SHIPYARD LIMITED
TENDER FOR LOAD BANK FOR TRIALS OF DIESEL GENERATOR OF 70 TON TUG UY.191-192
UCSL/CC/SB/T/191-192/219/2026 DT:14.08.2026

TERMS AND CONDITIONS

TENDER FOR HIRING OF LOAD BANK FOR TRIALS OF DIESEL GENERATOR OF 70T BOLLARD PULL TUG UY191-192

1. DESCRIPTION OF WORK:

- 1.1. This tender pertains to the award of a contract for **Hiring of Load Bank for Trials of Diesel Generators** of two (02) Nos. 70T Bollard Pull ASD Tugs (UY191 & UY192) under construction at the UCSL Kochi Unit, located within the premises of Cochin Shipyard Limited (CSL), Kochi, Kerala. The tender is invited by Udupi Cochin Shipyard Limited (UCSL), Malpe, Udupi, while the entire scope of work shall be executed at the **UCSL Kochi Unit**.
- 1.2. **You are requested to obtain clarifications, if any, and carefully study the documents and the scope of services and UCSL, before submitting your offer.**
- 1.3. The Contractor/Bidder are advised to familiarize themselves with the site conditions before quoting.

2. METHOD OF AWARDING CONTRACT:

- 2.1. Contract will be concluded with Bidder qualifying technically (including eligibility criteria), agreeing to Commercial conditions (Annexure VI) and emerging as L1.
- 2.2. This tender pertains to the hiring of a load bank and associated services for load testing of diesel generators of Tug UY-191 and UY-192. UCSL reserves the right to split or combine the work based on the project requirements of each tug. The work for UY-191 (1st vessel) and UY-192 (2nd vessel) will be awarded to the L1 bidder. In the event of unsatisfactory performance by the L1 bidder, the subsequent eligible bidders will be considered for execution of the work by matching the L1 rate. If the L2 bidder is unwilling to match the L1 rate, the L3/L4/L5 and subsequent bidders, as applicable, will be invited for negotiation to match the L1 rate.
- 2.3. UCSL reserves the right to cancel the tender if required.

3. SCOPE OF WORK:

- 3.1. Hiring, mobilization, installation, commissioning, operation, supervision, decommissioning, and demobilization of suitable Load Bank(s), transformers, cables, accessories, and associated equipment for conducting load trials of the diesel generators onboard Tug UY191 & UY192.
- 3.2. The contractor shall provide competent engineers/operators throughout the testing period.
- 3.3. The contractor shall supply all required consumables, cables, connectors, adapters, transformers, safety equipment, measuring instruments, and accessories required for successful completion of load trials.
- 3.4. The contractor shall coordinate with UCSL, Owner's representatives, and Classification Society during testing.





UDUPI COCHIN SHIPYARD LIMITED
TENDER FOR LOAD BANK FOR TRIALS OF DIESEL GENERATOR OF 70 TON TUG UY.191-192
UCSL/CC/SB/T/191-192/219/2026 DT:14.08.2026

3.5. The contractor shall submit all technical documents including:

- 3.5.1. GA drawings
 - 3.5.2. Technical specifications
 - 3.5.3. Equipment datasheets
 - 3.5.4. Calibration certificates
 - 3.5.5. Test procedures
- before commencement of work.

3.6. Daily progress reports and final load test reports shall be submitted after completion of testing.

3.7. The contractor shall ensure compliance with all HSE requirements of UCSL.

3.8. The load bank shall be suitable for the following generators:

- 3.8.1. Main DG – 2 Nos. × 150 kW, 415 V, 50 Hz, 3 Phase, 3 Wire
- 3.8.2. Emergency DG – 50 kW, 415 V, 50 Hz, 3 Phase, 3 Wire
- 3.8.3. Provision for parallel operation of Main DGs.

4. ELIGIBILITY CRITERIA:

- 4.1. The bidder shall have experience in hiring/supplying/operating load banks for marine, offshore, shipbuilding, power plant, industrial, or similar applications during the last three years.
- 4.2. Experience shall include successful completion of similar work. Ongoing works may also be considered subject to submission of satisfactory work progress certificates.
- 4.3. The contractor shall have qualified engineers/operators having minimum three years' experience in load bank operation and diesel generator load testing.
- 4.4. Relevant work orders and completion certificates shall be submitted along with the technical bid.
- 4.5. The bidder shall not be blacklisted by any Government Department, PSU, or UCSL.

5. SCHEDULE OF COMPLETION OF VESSELS:

The tentative timelines are given below.

Sl. No	Vessel Details	Completion Date
1	UY-191	April-2027
2	UY-192	June-2027

- 5.1. Hiring period shall be **7 days** for each mobilization unless otherwise instructed.
- 5.2. The contractor shall mobilize immediately upon receipt of UCSL intimation.
- 5.3. The contractor shall mobilize immediately upon receipt of UCSL intimation
- 5.4. UCSL shall intimate the commencement at least three (3) days in advance through e-mail or telephone.
- 5.5. Testing schedule shall be decided by UCSL based on production requirements.





UDUPI COCHIN SHIPYARD LIMITED
TENDER FOR LOAD BANK FOR TRIALS OF DIESEL GENERATOR OF 70 TON TUG UY.191-192
UCSL/CC/SB/T/191-192/219/2026 DT:14.08.2026

6. INSPECTION:

- 6.1. All load banks, transformers, measuring instruments, cables, and accessories shall possess valid calibration/test certificates wherever applicable.
- 6.2. The contractor shall demonstrate satisfactory operation of the load bank before commencement of testing.
- 6.3. All testing shall be carried out in presence of UCSL, Owner's representative and Classification Society wherever applicable.
- 6.4. The contractor shall submit:
 - 6.4.1. Daily Test Report
 - 6.4.2. Generator Load Test Report
 - 6.4.3. Calibration Certificates
 - 6.4.4. Equipment Checklist
 - 6.4.5. Final Completion Report
- 6.5. All correspondence shall be in English and all technical documents shall be in metric units.

7. VALIDITY:

- 7.1. The offer shall be valid for a period of **two (02) months** and no escalation in rate shall be allowed by UCSL on whatsoever reason.

8. RATE:

- 8.1. Rates are to be quoted in the Price Bid Format at Annexure IV attached herewith.

9. PAYMENT TERMS:

- 9.1. Payment shall be made based on actual utilization of the hired equipment certified by the Officer-in-Charge.
- 9.2. Payment shall be released within **30 days** from submission of invoice along with work completion certificate.
- 9.3. No payment shall be made during idle period attributable to contractor.
- 9.4. Extension of hiring period, if required, shall be paid on actual basis as per quoted additional day rates.

10. TAXES & DUTIES:

- 10.1. GST shall be applicable extra on the prescribed work. You are requested to furnish the following details in the invoice/Bill.
 - Applicable rate of GST/SAC Code
 - Firms GST Reg. NO.
 - Service accounting code (SAC) as prescribed by statutory authorities.
 - GST Reg. No. of Cochin Shipyard Limited(**32AAACC6905B1ZD**).





UDUPI COCHIN SHIPYARD LIMITED
TENDER FOR LOAD BANK FOR TRIALS OF DIESEL GENERATOR OF 70 TON TUG UY.191-192
UCSL/CC/SB/T/191-192/219/2026 DT:14.08.2026

11. PERIOD OF CONTRACT & COMMENCEMENT OF SERVICES:

- 11.1. The contract shall remain valid until completion of the hiring period including any approved extension.

12. SECURITY DEPOSIT:

- 12.1. The successful tenderer shall remit 5% of the value of the contract as security deposit within 15 days of receipt of the work order. This amount may be remitted by way of demand draft or bank guarantee (in approved proforma of UCSL) from any of the nationalized banks, valid till the satisfactory completion of the entire work. In case the contractor fails to submit the SD in time, deduction of SD amount will be made from the running bills submitted. The Security Deposit will be released on certification of satisfactory completion of the contract and handing over of all the documents to Udupi Cochin Shipyard and no liability to UCSL by Officer-in charge. The Security Deposit retained will not bear any interest.

13. PERFORMANCE GUARANTEE:

- 13.1. The complete work carried out by the contractor shall be guaranteed against defects due to poor workmanship for a period of six months from the date of completion of work or till delivery of that vessel, whichever is earlier. Any work found defective during this period is to be repaired entirely at the contractor's cost at the vessel's location and such repaired items shall be guaranteed for a further period of three months from the date of repair.
- 13.2. Should any unsatisfactory performance and / or damage or failure occur due to poor workmanship and poor-quality material used by the contractor, the contractor shall be solely responsible for payment/reimbursement of expenditure incurred by Ship owner for rectifying the defect.
- 13.3. Towards this, a performance guarantee equivalent to 5% of the value of the contract to be furnished by the contractor on completion of the works by way of a bank guarantee (in approved proforma of UCSL) from a nationalized bank valid till the expiry of the guarantee period. In case the contract fails to submit the PG in time, SD mentioned at Clause 14 will be retained till the expiry of guarantee period.

14. LIQUIDATED DAMAGES:

- 14.1. The progress of work will be monitored against the mutually agreed detailed schedule. Liquidated damages for delays in execution of the work beyond the scheduled date of completion, for any reason other than force majeure conditions, will be recovered at the rate of half percent of the value of the contract per week or part thereof, subject to a maximum of ten (10) percent of the value of the contract.
- 14.2. For better clarity, order values mentioned in LD clause are values excluding duties and taxes (Basic value). Liquidated damages, if any, shall be decided and settled only after the completion of the entire project but prior to the release of Final stage Payment.
- 14.3. If, for any reasons, supplier has a justification towards delay in supply / work execution and would intend to consider applicability/ non applicability of LD, the same shall be





UDUPI COCHIN SHIPYARD LIMITED
TENDER FOR LOAD BANK FOR TRIALS OF DIESEL GENERATOR OF 70 TON TUG UY.191-192
UCSL/CC/SB/T/191-192/219/2026 DT:14.08.2026

intimated to UCSL by way of a letter, failing which it will be deemed that delay is attributable to the supplier.

- 14.4. Delay in supply/Interruption of the work for reasons not attributable to supplier shall entitle extension of the order execution period for proportionate period without any additional cost to UCSL.

15. POWER OF ATTORNEY;

- 15.1. The tenderer(s) shall have to sign in each page of the tender documents with official stamp as a token of his acceptance of the conditions stated therein.
- 15.2. The person signing the tender form on behalf of another or on behalf of a firm, shall enclose to the tender, a Power of Attorney or the said deed duly executed in his favour or the partnership deed giving him such power showing that, he has the authority to bind such other persons or the firm, as the case may be, in all matters pertaining to the contracts. If the Person so signing the tender, fails to enclose the said Power of Attorney, his tender shall be liable for being summarily rejected. The Power of Attorney shall be signed by all partners in the case of partnership concern, by the Proprietor in the case of a proprietary concern, and by the person who by his signature can bind the company in the case of a Limited Company.

16. TERMINATION & LIMITATION OF LIABILITY;

- 16.1. This contract may be terminated upon the occurrence of any of the following events
- By agreement in writing of the parties hereto;
 - By the non-defaulting party, upon default by the other party, of any clause of this contract, if not remedied within fifteen (15) days, or such longer time as may be agreed upon by the parties, after receipt of notice thereof in writing from the non-defaulting party;
 - By the other party, upon either party;
 - i. Making the assignment for the benefit of creditors, being adjudged a bankrupt or becoming insolvent; or
 - ii. Having a reasonable petition filed seeking its' dissolution or liquidation, not stayed or dismissed within sixty (60) days; or
 - iii. Ceasing to do business for any reason.
- 16.2. For fraud and corruption or other unacceptable practices.
- 16.3. Upon expiry or termination of this Contract, neither party shall be discharged from any antecedent obligations or liabilities to the other party under this Contract unless otherwise agreed in writing.
- 16.4. UCSL may by notice in writing to Agency to terminate the order after issuing due notice i.e., 30 days' notice period. UCSL shall be entitled to compensation for loss limited to the order value.
- 16.5. Liability maximum that can be claimed by the Agency shall be limited to what is due to be and has been paid by UCSL for work done as per the payment milestones and limited to work order value.





UDUPI COCHIN SHIPYARD LIMITED
TENDER FOR LOAD BANK FOR TRIALS OF DIESEL GENERATOR OF 70 TON TUG UY.191-192
UCSL/CC/SB/T/191-192/219/2026 DT:14.08.2026

17. ARBITRATION & JURISDICTION:

- 17.1. Any disputes arising during the period of the contract shall, in the first instance be settled by mutual discussions and negotiations. The results of such resolution of dispute shall be incorporated as an amendment to the contract, failing which supplier shall approach the UCSL Grievance Redressal Committee as per relevant clause of the Contract.
- 17.2. If any dispute, disagreement or question arising out of or relating to or in consequence of the contract, or to its fulfillment, or the validity of enforcement thereof, cannot be settled mutually or the settlement of which is not herein specifically provided for, then the dispute shall within thirty days from the date either party informs the other in writing that such disputes, disagreement exists, be referred to arbitration. The arbitrators shall be appointed and the arbitration proceedings shall be conducted in accordance with and subject to the Arbitration and Conciliation Act, 1996 (No. 26 of 1996) as amended from time to time and the decision of the Arbitrators shall be final and binding on the parties hereto. The arbitration will be done by a Board comprising one arbitrator nominated by each party, and a mutually agreed Umpire. Each party shall bear its own cost of preparing and presenting its case. The cost of arbitration shall be shared equally by the parties unless the award provides otherwise. Performance under this Contract shall however, continue during arbitration proceedings and no payment due or payable by the parties hereto shall be withheld unless any such payment is or forms a part of the subject matter of arbitration proceedings.
- 17.3. Seat & Venue of Arbitration: The seat & venue of arbitration shall be at Kerala.
- 17.4. Language of Arbitration: The Language of arbitration shall be English.
- 17.5. Governing Law: The contract shall be governed by Indian Law
- 17.6. In case of disputes, the same will be subjected to the jurisdiction of courts at Cochin, Kerala.

18. SUB CONTRACTING AND ASSIGNMENT;

- 18.1. Contractor shall not assign or transfer the Purchase Order/ Work Order or any share or interest therein in any manner or degree to any third party without the prior written consent of UCSL.
- 18.2. Contractor shall not contract with any subcontractor and/or vendor without the prior written consent of UCSL. Such consent shall not relieve the Contractor from any of his responsibilities and liabilities under the Purchase Order/ Work Order. In addition, Contractor shall ensure that the terms and conditions of any such contract shall comply with and correspond to the terms and conditions of the Purchase Order/ Work Order.

19. SECRECY & RESTRICTION ON INFORMATION TO MEDIA;

- 19.1. The information contained in the enquiry as such shall NOT be communicated to any third party without prior approval of UCSL.
- 19.2. Information in respect of contracts/orders shall NOT be released to the national or international media or anyone not directly involved in its execution without the written approval of UCSL.





UDUPI COCHIN SHIPYARD LIMITED
TENDER FOR LOAD BANK FOR TRIALS OF DIESEL GENERATOR OF 70 TON TUG UY.191-192
UCSL/CC/SB/T/191-192/219/2026 DT:14.08.2026

20. CANCELLATION OF ORDER AND RISK CONTRACTING:

- 20.1. In the event the Agency fails to complete the work promptly and satisfactorily as per the terms of the order, and if any work is delayed beyond thirty (30) days from the agreed schedule, UCSL, without prejudice, reserves the right to cancel the order and get the work done at Agency's cost and the expenditure so incurred including any damage or loss will be recovered from him and the Security Deposit furnished by him is liable to be forfeited either in whole or in part.
- 20.2. UCSL also reserves to right to impose penalties ranging from Rs. 100 to Rs.500 to the employees of Contractor/Bidder and will be deducted from the bills, for any habitual offence on the cleanliness of uniforms, lack of obedience, not attending the tasks etc., and will be to the discretion of the Officer in charge for the work.

21. FORCE MAJEURE:

- 21.1. Should failure in performance of any part of this contract arise from war, insurrection, restraint imposed by Government act or legislation of other statutory authority, from explosion, riot, legal lock-out, flood, fire, act of God or any inevitable or unforeseen event beyond human control which will be construed as a reasonable ground for extension of time, UCSL may allow such additional time as is mutually agreed to be justified by the circumstances of the case.

22. STORAGE OF MATERIAL AND EQUIPMENT:

- 22.1. The Contractor shall arrange the storage of the materials/ equipment etc. if any, at a suitable location assigned by UCSL and shall ensure the safe and secure possession and handling of the items thus handed over to contractor. UCSL shall allot storage space within UCSL premises, if available.
- 22.2. As regards the equipment/materials stored by him as above as also in use by him, UCSL will not be responsible for any damage, pilferage, accident that may take place during the course of execution of the work. It will be entirely his responsibility to keep all the equipment, materials etc., in safe custody as also hold them duly insured at his expense.

23. IMS GUIDELINES:

- 23.1. UCSL implemented an Integrated Management System (IMS) and the Quality Management System (QMS) within the yard. As part of IMS, subcontractors shall comply with the following measures related to the Quality, Health, and Safety & Environment (QHSE) policy of UCSL.
- a) Meeting or exceeding customer requirements.
 - b) Assuring quality of the products and service.
 - c) Preventing occupational ill health & injuries.
 - d) Ensuring safe work sites.
 - e) Conserving natural resources.
 - f) Preventing / minimizing air, water & land pollution.
 - g) Handling and disposal of Hazardous wastes safely.
 - h) Complying with statutory & regulatory and other requirements.





UDUPI COCHIN SHIPYARD LIMITED
TENDER FOR LOAD BANK FOR TRIALS OF DIESEL GENERATOR OF 70 TON TUG UY.191-192
UCSL/CC/SB/T/191-192/219/2026 DT:14.08.2026

- i) Developing skills and motivating employees.

23.2. Occupational Health, safety & Environmental requirements of UCSL shall also include the following.

- a) The contractor (or a sub-contractor performing work on behalf of the contractor) is deemed to comply with the Occupational health, safety and environmental policy of the company and also to all operational controls/standard operating procedures and shall undertake the work in total compliance with the requirements of the established Integrated Management System (IMS) of the company.
- b) The Contractor shall undertake the work in total compliance with all applicable legal/statutory requirements related to occupational health, safety and environment effective in the state of Kerala.
- c) It is the sole responsibility of the contractor to assure that any sub-contractor/s who shall perform works in company lands/facilities/worksites on behalf of the contractor, is also following all requirements related to the Integrated Management System of the company and the health/safety/environmental Rules effective in the state.
- d) The contractor shall provide/implement and operate/practice all occupational health, safety and environmental management measures/facilities, for their period of contract, in their activities/at their work sites, which shall be required according to the IMS of the company or that required by the health/safety/environmental Rules established and effective in the state, at their own cost.
- e) If any contractor failed to comply with or violated any clauses/requirements of occupational health, safety and environmental Rules effective in the state, in their activities or at work sites and the same shall be exposed to the government or any competent authorities upon inspections, the contractor shall be solely responsible for all liabilities caused by his/her action and shall be responsible for paying the penalty and taking stipulated corrective actions insisted by the authorities within the specified time, at their own cost. Any liability to the company in this regard needs to be compensated by the contractor.
- f) Upon completion of the work, contractor shall clear the area and shall not leave any Occupational health/safety/environmental liabilities to the company, from their activities at the worksites.
- g) Any clarification related to IMS requirements of the yard, may be obtained by the contractor from the AGM (HSE) or the authorized representative of the contract, prior to the commencement of work.

23.3. The Contractor shall collect, neutralize, handle, transport, and dispose of all spent chemicals, flushing oil, sludge, contaminated consumables, and other hazardous waste generated during execution of the work in accordance with the applicable statutory regulations and environmental legislation. Documentary evidence of disposal shall be produced to UCSL upon completion of the work.

24. SAFETY OF PERSONNEL AND FIRST AID:

24.1. The contractor shall be entirely responsible for the safety of all the personnel employed by him on the work. In this regard, he may adopt all the required safety measures and strictly comply with the safety regulations in force. A copy of UCSL's "Safety Rules for Contractors (Revised)" is available with HSE department for reference.





UDUPI COCHIN SHIPYARD LIMITED
TENDER FOR LOAD BANK FOR TRIALS OF DIESEL GENERATOR OF 70 TON TUG UY.191-192
UCSL/CC/SB/T/191-192/219/2026 DT:14.08.2026

- 24.2. The Agency may arrange to suitably insure all his workmen/ other personnel in this regard. UCSL will not be responsible for any injury or illness to the Agency's workmen/other personnel during execution of the works due to whatsoever reasons.
- 24.3. In this regard, the Contractor will have to fully indemnify UCSL against any claims made by his workmen/other personnel
- 24.4. The Agency shall provide and maintain so as to be readily accessible during all working hours, a first aid box with prescribed contents at every place where he employs contract labor for executing the works.

25. LABOUR LAWS AND REGULATIONS;

- 25.1. The Agency shall undertake and execute the work with contract Labor only after taking license from the appropriate authority under the Contract Labor (Regulation & Abolition) Act 1970.
- 25.2. The Agency shall observe and comply with the provisions of all labour and industrial laws and enactments and shall comply with and implement the provisions of the Factories Act, 1948, Employees Provident Funds & Miscellaneous Provisions Act, 1952, Employees State Insurance Act, Payment of Gratuity Act, minimum Wages Act, Payment of Bonus Act, Contract Labour (Regulation and Abolition) Act and all other enactments as are applicable to him and his workmen employed by him. The Agency shall inform UCSL his license number from the Central Labour Commissioner.
- 25.3. All Persons, except those exempted under the respective Acts, shall necessarily be insured under the ESI scheme and be made members of the EPF Scheme from the day of their engagement as personnel in the Company. In Case 1, All such insured Persons should carry with them their ESI Identity Card for verification by the authorities. No Persons without a valid ESI Identity Card for verification by the authorities will be permitted to work in the company.
- 25.4. The Agency shall submit the Labour Reports/Returns as required by the Company from time to time in respect of their workmen in standard format to the concerned contracting officer so as to enable the same to reach Contract cell by the 5th of every month. Delayed submission of the same shall attract penal interest /damages at the rate as levied by the respective authorities under the relevant Acts.
- 25.5. The Agency shall maintain the records viz. Muster Roll, Acquittance Roll with full details, Account books etc., in original. These are required for inspection by the concerned authorities under each scheme.
- 25.6. If the Agency fails to pay any contributions, charges or other amounts payable under any of the aforementioned provisions of law, UCSL shall deduct or adjust amounts equivalent to such contribution, charges or amounts from amount payable to him by UCSL, including any deposit or amounts payable against bills and make payments on his account to the appropriate authority. He shall not be entitled to question or challenge such deductions, adjustments or payment made by UCSL.
- 25.7. Any other amount payable under any law or in respect of any person employed by the Agency, if not paid by him, shall be deducted or adjusted by UCSL out of any amount payable to the Agency including any Security Receipt and paid ever or withheld for payment by UCSL.





UDUPI COCHIN SHIPYARD LIMITED
TENDER FOR LOAD BANK FOR TRIALS OF DIESEL GENERATOR OF 70 TON TUG UY.191-192
UCSL/CC/SB/T/191-192/219/2026 DT:14.08.2026

- 25.8. The Agency shall be fully responsible for the conduct and discipline of the workmen employed by him in the Company premises. If such workmen commit any misconduct or criminal act inside the Company, the Agency shall take appropriate action against such workmen. The Agency shall abide by the instructions/ guidelines issued by the Company for maintenance of discipline and good conduct among the workmen employed by him.
- 25.9. All persons who are engaged for various works in UCSL either directly or through Agency/contractors, should produce the following documents prior to issuing their entry passes:
- 25.10. Passport/Aadhaar attested copy of passport with photo and address particulars.
 OR
 Police clearance certificate with photo and address particulars. (Police clearance certificate to the effect that the concerned person is staying in the area of jurisdiction of the certificate issuing Police Station and that the person is not involved in any criminal offences as per the records available therein.
- 25.11. Application and Declaration for enrolling under Employees Provident Fund and ESI Scheme- 3 individual passport size photographs and two copies of family photographs of the members.
- 25.12. **Agency shall familiarize themselves with the labour rules & regulations.**

26. ELECTRICITY RULES AND REGULATION;

- 26.1. The contractor shall adhere to the various rules in respect of electrical installation as per the Indian Electricity Rules and Regulations and Electrical Inspectorate Standards in order to make sure that men and materials are safe from hazards.

27. OVERWRITING & CORRECTIONS;

- 27.1. Tenders shall be free from overwriting or erasures. Corrections and additions, if any, shall be duly attested and a separate list of such corrections shall be attached with the offer.

28. OTHER TERMS & CONDITIONS;

- 28.1. Quality of services shall conform to the specification/ standards laid down by UCSL.
- 28.2. UCSL reserves the right to accept / reject any offer.
- 28.3. **UCSL reserves the right to award the work to more than one contractor or to take over partially or fully the work depending upon the schedule requirements.**
- 28.4. During the evaluation of tender, officer-in-charge may seek clarifications from the bidders. Clarification if any shall be given in writing/e-mail. Officer-in-charge's decision will be final and binding on the bidder.
- 28.5. Compliance of all statutory safety requirements and other safety rules stipulated by UCSL and other applicable statutory bodies shall be the responsibility of the Agency while working at UCSL premises. The Agency should ensure that their workmen and staff are adequately covered under Insurance.





UDUPI COCHIN SHIPYARD LIMITED
TENDER FOR LOAD BANK FOR TRIALS OF DIESEL GENERATOR OF 70 TON TUG UY.191-192
UCSL/CC/SB/T/191-192/219/2026 DT:14.08.2026

- 28.6. Damages caused to the Shipyard properties/tools/accessories should be rectified by the Agency at his cost or proportional recoveries will be made from the Agency while passing their bills for payment.
- 28.7. The Contractor shall mobilize adequate manpower and resources, including during Sundays, public holidays, and on a round-the-clock basis, whenever required to meet the vessel construction schedule. The work shall be executed and completed to the satisfaction of the Officer-in-Charge, UCSL Kochi Unit.
- 28.8. The service provider shall indemnify UCSL or its officers against any claims arising out of accidents or injuries to workmen or other persons or damage to other property which may arise during the execution of the contract or from breach of any Law or Regulation prior to delivery and acceptance of the items at UCSL.
- 28.9. The service provider shall also be governed by the General Conditions of Contract of UCSL, General Safety Rules and other relevant labour laws.
- 28.10. The upper age limit of all workers and supervisors employed by the Agency and those Agency who do or supervise the job themselves shall be as per the prevailing rules of UCSL and shall comply to the requirements of this tender.
- 28.11. Assistant General Manager, or his authorized representative will be the Officer-in-charge of these contracts.

P

अखिल आर पी
AKHIL R P
प्रबंधक MANAGER
उडुपि कोचीन शिपयार्ड लिमिटेड
UDUPI COCHIN SHIPYARD LIMITED
माल्पे, कर्नाटक/MALPE, KARNATAKA-576 108



अखिल आर पी
AKHIL R P
प्रबंधक मैनेजर
उदुपी कोचिन शिपयार्ड लिमिटेड
UDUPI COCHIN SHIPYARD LIMITED
माला, कर्नाटक/माले, KARNATAKA-576 108



UDUPI COCHIN SHIPYARD LIMITED
TENDER FOR LOAD BANK FOR TRIALS OF DIESEL GENERATOR OF 70 TON TUG UY.191-192
UCSL/CC/SB/T/191-192/219/2026 DT:14.08.2026

TENDER FOR LOAD BANK FOR TRIALS OF DIESEL GENERATOR OF 70 TON BOLLARD PULL TUG UY.191-192

1. SCOPE OF THE WORK

- 1.1. Design and Supply of all the required equipment's /accessories /consumables and complete coordination of entire activities/tasks associated with /required for the successful commencement and completion of the required load testing operations.
- 1.2. Project Execution, supervision and reporting of all the tasks/activities associated with the testing of the load banks.
- 1.3. Provision of technical documents, drawings and specification of equipment's employed for testing.
- 1.4. To and Fro Transportation of the equipment's with all accessories from the point of operation at UCSL. This includes the to and fro transportation from port/transporter's premises after necessary clearances prior commencement of testing operations and after completion of the operations. Any logistics facilities either for materials or for manpower that need to be arranged from outside UCSL premises for the smooth conduct of testing operations shall be the responsibility of the contractor.
- 1.5. Statutory Clearance (customs/other statutory bodies) of the equipment's / manpower deployed for the project from port (in case of imports from outside India)/interstate check posts within India. The necessary taxes/duties required to be paid for the purpose shall be borne by the contractor.
- 1.6. Insurance for Equipment's and manpower deployed for the project till the completion of testing operations. This shall also include the to and fro transit insurance for the Equipment's and manpower.
- 1.7. Ensuring best HSE practices at site during the testing operations, which includes mandatory work permits/certifications/approvals in accordance with the prevailing guidelines in UCSL.
- 1.8. Submission of daily/weekly progress reports.
- 1.9. Food/Accommodation/lodging of the Service technician/engineer will be borne by contractor itself.
- 1.10. Load Bank requirement covers the following also:
Main DG - 2Nos 150kW each at 415V, 50Hz, 3ph 3 wire system connected to MSB (415V). Paralleling operation between the No.1 and No.2 DG to be carried out. Emergency DG- 50kW, 415V, 50Hz, 3ph 3wire system connected to main switchboard of 415V.
- 1.11. The Contractor shall mobilize all necessary load banks, transformers, cables, connectors, switchgear, control panels, earthing arrangements, tools, tackles, lifting accessories, testing instruments, communication equipment, and qualified manpower required for successful completion of the trials.
- 1.12. All equipment supplied for testing shall be in good operating condition, adequately maintained, and shall possess valid calibration certificates wherever applicable.



Udupi Cochin Shipyard Ltd
Enquiry for Hiring of Load Bank for Trials of Diesel Generator of 70T Bollard Pull Tug
UCSL/CC/SB/E/191-192/219/2026 DT:05.05.2026

- 1.13. The Contractor shall carry out installation, cable laying, electrical connections, commissioning, operation, monitoring, decommissioning, dismantling, and demobilization of the complete testing system.
- 1.14. The Contractor shall ensure that the load bank capacity is adequate to achieve the full load testing requirements of the Main Diesel Generators and Emergency Diesel Generator in accordance with approved test procedures.
- 1.15. Testing shall be carried out strictly in accordance with the approved Test Protocol, Maker's recommendations, Classification Society Rules, and applicable IEC/IEEE standards.
- 1.16. The Contractor shall coordinate with UCSL, Owner's Representative, Class Surveyor, Commissioning Team, and OEM representatives throughout the testing activities.
- 1.17. Any interruption or failure of the Contractor's equipment during testing shall be immediately attended to without any additional cost to UCSL.
- 1.18. The Contractor shall maintain adequate standby personnel and essential spare parts throughout the testing period to avoid delays.
- 1.19. Adequate earthing arrangements shall be provided for all testing equipment before commencement of testing.
- 1.20. The Contractor shall ensure proper routing, protection, and securing of all temporary cables to eliminate tripping hazards and prevent mechanical damage.
- 1.21. Daily inspection of all electrical connections, load bank cooling systems, cables, and safety devices shall be carried out before commencement of testing.
- 1.22. The Contractor shall continuously monitor:
 - i. Voltage
 - ii. Current
 - iii. Frequency
 - iv. Power Factor
 - v. kW
 - vi. Load Percentage
 - vii. Generator Stability
 - viii. Cooling Performance
 - ix. Any abnormal alarms- during the complete testing period.
- 1.23. Any defect observed during testing shall immediately be brought to the notice of UCSL.
- 1.24. The Contractor shall submit the following documents after completion of the work:
 - i. Equipment Calibration Certificates
 - ii. Equipment Test Certificates
 - iii. Daily Load Test Records
 - iv. Final Load Test Report
 - v. Commissioning Report
 - vi. Equipment Checklist
 - vii. Operator Attendance Records
 - viii. Work Completion Certificate
- 1.25. The work shall be deemed complete only after successful completion of all load bank trials and acceptance by UCSL, Owner's Representative and Classification Society.



POWER OF ATTORNEY

(On Applicant's letter head)

(Date and Reference)

To

The Assistant General Manager (Contract Cell)
Udupi Cochin Shipyard Limited
Fishing Harbour complex, Malpe,
Udupi - 576 108.

Subject: Power of Attorney

Mr. / Mrs. / Ms..... (Name of the
Person(s)), domiciled at
(Address), acting as..... (Designation and name of the
company), and whose signature is attested below, is hereby appointed as the Authorized
Representative and authorized on behalf of
(Name of the company) to provide information and respond to enquiries etc. as may be required
by the Employer for the project of
(Project title) and is hereby further authorized to sign and file relevant documents in respect of
the above.

(Attested signature of Mr.)

For.....
(Name & designation)

(Company Seal)
documents in respect of the above.

(Attested signature of Mr.)

For.....
(Name & designation)

(Company Seal)





UDUPI COCHIN SHIPYARD LIMITED
TENDER FOR LOAD BANK FOR TRIALS OF DIESEL GENERATOR OF 70 TON TUG UY.191-192
UCSL/CC/SB/T/191-192/219/2026 DT:14.08.2026

UCSL/CC/SB/T/191-192/219/2026 Dt:14.08.2026

TENDER FOR LOAD BANK FOR TRIALS OF DIESEL GENERATOR FOR 70T BOLLARD PULL TUG UY191-192 AT UCSL KOCHI UNIT

PRICE BID FORMAT

Sl. No	Description	UOM	Quantity	Rate Per Day	Total Amount
1	Main DG - 2Nos 150KW each at 415V, 50Hz, 3ph 3 wire system connected to MSB (415V). Paralleling operation between the No.1 and No.2 DG to be carried out. Emergency DG-50KW, 415V,50Hz, 3ph 3wire system connected to main switchboard of 415V.	Days	07		
2	Operation Charges	Days	07		
3	Transportation charges (to and fro UCSL, including all clearance /logistics charges).	Lumpsum			
4	Total Basic Amount				
6	GST %:				
7	Grand Total Amount:				

Additional Rate:

Sl. No.	Description	UOM	Rate
1	Rental Charges more than 07 Days.	Day	
2	Operator/Engineer Charges more than 07 Days.	Day	


Signature:

Address of the contractor:

Date:

Seal:

- 1.1. Prices are to be quoted in the Pricing Format. The quotations to be submitted in the company letter head and forwarded to contractcell@udupicsl.com
- 1.2. Quotations shall be submitted as Password Protected File. The bidders are advised to share the password through only SMS while opening the quotations.





UDUPI COCHIN SHIPYARD LIMITED
TENDER FOR LOAD BANK FOR TRIALS OF DIESEL GENERATOR OF 70 TON TUG UY.191-192
UCSL/CC/SB/T/191-192/219/2026 DT:14.08.2026

ANNEXURE-V
TECHNO COMMERCIAL CHECK LIST (To be submitted by the bidder)

(Bidders may confirm acceptance of the Tender Conditions/deviations if any to be specified)

SL No.	Tender Enquiry Requirements	Confirmation from bidder (Strike off whichever is not applicable)	Specific comments /Remarks
1	Terms & Condition, Scope of work & Indicative Quantum of Work. (Annexure-I, II & III)	Agreed as per tender /Do not agree	
2	Schedule	Agreed as per tender/Do not agree	
3	Unconditional Acceptance	Agreed as per tender/Do not agree	
4	Offer Validity	02 Months - Agreed as per tender/Do not agree	
5	Taxes & Duties	Specified/included in Price	
6	Payment terms - confirm		
a	As per Clause 08 of Annexure - I	Agreed as per tender/Do not agree	
7	Price shall remain firm and fixed and No Escalation in prices after awarding of contract	Agreed as per tender/Do not agree	
8	Hiring Period – 07 Days and Additional Day Rates, if applicable	Agreed as per tender/Do not agree	
9	Availability of Load Bank, Transformer, Cables, Accessories, and Qualified Operator/Engineer	Agreed as per tender/Do not agree	
10	Force Majeure	Agreed as per tender/Do not agree	
11	Liquidated damages and cancellation of contract	Agreed as per tender/Do not agree	
12	Arbitration & Jurisdiction clauses	Agreed as per tender/Do not agree	
13	Confirm all other terms and conditions of our enquiry are acceptable.	Confirmed/Not confirmed	
14	Deviations from Tender conditions	No Deviations	

Signature:

Address of the Contractor:

Seal:



UNCONDITIONAL ACCEPTANCE LETTER

(Unconditional acceptance to be given by in letter head)

ACCEPTANCE OF TENDER CONDITIONS

1. Tender Document no. UCSL/CC/SB/T/191-192/219/2026 dated 14th Aug 2026 Tender for Hiring of Load Bank for Trials of Diesel Generator of 70T Bollard Pull Tug UY191-192 at UCSL Kochi unit has been received by me/us and I/We hereby unconditionally accept the tender conditions of tender documents in its entirety for the above work.
2. We further understand and agree that it is not permissible to include any condition, qualification, or deviation in the Price Bid (Part-II). We also understand that submission of any conditional offer or deviation from the tender conditions may render our bid liable for rejection at the sole discretion of the Accepting Authority, Udupi Cochin Shipyard Limited.

We confirm that our bid has been submitted in full compliance with the tender requirements.

Yours faithfully,

(Signature of the tenderer) with rubber stamp

Date:

