# TENDER NO: UCSL/CC/T/CIVIL/307 DT: 20-12-2024

# TENDER FOR OFFICE CIVIL WORKS



# UDUPI COCHIN SHIPYARD LIMITED MALPE, UDUPI 576108





Tender for Office Civil Works UCSL/CC/T/CIVIL/307 DT: 20TH DECEMBER 2024

# TENDER NOTICE

Tender No. & date	UCSL/CC/T/CIVIL/307 DT: 20TH DECEMBER 2024
Name of work	CIVIL WORKS AT UCSL BAPUTHOTTA OFFICE.
Pre-Bid Meeting	23th DECEMBER 2024 (MONDAY), 11:00 HRS
Last date & time of receipt of tender	26 <sup>TH</sup> DECEMBER 2024 (THURSDAY), 16:00 HRS
Date & time of opening of Technical Bid (Part-I)	26 <sup>TH</sup> DECEMBER 2024 (THURSDAY), 16:00 HRS

- 1. Password protected quotations in the prescribed form is invited from bidders for the work specified above, subject to the terms and conditions as mentioned in the annexure to the tender enquiry so as to reach the undersigned by email or through postal mode, as mentioned on or before the date and time as stipulated.
- 2. Pre-bid scheduled on 23<sup>rd</sup> December 2024 at UCSL-Baputhotta facility is mandatory and the bidders who are attending the pre-bid will only be considered for further process for considering the bids being submitted, the bidders can also attend through online mode also, however to avail this, the bidder should send email request to contractcell@udupicsl.com on or before 22<sup>nd</sup> December 2024.
- 3. The following shall be submitted along with the quote: -

#### PART- I: TECHNICAL BID

- a. **Tender document duly signed on all pages** Including Terms & conditions and Scope of work placed at Annexure I.
- b. The Techno commercial Check List at Annexure V to be filled up completely and duly signed.
- c. Duly filled form at Annexure II & III.
- d. **Unpriced Price bid** (Price bid without price and marked as "QUOTED") to be submitted along with Part-I.

#### PART-II: PRICE BID

a. The price bids shall be prepared based on the price bid format at Annexure IV.

### 4. Mode of Submission of Quote:

i. Bid shall be submitted as **Password Protected Zip File** in two parts.

Part I: Technical Bid – with all enclosures and annexures as mentioned in Para 2 above Part II: Price Bid.



Tender for Office Civil Works UCSL/CC/T/CIVIL/307 DT: 20<sup>TH</sup> DECEMBER 2024

ii. The files are to be forwarded as Two (2) separate password protected Zip files to **contractcell@udupicsl.com** 

iii. Part I and Part II are to be protected with separate and distinctly different passwords.

- iv. The Bids will be opened on online mode during which the bidder will be advised to share the password through SMS with which the technical bid will be opened.
- v. The price bids will be opened after technical evaluation and **only the technically qualified bidders will be invited for opening of price bids** which shall also be conducted on online mode as below.
- vi. The bidders can also attend the bid opening physically at Udupi Cochin Shipyard Limited, Baputhotta Ware house complex Office, Udupi, Karnataka.
- vii. The contractors can also submit the quotations in sealed covers (Two-Bid) as separate sealed covers for Technical Bid and Price bid, both enclosed in a common sealed cover to reach the below mentioned address before the stipulated time.
- **5.** The bidders shall ensure the receipt of bids at <a href="mailto:contractcell@udupicsl.com">contractcell@udupicsl.com</a> An acknowledgement mail shall be sent to the bidders on receipt of bids. UCSL takes no responsibility for delay, loss or non-receipt of tenders by mail by the stipulated time.
- The tender should be addressed to the Assistant General Manager (Materials & Contract Cell), Udupi Cochin Shipyard Limited, Malpe Harbor Complex, Malpe, Udupi-576 108, Karnataka, India.
- 7. No deviations on the tender conditions will be accepted, and bids with deviations will be considered technically disqualified. The acceptance of a tender or part thereof will rest with the Assistant General Manager (Materials & Contract Cell), Udupi Cochin Shipyard Limited and reserves the authority to reject the tender received without assigning any reason.
- 8. Contact Person: Mr. Shashikanth Kotian (Admin Dept) Ph No: +91 9945138725. Mr. Akhil R P, Manager (Contract Cell) Ph No: +91 8129624129.

STEEL SHIPMS

Assistant General Manager (Materials & Contract Cell)

मुहम्मद अनस एम. एम. MUHAMMAD ANAS M M एवंधक/MANAGER उडुपि कोचीन शिपयार्ड लिमिटेड UDUPI COCHIN SHIPYARD LIMITED माल्पे, कर्नाटक/MALPE, KARNATAKA-576 108



Tender for Office Civil Works UCSL/CC/T/CIVIL/307 DT: 20TH DECEMBER 2024

# TERMS AND CONDITIONS TENDER FOR OFFICE CIVIL WORKS

#### 1. DESCRIPTION OF WORK

- 1.1. This tender pertains to the awarding of Construction of New office and renovation of existing toilet at Udupi Cochin Shipyard Limited (UCSL), Baputhotta Facility, Karnataka.
- 1.2. Work to be carried out at UCSL Baputhotta facilities, @ 2nd floor & Ground floor.
- 1.3. The Agencies are advised to familiarize themselves with the site conditions before quoting.
- 1.4. Bidders are requested to obtain clarifications, if any, and carefully study the documents and the scope of work of Contractor and UCSL, before submitting/ Finalizing their offer.

# 2. MINIMUM QUALIFICATION CRITERIA FOR PARTICIPATING IN THE TENDER WILL BE AS FOLLOWS:

- 2.1. The contractor shall have successfully completed similar nature of jobs at Govt/PSU/Private organizations.
- 2.2. Offers from joint ventures/consortium will not be accepted.
- 2.3. Bidder shall not be under a declaration of ineligibility issued by Govt. of India/ State govt./ Public Sector Undertakings etc. The bidder shall not have been debarred / black listed by UCSL or by any of the Public Sector Undertaking or Government department etc.

#### 3. METHOD OF AWARDING CONTRACT

- 3.1. Contract will be concluded with Bidder qualifying technically (including eligibility criteria), agreeing to Commercial conditions (Annexure V) and emerging as L1.
- 3.2. UCSL also reserves the right to split the work orders to any number of bidders willing to match with L1 rate, if the performance of selected bidder is not satisfactory.
- 3.3. UCSL reserves the right to cancel the tender if required.

#### 4. SCOPE OF WORK

- 4.1. Work to be carried out at UCSL Baputhotta facility (2<sup>nd</sup> floor).
- 4.2. Providing and constructing masonry in precast solid Concrete Block (Grade D-50 As per I.S. 2185, Part-I, 1974, Reframed 1987) having compressive strength 5-00 N/mm2) of size (200 x 150 x 400 mm) in cement mortar 1:6 for super-structure 150mm thick, including RCC cut lintels, striking joints on unexposed faces, racking out joints on exposed faces, watering, curing and scaffolding etc.
- 4.3. Providing and applying internal plaster 15 mm thick in single coat in cement mortar (1:4) for the masonry walls with fiberglass mesh of 150mm wide at the end faces & joints of blockwork & concrete member (For Walls) including all materials, labour, curing etc., CONTRACT



Tender for Office Civil Works UCSL/CC/T/CIVIL/307 DT: 20TH DECEMBER 2024

4.4. Providing sand faced plaster externally at second floor in cement mortar using approved screened sand, in all positions including base coat of 15 mm thick in cement mortar 1:4 using waterproofing compound at 1 kg per cement bag curing the same for not less than 2 days and keeping the surface of the base coat rough to receive the sand faced treatment 8 to 10 mm thick in cement mortar 1:4 finishing the surface by taking out grains and curing for fourteen days scaffolding etc.

WEDLEY ALL

- 4.5. Providing and laying vitrified glossy finish tiles having size 600 mm x 1200 mm, 8 to 10mm thickness and confirming to IS. 15622-2006 (Group Bla) of approved make, shade and pattern for flooring in required position laid on a bed of 1:4 cement mortar including neat cement float, filling joints, curing and cleaning etc.
- 4.6. Providing and fixing vitrified tiles of size 600\*1200mm for block masonry walls including, the cost of all materials, labour, curing, grout packing etc.
- 4.7. Providing and laying machine cut machine polished Granite stone slabs 18 to 20 mm thick for kitchen counter with rounded nosing at the ends, on a bed of 1:4 cement mortar including cement float, filling joints with neat cement slurry, curing, polishing and cleaning etc.
- 4.8. Providing and fixing Kadapa stone slabs 20 to 25 mm thick for pantry counter shelf including cutting grooves in walls, filling joints with neat cement slurry, curing, polishing and cleaning etc.
- 4.9. Providing and fixing machine cut vitrified tile skirting generally 100 mm high, 10 mm thick of approved shade and make, fixed with neat cement, jointing, filling joints with neat cement slurry, hand polishing, curing and cleaning etc.
- 4.10. Providing and installing gypsum board false ceiling to the existing roof structure including the cost of all materials, labour, required scaffolding, necessary cuttings for electrical fittings etc.
- 4.11. Providing and applying Two coats of wall care Putty of 2mm thickness for plastered surface and finished concrete surface to Ceiling and Walls to prepare surface even and smooth complete. (For internal walls and ceilings).
- 4.12. Providing and applying one coat primer and two coats of emulsion paint for both internal and external walls including the cost of materials, labour etc. (Asian paints tractor emulsion or equivalent).
- 4.13. Providing and installing FRP doors with frames (150mmx75mm frame thickness) including the cost of all the door fittings, labour, transportation, etc.
- 4.14. Providing and fixing in position (as per 1868 / 1982) anodized (15 micron) Aluminium sliding window of three tracks with rectangular pipe 95 x 38.10 x 0.90 mm at weight 0.637 kg/Rmt. with window frame bottom track section 92 x 31.75 x 1.30 mm at weight 1.070 kg/Rmt. Top and side track section 92 x 31.75 x 1.30 mm at weight 0.933 kg/Rmt. with all necessary Aluminium sections fixtures and fastenings such as roller bearing in nylon casting and self-locking catch fitted in vertical section of shutter including 5 mm thick plain glass and Aluminium mosquito net shutter with stainless steel jail with all required screws and nuts etc.
- 4.15. Providing and installation of HPL board cubicle partition of 2100mm height and 12mm thickness fixed in all SS fittings for toilets including the cost of all materials, installation, transportation etc.

CONTRACT CELL



Tender for Office Civil Works UCSL/CC/T/CIVIL/307 DT: 20TH DECEMBER 2024

- 4.16. Providing and installing FRP doors with frames (150mmx75mm frame thickness) including the cost of all the door fittings, labour, transportation at existing toilet.
- 4.17. Demolition of laterite masonry walls, floor and wall tiles and shifting all the debris outside the UCSL premises.
- 4.18. Mobilization of entire labour / Workmanship (Skilled/Semiskilled/Unskilled) required for the construction of the movable shed in accordance with the specifications and drawings provided by UCSL.
- 4.19. Project Execution, supervision, management, and reporting of all the tasks/activities associated with the works as above.
- 4.20. Ensuring best housekeeping practices to keep the work premises neat and clean.
- 4.21. Loading & Unloading of the supplied materials will be under the scope of contractor.

#### 5. SCOPE OF UCSL

- 5.1. Supply of electricity and water during execution of the scope of works at the UCSL site shall be provided by UCSL.
- 5.2. Crane/Hydra at UCSL premises will be provided by UCSL.

#### 6. ADDITIONAL WORK

- 6.1. This is a turnkey job and any additional work up to 5% growth of work in terms of total weight is to be envisaged and is to be undertaken without any additional price impact.
- 6.2. Any minor modifications, resulting at the time of final inspection of work to be carried out by the Contractor free of cost. In case of rework/ modification/ additional work, written consent is to be obtained from the officer in charge before the commencement of the work.
- 6.3. Contractor shall carry out the complete work in accordance with Engineer Incharge. Any minor modifications or any other work or supply of material, which is not specified hereunder, but is considered incidental and essential for the successful completion of the job shall be carried out by the Contractor without any additional charge.
- 6.4. The contractor shall be responsible for any damage caused to the material supplied by UCSL. Compensation with penalty for damage or loss of the item will be recovered from the Contractor, in the event of loss or damage.





Tender for Office Civil Works UCSL/CC/T/CIVIL/307 DT: 20TH DECEMBER 2024

> अनुबंध कक्ष CONTRACT CELL

# 7. INDICATIVE QUANTUM OF WORK WITH BOQ

No.	Work Description	Nos	Length (m)	Width (m)	Height (m)	QTY	UOM
	Providing and constructing n						
1	per I.S. 2185, Part-I, 1974, N/mm2) of size (200 x 150 150mm thick, including RCC out joints on exposed faces, floor).	x 400 mm) i cut lintels, s	n cement triking jo	mortar	1:6 for inexposed	super-struct d faces, rac	ture king
2 1	est many applications are	0.1	44		2.4	105.60	
		1	20.8		3.3	68.64	
		1	15.75		3.3	51.98	
		1	18.2		3.3	60.06	
		5	3.15		3.3	51.98	
4		1	4.3		3.3	14.19	
		1	4.8		3.3	15.84	
	Deductions, doors	-7	0.9		2.1	-13.23	
744		-1	1.2		2.1	-2.52	-
		-1	1.5		2.1	-3.15	
	Windows	-8	2		1.5	-24.00	
-							
		-10	0.6		0.6	-3.60	
	Providing and applying inte	rnal plaster	15 mm 1		single c	321.8	
2	Providing and applying inte mortar (1:4) for the masonry faces & joints of blockwork & labour, curing etc., complete	ernal plaster walls with fi & concrete m	15 mm (berglass rember (Fe	mesh of	single c 150mm v includin	321.8 coat in cervide at the	nent end
2	mortar (1:4) for the masonry faces & joints of blockwork	ernal plaster walls with fi & concrete m	15 mm steerglass rember (Fe	mesh of	single control of the	321.8  coat in cerwide at the g all mater  105.60	nent end
2	mortar (1:4) for the masonry faces & joints of blockwork	ernal plaster walls with file concrete m	15 mm therglass in tember (Fe	mesh of	single control of the	321.8  coat in cervide at the g all mater  105.60  137.28	nent end
2	mortar (1:4) for the masonry faces & joints of blockwork	ernal plaster walls with fine concrete minus.	15 mm (berglass rember (Fe	mesh of	single control to the	321.8  soat in cervide at the g all mater  105.60 137.28 103.95	nent end
2	mortar (1:4) for the masonry faces & joints of blockwork	ernal plaster walls with five concrete many states and states are states as a second state of the states are states are states as a second state of the st	15 mm (berglass rember (Feb. 44 20.8 15.75 18.2	mesh of	single control of the state of	321.8  coat in cerwide at the g all mater  105.60 137.28 103.95 120.12	nent end
2	mortar (1:4) for the masonry faces & joints of blockwork	rnal plaster walls with fife concrete m	15 mm (berglass rember (Feb. 44 20.8 15.75 18.2 3.15	mesh of	single control of the state of	321.8  soat in cerwide at the g all mater  105.60 137.28 103.95 120.12 103.95	nent end
2	mortar (1:4) for the masonry faces & joints of blockwork	ernal plaster walls with five concrete many states and states are states as a second state of the states are states are states as a second state of the st	15 mm (berglass rember (Feb. 44 20.8 15.75 18.2	mesh of	single control of the state of	321.8  coat in cerwide at the g all mater  105.60 137.28 103.95 120.12	nent end
2	mortar (1:4) for the masonry faces & joints of blockwork	rnal plaster walls with fine concrete minus.	15 mm (berglass rember (Feb. 44 20.8 15.75 18.2 3.15 4.3	mesh of	single control of the state of	321.8  roat in cerwide at the g all mater  105.60 137.28 103.95 120.12 103.95 28.38	nent end
2	mortar (1:4) for the masonry faces & joints of blockwork	rnal plaster walls with fine concrete minus.	15 mm (berglass rember (Feb. 44 20.8 15.75 18.2 3.15 4.3	mesh of	single control of the state of	321.8  roat in cerwide at the g all mater  105.60 137.28 103.95 120.12 103.95 28.38	nent end
2	mortar (1:4) for the masonry faces & joints of blockwork & labour, curing etc., complete	rnal plaster walls with fife concrete m	15 mm (berglass rember (Feb. 44 20.8 15.75 18.2 3.15 4.3 4.8	mesh of	single control of the state of	321.8  soat in cerwide at the g all mater  105.60 137.28 103.95 120.12 103.95 28.38 31.68	nent end
2	mortar (1:4) for the masonry faces & joints of blockwork & labour, curing etc., complete	rnal plaster walls with fire concrete me.	15 mm (berglass rember (Feb. 44 20.8 15.75 18.2 3.15 4.3 4.8 0.9	mesh of	single control of the state of	321.8  coat in cerwide at the g all mater  105.60 137.28 103.95 120.12 103.95 28.38 31.68	nent end
2	mortar (1:4) for the masonry faces & joints of blockwork & labour, curing etc., complete	1   2   2   10   2   2   -7   -1	15 mm (berglass rember (For 18.2) 15.75 18.2 3.15 4.3 4.8	mesh of	single control of the state of	321.8  soat in cerwide at the g all mater  105.60 137.28 103.95 120.12 103.95 28.38 31.68  -13.23 -2.52	nent end
2	mortar (1:4) for the masonry faces & joints of blockwork & labour, curing etc., complete.  Deductions	1   2   2   10   2   2   2     -7   -1   -1	15 mm (berglass rember (February 15, 15) 18.2 15.75 18.2 15.3 15 4.3 15 15 15 15 15 15 15 15 15 15 15 15 15	mesh of	single control of the state of	321.8  coat in cerwide at the g all mater  105.60 137.28 103.95 120.12 103.95 28.38 31.68  -13.23 -2.52 -3.15	nent end



Tender for Office Civil Works UCSL/CC/T/CIVIL/307 DT: 20TH DECEMBER 2024

3	Providing sand faced plaster externally at second floor in cement mortar using approved screened sand, in all positions including base coat of 15 mm thick in cement mortar 1:4 using waterproofing compound at 1 kg per cement bag curing the same for not less than 2 days and keeping the surface of the base coat rough to receive the sand faced treatment 8 to 10 mm thick in cement mortar 1:4 finishing the surface by taking out grains and curing for fourteen days scaffolding etc.								
	10 pt	1	12	A TURN	3	36.00			
110	Deductions, windows	-2	2	1.75 - 124	1.5	-6.00			
				To begin a		30.00	Sqn		
4	Providing and laying vitrified g 10mm thickness and confirmi shade and pattern for flooring mortar including neat cement in	ng to IS. 1	5622-200 ed positi	б (Group on laid (	Bla) of on a bed	approved a d of 1:4 ce	make		
	Flooring	1	20	12		240.00			
	stair room	-1	3.3	2.1		-6.93			
			v			233.07	Sqn		
		4	12 3.15 12.3	2.7	•	64.80 34.02	Sqn		
	Providing and laying machine of		polished						
6	Providing and laying machine of thick for kitchen counter with mortar including cement flor polishing and cleaning etc.  Pantry Counter  Urinals granite partition	cut machine	polished	Granite the ends	on a be	117.27  abs 18 to 2 ed of 1:4 ce slurry, c  3.06 2.48	Sqn  O mm  ement uring  Sqn		
6	thick for kitchen counter with mortar including cement flo- polishing and cleaning etc. Pantry Counter	cut machine rounded nat, filling	polished osing at joints wi	Granite the ends th neat	on a be	117.27  abs 18 to 2 ed of 1:4 ce slurry, c	Sqn  O mm  ement uring  Sqn		
6	thick for kitchen counter with mortar including cement flor polishing and cleaning etc. Pantry Counter Urinals granite partition  Providing and fixing Kadapa strincluding cutting grooves in	cut machine rounded nat, filling 1 3	polished osing at significants with the significant points	Granite the ends th neat  0.6  1.65	on a be cement	117.27  abs 18 to 2 ed of 1:4 ce slurry, c  3.06 2.48 5.54  try counter	Sqn  O mm  ement uring  Sqn  Sqn  Sqn		
	thick for kitchen counter with mortar including cement flor polishing and cleaning etc. Pantry Counter Urinals granite partition  Providing and fixing Kadapa st	cut machine rounded nat, filling 1 3	polished osing at significants with the significant points	Granite the ends th neat  0.6  1.65	on a be cement	117.27  abs 18 to 2 ed of 1:4 ce slurry, c  3.06 2.48 5.54  try counter	Sqn O mm ement uring Sqn Sqn Sqn		
	thick for kitchen counter with mortar including cement flor polishing and cleaning etc.  Pantry Counter  Urinals granite partition  Providing and fixing Kadapa straincluding cutting grooves in polishing and cleaning etc.	cut machine a rounded nat, filling	polished osing at points with 5.1 0.5	Granite the ends th neat  0.6  1.65	on a be cement	117.27  abs 18 to 2 ed of 1:4 ce slurry, c  3.06  2.48  5.54  try counter t slurry, c	Sqn  o mm  ement uring  Sqn  Sqn  shell uring		
7	thick for kitchen counter with mortar including cement flor polishing and cleaning etc.  Pantry Counter  Urinals granite partition  Providing and fixing Kadapa straincluding cutting grooves in polishing and cleaning etc.	cut machine rounded nat, filling 1 3 cone slabs 2 walls, filling 2 cut vitrified and make,	polished osing at points with 5.1 0.5 0 to 25 mg joints with 5.1 dtile ski fixed with sixed with si	O.6 1.65  mm thick with near	for panet cement	117.27  abs 18 to 2 ed of 1:4 ce slurry, c  3.06 2.48 5.54  try counter t slurry, c  6.12 6.12 00 mm hig jointing,	Sqn o mm ement uring Sqn Sqn shel uring Sqn Sqn		
7	thick for kitchen counter with mortar including cement flor polishing and cleaning etc.  Pantry Counter  Urinals granite partition  Providing and fixing Kadapa strincluding cutting grooves in polishing and cleaning etc.  Pantry shelf  Providing and fixing machine mm thick of approved shade	cut machine rounded nat, filling 1 3 cone slabs 2 walls, filling 2 cut vitrified and make,	polished osing at points with 5.1 0.5 0 to 25 mg joints with 5.1 dtile ski fixed with sixed with si	O.6 1.65  mm thick with near	for panet cement	117.27  abs 18 to 2 ed of 1:4 ce slurry, c  3.06 2.48 5.54  try counter t slurry, c  6.12 6.12 00 mm hig jointing,	Sqn O mm ement uring Sqn Sqn Sqn Sqn Sqn Sqn filling		
7	thick for kitchen counter with mortar including cement flor polishing and cleaning etc.  Pantry Counter  Urinals granite partition  Providing and fixing Kadapa strincluding cutting grooves in polishing and cleaning etc.  Pantry shelf  Providing and fixing machine mm thick of approved shade	cut machine a rounded mat, filling 1 3 cone slabs 2 walls, filling 2 cut vitrified and make, hand polisi	polished osing at a joints with the polished wit	O.6 1.65  mm thick with near	for panet cement	117.27  abs 18 to 2 ed of 1:4 ce slurry, c  3.06 2.48 5.54  try counter t slurry, c  6.12 6.12 00 mm hig jointing, etc.	Sqn O mm ement uring Sqn Sqn Sqn Sqn Sqn filling		
7	thick for kitchen counter with mortar including cement flor polishing and cleaning etc.  Pantry Counter  Urinals granite partition  Providing and fixing Kadapa strincluding cutting grooves in polishing and cleaning etc.  Pantry shelf  Providing and fixing machine mm thick of approved shade	cut machine rounded nat, filling 1 3 cone slabs 2 walls, filling 2 cut vitrified and make, hand polising 3	polished osing at points with 5.1 0.5 0 to 25 mg joints with 5.1 dtile ski fixed withing, curi 20.8	O.6 1.65  mm thick with near	for panet cement	117.27  abs 18 to 2 ed of 1:4 ce slurry, c  3.06 2.48 5.54  try counter t slurry, c  6.12 6.12 00 mm hig jointing, etc. 62.40	Sqn O mm ement uring Sqn Sqn Sqn Sqn Sqn Filling Rm Rm		
7	thick for kitchen counter with mortar including cement flor polishing and cleaning etc.  Pantry Counter  Urinals granite partition  Providing and fixing Kadapa strincluding cutting grooves in polishing and cleaning etc.  Pantry shelf  Providing and fixing machine mm thick of approved shade	cut machine a rounded mat, filling  1 3  cone slabs 2 walls, filling  2  cut vitrified and make, hand polisi  3 1	polished osing at a joints with the polished wit	O.6 1.65  mm thick with near	for panet cement	117.27  abs 18 to 2 d of 1:4 ce slurry, c  3.06 2.48 5.54  try counter t slurry, c  6.12 6.12 00 mm hig jointing, etc. 62.40 15.40	Sqn O mm ement uring Sqn Sqn Sqn Sqn Sqn Sqn Rm Rm		
7	thick for kitchen counter with mortar including cement flor polishing and cleaning etc.  Pantry Counter  Urinals granite partition  Providing and fixing Kadapa strincluding cutting grooves in polishing and cleaning etc.  Pantry shelf  Providing and fixing machine mm thick of approved shade	cut machine rounded nat, filling 1 3 cone slabs 2 walls, filling 2 cut vitrified and make, hand polising 3 1 2	polished osing at a joints wing, curing, curing, 20.8 15.4 7.30	O.6 1.65  mm thick with near	for panet cement	117.27  abs 18 to 2 ed of 1:4 ce slurry, c  3.06 2.48 5.54  try counter t slurry, c  6.12 6.12  00 mm hig jointing, etc. 62.40 15.40 14.60	Sqn O mm ement uring Sqn Sqn Sqn Sqn Sqn Sqn Rm Rm Rm Rm Rm		
	thick for kitchen counter with mortar including cement flor polishing and cleaning etc.  Pantry Counter  Urinals granite partition  Providing and fixing Kadapa strincluding cutting grooves in polishing and cleaning etc.  Pantry shelf  Providing and fixing machine mm thick of approved shade	cut machine a rounded mat, filling  1 3  cone slabs 2 walls, filling  2  cut vitrified and make, hand polisi  3 1 2 2 2	polished osing at points with the polished osing at points with the polished osing at points of the polished with the po	O.6 1.65  mm thick with near	for panet cement	117.27  abs 18 to 2 d of 1:4 ce slurry, c  3.06 2.48 5.54  try counter t slurry, c  6.12 6.12  00 mm hig jointing, etc.  62.40 15.40 14.60 13.90	Squarin Scart Squarin Scart Squarin State Squarin State Squarin State Squarin State Square Sq		



Tender for Office Civil Works UCSL/CC/T/CIVIL/307 DT: 20<sup>TH</sup> DECEMBER 2024

9	Providing and installing gypsum board false ceiling to the existing roof structure including the cost of all materials, labour, required scaffolding, necessary cuttings for electrical fittings etc.,								
	for electrical fittings etc.	1	20	12		240.00			
AFER.	Stair room	-1	3.3	2.1		-6.93			
						233.07	Sqn		
10	Providing and applying T surface and finished con- smooth etc complete. (Fo	crete surface to C	eiling and	Walls to					
		3	20.80		3	187.20			
	and the first that	2	8.50		3	51.00			
		1	15.75		3	47.25			
		2	2.50		3	15.00			
	Stair room	1	8.70		9	78.30			
	Doors, D	-6	0.90		2.1	-11.34			
		-1	1.20		2.1	-2.52			
		-1	1.50		2.1	-3.15	-		
	Windows	-8	2.00		1.5	-24.00			
							~		
11	Providing and applying internal and external w Internal paint- A External paint - Asian pa	alls including th	e cost of tractor		ls, labor	ur etc., cor	r bot		
1	internal and external w Internal paint- A	alls including th	e cost of tractor	materia	ls, labor	on paint four etc., cor	r bot		
11	internal and external w Internal paint- A	alls including the sian paints ints Apex or equi	e cost of tractor valent	materia	ls, labor sion	on paint four etc., cor or equi	r bot		
11	internal and external w Internal paint- A	ralls including the sian paints ints Apex or equi	e cost of tractor valent	materia	ls, labor sion	on paint four etc., cor or equi	r bot		
1	internal and external w Internal paint- A	ralls including the sian paints ints Apex or equi	e cost of tractor valent  20.80  8.50	materia	ls, laborsion	on paint four etc., cor or equi  187.20 51.00 47.25	r bot		
1	internal and external w Internal paint- A	ralls including the sian paints ints Apex or equivalents and a paints are a paint	20.80 8.50 15.75	materia	ls, laborsion	on paint four etc., cor or equi  187.20 51.00 47.25 15.00	r bot		
1	internal and external w Internal paint- A	ralls including the sian paints ints Apex or equi	20.80 8.50 15.75 2.50	materia	ls, laborsion  3 3 3 3	on paint four etc., cor or equi  187.20 51.00 47.25	r bot		
1	internal and external w Internal paint- A	ralls including the sian paints ints Apex or equivalents Apex or equivalents approximately approxima	20.80 8.50 15.75 2.50 4.65	materia	3 3 3 3 3	on paint four etc., cor or equivalent of the second of the	r bot		
11	internal and external w Internal paint- A	ralls including the sian paints ints Apex or equivalents Apex or equivalents approximately approxima	20.80 8.50 15.75 2.50 4.65 4.95	materia	3 3 3 3 3 3	on paint four etc., cor or equi  187.20 51.00 47.25 15.00 27.90 29.70	r bot		
11	internal and external w Internal paint- A External paint - Asian pa	ralls including the sian paints ints Apex or equivalents Apex or equivalents approximately approxima	20.80 8.50 15.75 2.50 4.65 4.95 6.60	materia	3 3 3 3 3 3 1.5	on paint four etc., cor or equivalent of equivalent of the following states of	r bot		
11	internal and external w Internal paint- A External paint - Asian pa  Stair room	ralls including the sian paints ints Apex or equivalents Apex or e	20.80 8.50 15.75 2.50 4.65 4.95 6.60 8.70	materia	3 3 3 3 3 1.5	on paint four etc., cor or equivalent of equ	r bot		
1	internal and external w Internal paint- A External paint - Asian pa  Stair room	ralls including the sian paints ints Apex or equivalents Apex or equivalents approximately approxima	20.80 8.50 15.75 2.50 4.65 4.95 6.60 8.70 0.90	materia	3 3 3 3 1.5 9 2.1	on paint four etc., cor or equivalent of equ	r bot		
1	internal and external w Internal paint- A External paint - Asian pa  Stair room	ralls including the sian paints ints Apex or equivalents Apex or e	20.80 8.50 15.75 2.50 4.65 4.95 6.60 8.70 0.90	materia	3 3 3 3 1.5 9 2.1 2.1	on paint four etc., cor or equivalent of equivalent of equivalent four etc., cor or equivalent for equivalent f	r bot		
1	internal and external w Internal paint- A External paint - Asian pa  Stair room Doors, D		20.80 8.50 15.75 2.50 4.65 4.95 6.60 8.70 0.90 1.20	materia	3 3 3 3 1.5 9 2.1 2.1 2.1	on paint four etc., cor or equivalent of equivalent or equivalent four etc., cor or equivalent for equivalent f	r bot		
	internal and external was Internal paint. As External paint. Asian pai		20.80 8.50 15.75 2.50 4.65 4.95 6.60 8.70 0.90 1.20 1.50 2.00	materia emul	3 3 3 3 3 1.5 9 2.1 2.1 1.5	on paint four etc., cor or equivalent four etc., cor or equivalent four etc., cor or equivalent for equivalent for equivalent for equivalent for equivalent for etc., cor or equivalent for equivalent for etc., cor or equivalent for equivalent for etc., cor or equivalent for equivalent for equivalent for etc., cor or equivalent for equival	or bot npleto valen		
	internal and external was Internal paint. As External paint. Asian pai		20.80 8.50 15.75 2.50 4.65 4.95 6.60 8.70 0.90 1.20 1.50 2.00	materia emul	3 3 3 3 3 1.5 9 2.1 2.1 1.5	on paint four etc., cor or equivalent four etc., cor or equivalent four etc., cor or equivalent for equivalent for equivalent for equivalent for equivalent for etc., cor or equivalent for etc., cor or equivalent for equivalent for etc., cor or equivalent for equivalent for etc., cor or equivalent for equivalent f	Sqn		
11	internal and external was Internal paint. As External paint. Asian pai	ralls including the sian paints sian paints sians and sints Apex or equivalent sians and sints Apex or equivalent sians are sints and sians are simple sizes. Sints and sints are simple sizes are sizes are sizes and sizes are s	20.80 8.50 15.75 2.50 4.65 4.95 6.60 8.70 0.90 1.20 1.50 2.00	materia emul	3 3 3 3 1.5 9 2.1 2.1 1.5	on paint four etc., cor or equivalent four etc., cor or equivalent four etc., cor or equivalent for equivalent for equivalent for equivalent for equivalent for etc., cor or equivalent for equivalent for etc., cor or equivalent for equivalent for etc., cor or equivalent for equivalent for equivalent for etc., cor or equivalent for equival	or bot npleto valen		



अनुबंध कक्ष CONTRACT

Tender for Office Civil Works UCSL/CC/T/CIVIL/307 DT: 20TH DECEMBER 2024

13	Providing and fixing in position (as sliding window of three tracks wit 0.637 kg/Rmt. with window fram weight 1.070 kg/Rmt. Top and si 0.933 kg/Rmt. with all necessary roller bearing in nylon casting a shutter including 5 mm thick pla stainless steel jail with all required	h rectar e botto de trac Alumin nd self- in glass l screws	ngular pipe 95 m track secti k section 92 ium sections locking catch and aluminin	ox 38.10 x 0 ion 92 x 31. x 31.75 x 1. fixtures and in fitted in v um mosquito	.90 mm at 75 x 1.30 30 mm at fastenings ertical sec	weight mm at weight such as tion of
	Aluminium windows	8	2	1.5	24.00	
	ventilators	10	0.6	0.6	3.60	
			0 10 10 10 10 10 10 10 10 10 10 10 10 10		27.60	Sqm
14	Providing and installation of HPL be 12mm thickness fixed in all SS fitted installation, transportation etc., co	ings for	toilets includ			
	Toilet cubicles of size 1200*1800mm	6		10 - X 1 -	6.00	Nos
15	Plumbing works All sanitary wares- Hindware, Pa ALL CP fittings - CERA, Jaquar, 2000L LDPE Tank	•	e, CERA		2.00	Nos
	wall mounted EWC with flush valve and other fittings	6			6.00	Nos
	Washbasin with fittings	4		10000000	4.00	Nos
	SS Sink with fittings	1			1.00	Nos
	Urinals with fittings	4			4.00	Nos
	Long body bib cocks	7			7.00	Nos
410	20mm internal CPVC lines	1	45.65		45.65	Rmt
	32mm PVC line	1	15		15.00	Rmt
	75mm PVC waste line	1	50.65		50.65	Rmt
	110mm PVC waste line	1	38.9		38.90	Rmt
	Floor traps	10			10.00	Nos
	Mirrors- 450x750	2			2.00	Nos
	Mirrors- 2000x750	1			1.00	Nos
	Mirrors- 600x2100	1			1.00	Nos
16	Electrical works Makes- Anchor, RR, Havells, GM	1				
-	2ftx2ft LED ceiling lights	12			12.00	Nos
	6" dia round LED lights	40			40.00	Nos
2 20 21	2ft tube light LED	2			2.00	Nos
	8" exhaust fans	10	_ = = 1		10.00	Nos
	3 socket switch boxes (RAW+UPS)	66	3 4 43-	400 100 56918	66.00	Nos



Tender for Office Civil Works
UCSL/CC/T/CIVIL/307 DT: 20<sup>TH</sup> DECEMBER 2024

CONTRACT

	DICATIVE SCOPE OF WOI EXISTIN	RK WITH B IG TOILETS				OVATIO	1 OF
SL No.	Work Description	Nos	Length (m)	Width (m)	Height (m)	QТY	UOM
1	Providing and constructing concrete solid blocks of a cost of all material, cut list	size 400*20	0*150mn lding, lab	n size in	CM1:6	including	
		1	1.6		3	4.8	
						4.8	Sqm
	D	· 41.1-1-			OM 1	A 6 ! 4	1
2	Providing and applying 15 masonry walls including t						
	masonry wans meruumg c	2	1.6	labour,	3	9.60	s ccc.
			1.0	9.95.15	J	9.6	Sqm
						3.0	- Sqiii
3	Providing and fixing vitrif including the cost of all n complete. (With Spacers a	naterials, la and epoxy g	bour, curi routing in	ng, grou toilets)	t packing	g etc.,	1 1:6
	Flooring	4	1.1	1.75		7.70	
		1	1.4	1.1	1000	1.54	
		1	2.43	1.3		3.16	
		1	1.45	1.1		1.60	
		1	2.35	0.8		1.88	
		1	1.3	1.55		2.02	
		1	1.2	1		1.20	
						19.09	Sqn
4	Describing and Grain a mital	C' 1 4'1 C	size 600*	1200mn		k mason	
4	Providing and fixing vitris walls including, the cost complete.	of all mater	rials, labo		ng, grout	packing	etc.,
4	walls including, the cost complete.	of all mater	2.85	2.7	ng, grout	packing 46.17	etc.,
4	walls including , the cost complete.  Male	of all mater	2.85 12.4	2.7	ng, grout	46.17 33.48	Sqm
4	walls including , the cost complete.  Male Female	6 1 1	2.85 12.4 9.4	2.7 2.7 2.7	ng, grout	46.17 33.48 25.38	Sqm Sqm Sqm
4	walls including , the cost complete.  Male	of all mater	2.85 12.4	2.7	ng, grout	46.17 33.48 25.38 -6.30	Sqm Sqm Sqm Sqm
4	walls including , the cost complete.  Male Female	6 1 1	2.85 12.4 9.4	2.7 2.7 2.7	ng, grout	46.17 33.48 25.38	Sqm Sqm Sqm Sqm
5	walls including , the cost complete.  Male Female	of all mater  6 1 -4  Typsum boarlabour, required.	2.85 12.4 9.4 0.75	2.7 2.7 2.7 2.1	the RCC	46.17 33.48 25.38 -6.30 98.73	Sqn Sqn Sqn Sqn Sqn uding
	walls including, the cost complete.  Male Female Deductions, Doors  Providing and installing g the cost of all materials,	of all mater  6 1 -4  Typsum boarlabour, required.	2.85 12.4 9.4 0.75	2.7 2.7 2.7 2.1	the RCC	46.17 33.48 25.38 -6.30 98.73	Sqn Sqn Sqn Sqn Sqn uding
	walls including, the cost complete.  Male Female Deductions, Doors  Providing and installing g the cost of all materials, lelectrical fittings etc., co	of all mater  6 1 1 -4  sypsum boar labour, requimplete.	2.85 12.4 9.4 0.75	2.7 2.7 2.7 2.1 ciling to colding,	the RCC	46.17 33.48 25.38 -6.30 98.73 slab incl	Sqn Sqn Sqn Sqn Sqn uding
	walls including, the cost complete.  Male Female Deductions, Doors  Providing and installing g the cost of all materials, lelectrical fittings etc., co	of all mater  6 1 -4  Sypsum boar labour, requiremplete.  4	2.85 12.4 9.4 0.75 ed false ceired scaff	2.7 2.7 2.7 2.1 eiling to olding, 1	the RCC	46.17 33.48 25.38 -6.30 98.73 slab incl cutting	Sqn Sqn Sqn Sqn Sqn uding
	walls including, the cost complete.  Male Female Deductions, Doors  Providing and installing g the cost of all materials, lelectrical fittings etc., co	of all mater  6 1 -4  Sypsum boar labour, requiremplete.  4 1	2.85 12.4 9.4 0.75 ed false cerired scaff	2.7 2.7 2.7 2.1 ciling to colding, 1	the RCC	46.17 33.48 25.38 -6.30 98.73 slab incl cutting 7.70 1.54	Sqn Sqn Sqn Sqn Sqn uding
	walls including, the cost complete.  Male Female Deductions, Doors  Providing and installing g the cost of all materials, lelectrical fittings etc., co	of all mater  6 1 -4  sypsum boar labour, requiremplete.  4 1 1	2.85 12.4 9.4 0.75 d false ceired scaff	2.7 2.7 2.7 2.1 siling to olding, 1 1.75 1.1	the RCC	46.17 33.48 25.38 -6.30 98.73 slab incl cutting 7.70 1.54 3.16	Sqn Sqn Sqn Sqn Sqn uding
	walls including, the cost complete.  Male Female Deductions, Doors  Providing and installing g the cost of all materials, lelectrical fittings etc., co	of all mater  6 1 -4  Sypsum boar labour, requiremplete.  4 1 1	2.85 12.4 9.4 0.75 ed false certired scaff	2.7 2.7 2.7 2.1 siling to folding, 1 1.75 1.1 1.3 1.1	the RCC	46.17 33.48 25.38 -6.30 98.73 slab incl cutting 7.70 1.54 3.16 1.60	Sqn Sqn Sqn Sqn Sqn uding
	walls including, the cost complete.  Male Female Deductions, Doors  Providing and installing g the cost of all materials, lelectrical fittings etc., co	of all mater  6 1 1 -4  Sypsum boar labour, requiremplete.  4 1 1 1	2.85 12.4 9.4 0.75 d false certired scaff	2.7 2.7 2.7 2.1 2.1 2.1 2.1 2.1 3.1.1 1.3 1.1 0.8	the RCC	46.17 33.48 25.38 -6.30 98.73  slab incl cutting 7.70 1.54 3.16 1.60 1.88	Sqn Sqn Sqn Sqn Sqn uding



Tender for Office Civil Works UCSL/CC/T/CIVIL/307 DT: 20TH DECEMBER 2024

	Providing and installing FRP d thickness) including the cost of etc., complete.						ion,
		3	0.75		2.1	4.73	
		1	1		2.1	2.10	O Ko
	or self-transfer and the self-transfer and t		- 7	-1	1987-1997	6.83	Sqm
		- 19		77-77-1			
7	Providing and installation of to coated sections including the complete.					•	
	Aluminium partition with door	1	1.1		3	3.30	
	ventilators	4	0.6	1344	0.6	1.44	
						4.74	
8	Demolition of laterite masonry debris outside the UCSL premi				and Si		
•	All as mits and area Trim done	Da	A CED A				
9	All sanitary wares- Hindware, I ALL CP fittings - CERA, Jaqua Wall mounted EWC with flush	r, JAL	are, CERA			2.00	
9	ALL CP fittings - CERA, Jaqua		are, CERA		124 23	2.00	
9	ALL CP fittings - CERA, Jaqua Wall mounted EWC with flush	r, JAL	are, CERA		1-2	2.00	
9	ALL CP fittings - CERA, Jaqua Wall mounted EWC with flush Valve& fittings	<b>r, JAL</b> 2	are, CERA				
9	ALL CP fittings - CERA, Jaqua: Wall mounted EWC with flush Valve& fittings IWC with flush tank& fittings Washbasin with fittings Urinals with fittings	2 1 2 2	are, CERA			1.00 2.00 2.00	
9	ALL CP fittings - CERA, Jaqua: Wall mounted EWC with flush Valve& fittings IWC with flush tank& fittings Washbasin with fittings Urinals with fittings Long body bib cocks	2 1 2 2 2 3	are, CERA			1.00 2.00 2.00 3.00	
9	ALL CP fittings - CERA, Jaqua: Wall mounted EWC with flush Valve& fittings IWC with flush tank& fittings Washbasin with fittings Urinals with fittings	2 1 2 2	are, CERA			1.00 2.00 2.00 3.00 3.00	
9	ALL CP fittings - CERA, Jaqua: Wall mounted EWC with flush Valve& fittings IWC with flush tank& fittings Washbasin with fittings Urinals with fittings Long body bib cocks	2 1 2 2 2 3	are, CERA			1.00 2.00 2.00 3.00 3.00 10.00	
9	ALL CP fittings - CERA, Jaqua: Wall mounted EWC with flush Valve& fittings IWC with flush tank& fittings Washbasin with fittings Urinals with fittings Long body bib cocks Towel rod 75mm PVC waste line Floor traps	2 1 2 2 2 3 3 1 6				1.00 2.00 2.00 3.00 3.00 10.00 6.00	
9	ALL CP fittings - CERA, Jaqua: Wall mounted EWC with flush Valve& fittings IWC with flush tank& fittings Washbasin with fittings Urinals with fittings Long body bib cocks Towel rod 75mm PVC waste line	2 1 2 2 2 3 3 1				1.00 2.00 2.00 3.00 3.00 10.00 6.00 2.00	
9	ALL CP fittings - CERA, Jaqua: Wall mounted EWC with flush Valve& fittings IWC with flush tank& fittings Washbasin with fittings Urinals with fittings Long body bib cocks Towel rod 75mm PVC waste line Floor traps Mirrors - 450x750 Mirror - 600x2100	2 1 2 2 2 3 3 1 6				1.00 2.00 2.00 3.00 3.00 10.00 6.00	
	ALL CP fittings - CERA, Jaqua: Wall mounted EWC with flush Valve& fittings IWC with flush tank& fittings Washbasin with fittings Urinals with fittings Long body bib cocks Towel rod 75mm PVC waste line Floor traps Mirrors - 450x750	2 1 2 2 3 3 1 6 2				1.00 2.00 2.00 3.00 3.00 10.00 6.00 2.00	
	ALL CP fittings - CERA, Jaqua: Wall mounted EWC with flush Valve& fittings IWC with flush tank& fittings Washbasin with fittings Urinals with fittings Long body bib cocks Towel rod 75mm PVC waste line Floor traps Mirrors - 450x750 Mirror - 600x2100 Electrical works Makes- Anchor, RR, Havells,	2 1 2 2 3 3 1 6 2				1.00 2.00 2.00 3.00 3.00 10.00 6.00 2.00	
	ALL CP fittings - CERA, Jaqua: Wall mounted EWC with flush Valve& fittings IWC with flush tank& fittings Washbasin with fittings Urinals with fittings Long body bib cocks Towel rod 75mm PVC waste line Floor traps Mirrors - 450x750 Mirror - 600x2100 Electrical works Makes- Anchor, RR, Havells, GM	2 1 2 2 3 3 1 6 2				1.00 2.00 2.00 3.00 3.00 10.00 6.00 2.00 1.00	
10	ALL CP fittings - CERA, Jaqua: Wall mounted EWC with flush Valve& fittings IWC with flush tank& fittings Washbasin with fittings Urinals with fittings Long body bib cocks Towel rod 75mm PVC waste line Floor traps Mirrors - 450x750 Mirror - 600x2100 Electrical works Makes- Anchor, RR, Havells, GM 6" dia round LED lights	2 1 2 2 3 3 1 6 2 1				1.00 2.00 3.00 3.00 10.00 6.00 2.00 1.00	

#### 8. VALIDITY

8.1. The offer shall be valid for a period of Six (06) months and no escalation in rate shall be allowed by UCSL on whatsoever reason.

# 9. SCHEDULE OF COMPLETION OF WORK:

- 9.1. Structural work to be completed over within 30 days duration from the date of issue of the Work Order.
- 9.2. The contractor must submit a detailed schedule of work with different stages of activities to UCSL before the commencement of work. अनुबंध कक्ष CONTRACT



Tender for Office Civil Works UCSL/CC/T/CIVIL/307 DT: 20TH DECEMBER 2024

#### 10. WORK PROGRESS AND SCHEDULE:

- 10.1. The work shall commence and be completed as per the schedule of completion indicated art clause no. 9 above.
- 10.2. The work is urgent and hence the contractor should start the work within 7 days from the issue of workorder.

#### 11. RATE:

11.1. Rates are to be quoted in the Price Bid Format at Annexure IV attached herewith.

#### 12. PAYMENT TERMS:

12.1. Payment will be done in Three (03) stages:

#### STAGE-I:

20% of the total contract value, against completion of brick masonry works at second floor as per BOO.

#### STAGE-II:

40% of the total contract value on completion of plastering works and laying of tiles in all respect as per BOQ.

#### STAGE-III:

40% of the total contract value on completion of all scope of works as per BOQ.

- 12.2. Payment shall be made within 30 days from the date of submission of bill on actuals based on the certified measurement and work completion certificate from the executing UCSL officer.
- 12.3. Invoice shall be submitted with necessary work completion certificate duly certified by UCSL representative on actuals.
- 12.4. Payment will be made by RTGS/NEFT to the account of Agency. The name of the bank, branch, A/C No., IFSC code & other particulars shall be furnished by the Agency in the proforma of UCSL.

#### 13. TAXES & DUTIES

- 13.1. GST shall be applicable extra on the prescribed work. You are requested to furnish the following details in the invoice/Bill.
  - Applicable rate of GST/SAC Code
  - Firms GST Reg. NO.
  - Service accounting code (SAC) as prescribed by statutory authorities.
  - GST Reg. No. of Udupi Cochin Shipyard Limited (29AAACT1281B1ZO).

#### 14. LIQUIDATED DAMAGES

- 14.1. The progress of work will be monitored against the mutually agreed detailed schedule. Liquidated damages for delays in engagement of manpower as per the requirement, for any reason other than force majeure conditions, will be recovered at the rate of half percent of the value of the contract per week or part thereof, subject to a maximum of ten (10) percent of the value of the contract.
- 14.2. For better clarity, order values mentioned in LD clause are values excluding duties and taxes (Basic value). Liquidated damages, if any, shall be decided and settled only after the completion of the entire project but prior to the release of Final stage Payment.

CONTRACT



#### UDUPI COCHIN SHIPYARD LIMITED

Tender for Office Civil Works UCSL/CC/T/CIVIL/307 DT: 20TH DECEMBER 2024

14.3. If, for any reasons, supplier has a justification towards delay in supply / work execution and would intend to consider applicability/ non applicability of LD, the same shall be intimated to UCSL by way of a letter, failing which it will be deemed that delay is attributable to the supplier.

14.4. Delay in supply/Interruption of the work for reasons not attributable to supplier shall entitle extension of the order execution period for proportionate period without

any additional cost to UCSL.

#### 15. SECURITY DEPOSIT

15.1. The successful tenderer shall remit 5% of the value of the contract as security deposit within 15 days of receipt of the work order. This amount may be remitted by way of demand draft or bank guarantee (in approved proforma of UCSL) from any of the nationalized banks, valid till the satisfactory completion of the entire work. The Security Deposit will be released on certification of satisfactory completion of the contract and no liability to UCSL by Officer-in charge. The Security Deposit retained will not bear any interest.

#### 16. PERFORMANCE GURANTEE

- 16.1. The complete work carried out by the contractor shall be guaranteed against defective on poor workmanship for a period of Six months from the date of completion of work, whichever is earlier. Any work found defective during this period is to be repaired entirely at the contractor's cost and such repaired items shall be guaranteed for a further period of three months from the date of repair.
- 16.2. Should any unsatisfactory performance and / or damage or failure occur due to poor workmanship and poor-quality material used by the contractor, the contractor shall be solely responsible for payment/reimbursement of expenditure incurred by UCSL for rectifying the defect.
- 16.3. Towards this, a performance guarantee equivalent to 5% of the value of the contract to be furnished by the contractor on completion of the works by way of a bank guarantee (in approved proforma of UCSL) from a nationalized bank valid till the expiry of the guarantee period. In case the contract fails to submit the PG in time, SD mentioned at Clause 11 will be retained till the expiry of guarantee period.

#### 17. POWER OF ATTORNEY:

17.1. The tenderer(s) shall have to sign in each page of the tender documents with official stamp as a token of his acceptance of the conditions stated therein.

17.2. The person signing the tender form on behalf of another or on behalf of a firm, shall enclose to the tender, a Power of Attorney or the said deed duly executed in his favour or the partnership deed giving him such power showing that, he has the authority to bind such other persons or the firm, as the case may be, in all matters pertaining to the contracts. If the Person so signing the tender, fails to enclose the said Power of Attorney, his tender shall be liable for being summarily rejected. The Power of Attorney shall be signed by all partners in the case of partnership concern, by the Proprietor in the case of a proprietary concern, and by the person who by his signature can bind the company in the case of a Limited Company.

# 18. TERMINATION & LIMITATION OF LIABILITY:

- 18.1. This contract may be terminated upon the occurrence of any of the following events
- 18.2. By agreement in writing of the parties hereto;
- 18.3. By the non-defaulting party, upon default by the other party, of any clause of this contract, if not remedied within fifteen (15) days, or such longer time as may be agreed upon by the parties, after receipt of notice thereof in writing from the nondefaulting party;



Tender for Office Civil Works UCSL/CC/T/CIVIL/307 DT: 20TH DECEMBER 2024

18.4. By the other party, upon either party;

- i. Making the assignment for the benefit of creditors, being adjudged a bankrupt or becoming insolvent; or
- ii. Having a reasonable petition filed seeking its' dissolution or liquidation, not stayed or dismissed within sixty (60) days; or
- iii. Ceasing to do business for any reason.
- 18.5. For fraud and corruption or other unacceptable practices.
- 18.6. Upon expiry or termination of this Contract, neither party shall be discharged from any antecedent obligations or liabilities to the other party under this Contract unless otherwise agreed in writing.
- 18.7. UCSL may by notice in writing to Agency to terminate the order after issuing due notice i.e., 30 days' notice period. UCSL shall be entitled to compensation for loss limited to the order value.
- 18.8. Liability maximum that can be claimed by the Agency shall be limited to what is due to be and has been paid by UCSL for work done as per the payment milestones and limited to work order value.

#### 19. ARBITRATION & JURISDICTION

- 19.1. Any disputes arising during the period of the contract shall, in the first instance be settled by mutual discussions and negotiations. The results of such resolution of dispute shall be incorporated as an amendment to the contract, failing which supplier shall approach the UCSL Grievance Redressal Committee as per relevant clause of the Contract.
- 19.2. If any dispute, disagreement or question arising out of or relating to or in consequence of the contract, or to its fulfillment, or the validity of enforcement thereof, cannot be settled mutually or the settlement of which is not herein specifically provided for, then the dispute shall within thirty days from the date either party informs the other in writing that such disputes, disagreement exists, be referred to arbitration. The arbitrators shall be appointed and the arbitration proceedings shall be conducted in accordance with and subject to the Arbitration and Conciliation Act, 1996 (No. 26 of 1996) as amended from time to time and the decision of the Arbitrators shall be final and binding on the parties hereto. The arbitration will be done by a Board comprising one arbitrator nominated by each party, and a mutually agreed Umpire. Each party shall bear its own cost of preparing and presenting its case. The cost of arbitration shall be shared equally by the parties unless the award provides otherwise. Performance under this Contract shall however, continue during arbitration proceedings and no payment due or payable by the parties hereto shall be withheld unless any such payment is or forms a part of the subject matter of arbitration proceedings.
- 19.3. Seat & Venue of Arbitration: The seat & venue of arbitration shall be at Bangalore.
- 19.4. Language of Arbitration: The Language of arbitration shall be English.
- 19.5. Governing Law: The contract shall be governed by Indian Law
- 19.6. In case of disputes, the same will be subjected to the jurisdiction of courts at Bangalore, Karnataka.

#### 20. SUB CONTRACTING AND ASSIGNMENT:



Tender for Office Civil Works UCSL/CC/T/CIVIL/307 DT: 20TH DECEMBER 2024

- 20.1. Contractor shall not assign or transfer the Purchase Order/ Work Order or any share or interest therein in any manner or degree to any third party without the prior written consent of UCSL.
- 20.2. Contractor shall not contract with any subcontractor and/or vendor without the prior written consent of UCSL. Such consent shall not relieve the Contractor from any of his responsibilities and liabilities under the Purchase Order/ Work Order. In addition, Contractor shall ensure that the terms and conditions of any such contract shall comply with and correspond to the terms and conditions of the Purchase Order/ Work Order.

#### 21. SECRECY & RESTRICTION ON INFORMATION TO MEDIA

- 21.1. The information contained in the enquiry as such shall NOT be communicated to any third party without prior approval of UCSL.
- 21.2. Information in respect of contracts/orders shall NOT be released to the national or international media or anyone not directly involved in its execution without the written approval of UCSL.

# 22. CANCELLATION OF ORDER AND RISK CONTRACTING

- 22.1. In the event the Agency fails to complete the work promptly and satisfactorily as per the terms of the order, and if any work is delayed beyond thirty (30) days from the agreed schedule, UCSL, without prejudice, reserves the right to cancel the order and get the work done at Agency's cost and the expenditure so incurred including any damage or loss will be recovered from him and the Security Deposit furnished by him is liable to be forfeited either in whole or in part.
- 22.2. UCSL also reserves to right to impose penalties ranging from Rs. 100 to Rs.500 to the employees of agencies and will be deducted from the bills, for any habitual offence on the cleanliness of uniforms, lack of obedience, not attending the tasks etc., and will be to the discretion of the Officer in charge for the work.

# 23. FORCE MAJEURE

23.1. Should failure in performance of any part of this contract arise from war, insurrection, restraint imposed by Government act or legislation of other statutory authority, from explosion, riot, legal lock-out, flood, fire, act of God or any inevitable or unforeseen event beyond human control which will be construed as a reasonable ground for extension of time, UCSL may allow such additional time as is mutually agreed to be justified by the circumstances of the case.

#### 24. IMS GUIDELINES

- 24.1. UCSL implemented an Integrated Management System (IMS) and the Quality Management System (QMS) within the yard. As part of IMS, subcontractors shall comply with the following measures related to the Quality, Health, and Safety & Environment (QHSE) policy of UCSL.
  - a) Meeting or exceeding customer requirements.
  - b) Assuring quality of the products and service.
  - c) Preventing occupational ill health & injuries.
  - d) Ensuring safe work sites.
  - e) Conserving natural resources.
  - Preventing / minimizing air, water & land pollution.
  - g) Handling and disposal of Hazardous wastes safely.
  - h) Complying with statutory & regulatory and other requirements.





Tender for Office Civil Works UCSL/CC/T/CIVIL/307 DT: 20TH DECEMBER 2024

- i) Developing skills and motivating employees.
- 24.2. Occupational Health, safety & Environmental requirements of UCSL shall include the following.
  - The contractor (or a sub-contractor performing work on behalf of the contractor) is deemed to comply with the Occupational health, safety and environmental policy of the company and also to all operational controls/standard operating procedures and shall undertake the work in total compliance with the requirements of the established Integrated Management System (IMS) of the
  - b) The Contractor shall undertake the work in total compliance with all applicable legal/statutory requirements related to occupational health, safety and environment effective in the state of Karnataka.
  - It is the sole responsibility of the contractor to assure that any sub-contractor/s who shall perform works in company lands/facilities/worksites on behalf of the contractor, is also following all requirements related to the Integrated Management System of the company and the health/safety/environmental Rules effective in the state.
  - The contractor shall provide/implement and operate/practice all occupational health, safety and environmental management measures/facilities, for their period of contract, in their activities/at their work sites, which shall be required according to the IMS of the company or that required by the health/safety/environmental Rules established and effective in the state, at their own cost.
  - If any contractor failed to comply with or violated any clauses/requirements of occupational health, safety and environmental Rules effective in the state, in their activities or at work sites and the same shall be exposed to the government or any competent authorities upon inspections, the contractor shall be solely responsible for all liabilities caused by his/her action and shall be responsible for paying the penalty and taking stipulated corrective actions insisted by the authorities within the specified time, at their own cost. Any liability to the company in this regard needs to be compensated by the contractor.
  - Upon completion of the work, contractor shall clear the area and shall not leave any Occupational health/safety/environmental liabilities to the company, from their activities at the worksites.
  - Any clarification related to IMS requirements of the yard, may be obtained by the contractor from the AGM (HSE) or the authorized representative of the contract, prior to the commencement of work.

#### 25. SAFETY OF PERSONNEL AND FIRST AID

- 25.1. The contractor shall be entirely responsible for the safety of all the personnel employed by him on the work. In this regard, he may adopt all the required safety measures and strictly comply with the safety regulations in force. A copy of UCSL's "Safety Rules for Contractors (Revised)" is available with HSE department for reference.
- 25.2. The Agency may arrange to suitably insure all his workmen/ other personnel in this regard. UCSL will not be responsible for any injury or illness to the Agency's workmen/other personnel during execution of the works due to whatsoever reasons.
- 25.3. In this regard, the Contractor will have to fully indemnify UCSL against any claims made by his workmen/other personnel



Tender for Office Civil Works UCSL/CC/T/CIVIL/307 DT: 20TH DECEMBER 2024

25.4. The Agency shall provide and maintain so as to be readily accessible during all working hours, a first aid box with prescribed contents at every place where he employs contract labor for executing the works.

#### 26. LABOUR LAWS AND REGULATIONS

- 26.1. The Agency shall undertake and execute the work with contract Labor only after taking license from the appropriate authority under the Contract Labor (Regulation & Abolition) Act 1970.
- 26.2. The Agency shall observe and comply with the provisions of all labour and industrial laws and enactments and shall comply with and implement the provisions of the Factories Act, 1948, Employees Provident Funds & Miscellaneous Provisions Act, 1952, Employees State Insurance Act, Payment of Gratuity Act, minimum Wages Act, Payment of Bonus Act, Contract Labour (Regulation and Abolition) Act and all other enactments as are applicable to him and his workmen employed by him. The Agency shall inform UCSL his license number from the Central Labour Commissioner.
- 26.3. All Persons, except those exempted under the respective Acts, shall necessarily be insured under the ESI scheme and be made members of the EPF Scheme from the day of their engagement as personnel in the Company. In Case 1, All such insured Persons should carry with them their ESI Identity Card for verification by the authorities. No Persons without a valid ESI Identity Card for verification by the authorities will be permitted to work in the company.
- 26.4. The Agency shall submit the Labour Reports/Returns as required by the Company from time to time in respect of their workmen in standard format to the concerned contracting officer so as to enable the same to reach Contract cell by the 5th of every month. Delayed submission of the same shall attract penal interest /damages at the rate as levied by the respective authorities under the relevant Acts.
- 26.5. The Agency shall maintain the records viz. Muster Roll, Acquittance Roll with full details, Account books etc., in original. These are required for inspection by the concerned authorities under each scheme.
- 26.6. If the Agency fails to pay any contributions, charges or other amounts payable under any of the aforementioned provisions of law, UCSL shall deduct or adjust amounts equivalent to such contribution, charges or amounts from amount payable to him by UCSL, including any deposit or amounts payable against bills and make payments on his account to the appropriate authority. He shall not be entitled to question or challenge such deductions, adjustments or payment made by UCSL.
- 26.7. Any other amount payable under any law or in respect of any person employed by the Agency, if not paid by him, shall be deducted or adjusted by UCSL out of any amount payable to the Agency including any Security Receipt and paid ever or withheld for payment by UCSL.
- 26.8. The Agency shall be fully responsible for the conduct and discipline of the workmen employed by him in the Company premises. If such workmen commit any misconduct or criminal act inside the Company, the Agency shall appropriate action against such workmen. The Agency shall abide by the instructions/ guidelines issued by the Company for maintenance of discipline and good conduct among the workmen employed by him.
- 26.9. All persons who are engaged for various works in UCSL either directly or through Agency/contractors, should produce the following documents prior to issuing their entry passes:



Tender for Office Civil Works UCSL/CC/T/CIVIL/307 DT: 20TH DECEMBER 2024

26.10. Passport/Aadhaar attested copy of passport with photo and address particulars.

Police clearance certificate with photo and address particulars. (Police clearance certificate to the effect that the concerned person is staying in the area of jurisdiction of the certificate issuing Police Station and that the person is not involved in any criminal offences as per the records available therein.)

- 26.11. Application and Declaration for enrolling under Employees Provident Fund and ESI Scheme- 3 individual passport size photographs and two copies of family photographs of the members.
- 26.12. Agency shall familiarize themselves with the labour rules & regulations.

#### 27. OVERWRITING & CORRECTIONS

27.1. Tenders shall be free from overwriting or erasures. Corrections and additions, if any, shall be duly attested and a separate list of such corrections shall be attached with the offer.

#### 28. OTHER TERMS & CONDITIONS

- 28.1. Quality of services shall conform to the specification/ standards laid down by UCSL.
- 28.2. UCSL reserves the right to accept / reject any offer.
- 28.3. During the evaluation of tender, officer-in-charge may seek clarifications from the bidders. Clarification if any shall be given in writing/e-mail. Officer-in-charge's decision will be final and binding on the bidder.
- 28.4. Compliance of all statutory safety requirements and other safety rules stipulated by UCSL and other applicable statutory bodies shall be the responsibility of the Agency while working at UCSL premises. The Agency should ensure that their workmen and staff are adequately covered under Insurance.
- 28.5. Damages caused to the Shipyard properties/tools/accessories should be rectified by the Agency at his cost or proportional recoveries will be made from the Agency while passing their bills for payment.
- 28.6. The service provider shall have to engage men on round the clock basis and also on Sundays and holidays. Service has to be completed to the satisfaction of Udupi Cochin Shipyard Limited officer in-charge.
- 28.7. The service provider shall indemnify UCSL or its officers against any claims arising out of accidents or injuries to workmen or other persons or damage to other property which may arise during the execution of the contract or from breach of any Law or Regulation prior to delivery and acceptance of the items at UCSL.
- 28.8. The service provider shall also be governed by the General Conditions of Contract of UCSL, General Safety Rules and other relevant labour laws.
- 28.9. The upper age limit of all workers and supervisors employed by the Agency and those Agency who do or supervise the job themselves shall be as per the prevailing rules of UCSL and shall comply to the requirements of this tender.
- 28.10. Assistant General Manager, or his authorized representative will be the Officer-incharge of these contracts.

# POWER OF ATTORNEY

(On Applicant's letter head)

(Date and Reference)

To
The Assistant General Manager (Materials & Contract Cell)
Udupi Cochin Shipyard Limited
Fishing Harbour complex, Malpe,
Udupi - 576 108.

Subje	ect:	Power	of	Attorn	ev
Subje	CL.	LOWCI	O1	TICCOLL	CY

Mr. / Mrs. / Ms
by the Employer for the project of
(Project title) and is hereby further authorized to sign and file relevant documents in respect of the above.
(Attested signature of Mr)
For
(Name & designation)
(Company Seal)



# UNCONDITIONAL ACCEPTANCE LETTER

(Unconditional acceptance to be given by in letter head)

# ACCEPTANCE OF TENDER CONDITIONS

- Tender Document no. UCSL/CC/T/CIVIL/307 dated 20<sup>th</sup> December 2024
   Tender for Office Civil works at UCSL Baputhotta office, has been received by me/us and I/We hereby unconditionally accept the tender conditions of tender documents in its entirety for the above work.
- 2. It is further noted that it is not permissible to put any remarks/conditions in the tender enclosed in "Part-2 (price bid)". I/We agree that the tender shall be rejected and ACCEPTING AUTHORITY.

(Signature of the tenderer)	with rubber stamp	
Date:		

Yours faithfully,





Tender for Office Civil Works UCSL/CC/T/CIVIL/307 DT: 20TH DECEMBER 2024

# TENDER FOR CIVIL WORKS AT UCAL BAPUTHOTTA OFFICE

PRICE RID FORMAT

S1. No	PRICE BID  Description	Unit	Quantity	Rate	Total Amount
	A. Construction	n of Ne	w Offices		
1.	150mm thk Solid block masonry CM1:6	M2	300		
2.	15mm thk internal plastering in CM1:4	M2	600		
3.	25mm thk external plastering in CM 1:4	M2	30		
4.	Vitrified tile flooring in CM1:6	M2	240		
5.	Fixing of wall tiles on plastered wall	M2	120		
6.	Supply & fixing of false ceiling	M2	240		
7.	Applying two coats emulsion painting	M2	430		
8.	Applying wall putty two coats	M2	350		
9.	Installation of Aluminium window	M2	30		
10.	100mm ht. vitrified tiles skirting	M	130		
11.	Supply & fixing of granite counter	M2	6		
12.	Supply & fixing of Kadapa Stone shelf	M2	7		
13.	Supply & fixing of FRP doors	Nos	23		
14.	Installation of HPL cubicle partition	SET	6		
15.	Plumbing Works as per scope of work	Ls	1	-	
16.	Electrical works as per scope of work	Ls	1	-	
17.			Total Ar	nount (A):	
	B. Renovation of	of Exist	ing Toilet		
18.	150mm thk solid block masonry in CM 1:6	M2	5		
19.	15mm thk internal plastering in CM 1:4	M2	10		
20.	Vitrified tile flooring in CM 1:6	M2	20		
21.	Fixing of wall tiles on plastered wall	M2	100		
22.	Supply & fixing of false ceiling	M2	20		
23.	Supply & fixing of FRP Doors	M2	7		
24.	Installation of Aluminium partition	M2	5		
25.	Plumbing Works as per scope of work	Ls	1	_	
26.	Electrical works as per scope of work	Ls	1	-	
27.			Total Ar	nount (B):	
28.			Tota	1 of (A+B):	
29.			G	ST%:	
30.	Grand	Total A	Amount (SI N	lo:28+29):	

L1 will be determined based on the serial no.28



Signature:

Date:

Address of the contractor:

Seal:



Tender for Office Civil Works
UCSL/CC/T/CIVIL/307 DT: 20TH DECEMBER 2024

# ANNEXURE-V

# TECHNO COMMERCIAL CHECK LIST (To be submitted by the bidder)

(Bidders may confirm acceptance of the Tender Conditions/deviations if any to be specified)

SL No.	Tender Enquiry Requirements	Confirmation from bidder (Strike off whichever is not applicable)	Specific comments / Remarks
1	Terms & Condition, Scope of work & Indicative Quantum of Work. (Annexure-I)	Agreed as per tender /Do not agree	
2	Schedule of Completion as per clause no 9	Agreed as per tender/Do not agree	
3	Unconditional Acceptance	Agreed as per tender/Do not agree	
4	Offer Validity	06 Months - Agreed as per tender/Do not agree	
5	Taxes & Duties	Specified/included in Price	
6	Payment terms - confirm	1	
а	As per Clause 12 of Annexure - I	Agreed as per tender/Do not agree	
7	Security Deposit	Agreed as per tender/Do not agree	
8	Performance Guarantee	Agreed as per tender/Do not agree	
9	Force Majeure	Agreed as per tender/Do not agree	
10	Liquidated damages and cancellation of contract	Agreed as per tender/Do not agree	1
11	Arbitration & Jurisdiction clauses	Agreed as per tender/Do not agree	
12	Confirm all other terms and conditions of our enquiry are acceptable.	Confirmed/Not confirmed	
13	Deviations from Tender conditions	No Deviations	

Signature:

Address of the Contractor:

Seal:

